

Metals
- 4 -
INTERFERENCE CHECK SAMPLE

Client: JPCL Engineering **SDG No.:** Q1486
Contract: JPCL01 **Lab Code:** CHEM **Case No.:** Q1486 **SAS No.:** Q1486
ICS Source: EPA **Instrument ID:** P4

Sample ID	Analyte	Result ug/L	True Value ug/L	% Recovery	Low Limit (ug/L)	High Limit (ug/L)	Analysis Date	Analysis Time	Run Number
ICSA01	Arsenic	12.0			-20	20	03/06/2025	11:51	LB134928
	Barium	2.98	6.0	50	-94	106	03/06/2025	11:51	LB134928
	Cadmium	-4.02	1.0	402	-5	7	03/06/2025	11:51	LB134928
	Chromium	55.3	52.0	106	42	62	03/06/2025	11:51	LB134928
	Lead	6.40			-12	12	03/06/2025	11:51	LB134928
	Selenium	2.15			-20	20	03/06/2025	11:51	LB134928
	Silver	0.89			-10	10	03/06/2025	11:51	LB134928
ICSAB01	Arsenic	98.3	104	94	88.4	120	03/06/2025	12:04	LB134928
	Barium	498	537	93	437	637	03/06/2025	12:04	LB134928
	Cadmium	1010	972	104	826	1120	03/06/2025	12:04	LB134928
	Chromium	567	542	105	460	624	03/06/2025	12:04	LB134928
	Lead	55.0	49.0	112	37	61	03/06/2025	12:04	LB134928
	Selenium	47.8	46.0	104	26	66	03/06/2025	12:04	LB134928
	Silver	190	201	94	170	232	03/06/2025	12:04	LB134928
ICSA01	Arsenic	5.78			-20	20	03/12/2025	11:09	LB135011
	Barium	1.43	6.0	24	-94	106	03/12/2025	11:09	LB135011
	Cadmium	-3.50	1.0	350	-5	7	03/12/2025	11:09	LB135011
	Chromium	60.0	52.0	115	42	62	03/12/2025	11:09	LB135011
	Lead	5.99			-12	12	03/12/2025	11:09	LB135011
	Selenium	-15.8			-20	20	03/12/2025	11:09	LB135011
	Silver	0.57			-10	10	03/12/2025	11:09	LB135011
ICSAB01	Arsenic	116	104	112	88.4	120	03/12/2025	11:14	LB135011
	Barium	454	537	84	437	637	03/12/2025	11:14	LB135011
	Cadmium	1000	972	103	826	1120	03/12/2025	11:14	LB135011
	Chromium	595	542	110	460	624	03/12/2025	11:14	LB135011
	Lead	52.3	49.0	107	37	61	03/12/2025	11:14	LB135011
	Selenium	34.2	46.0	74	26	66	03/12/2025	11:14	LB135011
	Silver	226	201	112	170	232	03/12/2025	11:14	LB135011
ICSA01	Arsenic	4.32			-20	20	03/13/2025	12:25	LB135035
	Barium	4.72	6.0	79	-94	106	03/13/2025	12:25	LB135035
	Cadmium	-3.11	1.0	311	-5	7	03/13/2025	12:25	LB135035
	Chromium	60.0	52.0	115	42	62	03/13/2025	12:25	LB135035
	Lead	4.72			-12	12	03/13/2025	12:25	LB135035
	Selenium	-15.2			-20	20	03/13/2025	12:25	LB135035
	Silver	-0.88			-10	10	03/13/2025	12:25	LB135035
ICSAB01	Arsenic	113	104	109	88.4	120	03/13/2025	12:30	LB135035
	Barium	485	537	90	437	637	03/13/2025	12:30	LB135035
	Cadmium	1000	972	103	826	1120	03/13/2025	12:30	LB135035
	Chromium	564	542	104	460	624	03/13/2025	12:30	LB135035
	Lead	54.2	49.0	111	37	61	03/13/2025	12:30	LB135035
	Selenium	43.0	46.0	94	26	66	03/13/2025	12:30	LB135035

Metals

- 4 -

INTERFERENCE CHECK SAMPLE

Client: JPCL Engineering **SDG No.:** Q1486
Contract: JPCL01 **Lab Code:** CHEM **Case No.:** Q1486 **SAS No.:** Q1486
ICS Source: EPA **Instrument ID:** P4

Sample ID	Analyte	Result ug/L	True Value ug/L	% Recovery	Low Limit (ug/L)	High Limit (ug/L)	Analysis Date	Analysis Time	Run Number
ICSAB01	Silver	218	201	108	170	232	03/13/2025	12:30	LB135035