

## Report of Analysis

|                    |                              |                    |          |
|--------------------|------------------------------|--------------------|----------|
| Client:            | Portal Partners Tri-Venture  | Date Collected:    | 03/04/25 |
| Project:           | Amtrak Sawtooth Bridges 2025 | Date Received:     | 03/04/25 |
| Client Sample ID:  | ENV-101-SB02MS               | SDG No.:           | Q1488    |
| Lab Sample ID:     | Q1488-03MS                   | Matrix:            | SOIL     |
| Analytical Method: | SW8082A                      | % Solid:           | 90.6     |
| Sample Wt/Vol:     | 30.07 Units: g               | Final Vol:         | 10000 uL |
| Soil Aliquot Vol:  | uL                           | Test:              | PCB      |
| Extraction Type:   |                              | Injection Volume : |          |
| GPC Factor :       | 1.0                          | PH :               |          |
| Prep Method :      | SW3541B                      |                    |          |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PP070279.D        | 1         | 03/05/25 09:10 | 03/05/25 19:35 | PB166985      |

| CAS Number        | Parameter            | Conc. | Qualifier | MDL                 | LOQ / CRQL | Units(Dry Weight) |
|-------------------|----------------------|-------|-----------|---------------------|------------|-------------------|
| <b>TARGETS</b>    |                      |       |           |                     |            |                   |
| 12674-11-2        | Aroclor-1016         | 188   |           | 3.70                | 18.7       | ug/kg             |
| 11104-28-2        | Aroclor-1221         | 7.10  | U         | 7.10                | 18.7       | ug/kg             |
| 11141-16-5        | Aroclor-1232         | 3.70  | U         | 3.70                | 18.7       | ug/kg             |
| 53469-21-9        | Aroclor-1242         | 3.70  | U         | 3.70                | 18.7       | ug/kg             |
| 12672-29-6        | Aroclor-1248         | 8.70  | U         | 8.70                | 18.7       | ug/kg             |
| 11097-69-1        | Aroclor-1254         | 3.00  | U         | 3.00                | 18.7       | ug/kg             |
| 37324-23-5        | Aroclor-1262         | 5.00  | U         | 5.00                | 18.7       | ug/kg             |
| 11100-14-4        | Aroclor-1268         | 3.80  | U         | 3.80                | 18.7       | ug/kg             |
| 11096-82-5        | Aroclor-1260         | 174   |           | 3.20                | 18.7       | ug/kg             |
| <b>SURROGATES</b> |                      |       |           |                     |            |                   |
| 877-09-8          | Tetrachloro-m-xylene | 24.9  |           | 30 (32) - 150 (144) | 125%       | SPK: 20           |
| 2051-24-3         | Decachlorobiphenyl   | 21.1  |           | 30 (32) - 150 (175) | 106%       | SPK: 20           |

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit