

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL031225\
 Data File : PL094664.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 12 Mar 2025 22:22
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 13 05:39:09 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031125.M
 Quant Title : GC Extractables
 QLast Update : Tue Mar 11 17:42:21 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.536	2.771	152.4E6	202.3E6	53.835	56.684
28)	SA Decachlor...	9.050	7.904	121.8E6	232.0E6	57.787	57.442
Target Compounds							
2)	A alpha-BHC	3.992	3.273	224.3E6	308.6E6	54.015	57.248
3)	MA gamma-BHC...	4.325	3.603	214.5E6	291.5E6	53.766	56.726
4)	MA Heptachlor	4.912	3.940	194.5E6	278.5E6	50.103	52.861
5)	MB Aldrin	5.253	4.219	193.0E6	275.0E6	52.276	56.388
6)	B beta-BHC	4.523	3.903	96799304	127.4E6	52.460	57.347
7)	B delta-BHC	4.771	4.131	211.9E6	293.1E6	54.425	58.594
8)	B Heptachlo...	5.680	4.722	176.3E6	255.1E6	52.714	55.724
9)	A Endosulfan I	6.066	5.091	162.3E6	246.5E6	52.870	56.173
10)	B gamma-Chl...	5.937	4.972	177.9E6	283.7E6	52.793	58.748
11)	B alpha-Chl...	6.016	5.035	174.7E6	279.7E6	52.989	58.610
12)	B 4,4'-DDE	6.189	5.224	165.2E6	327.4E6	56.163	70.437 #
13)	MA Dieldrin	6.341	5.355	170.8E6	304.6E6	53.421	62.778
14)	MA Endrin	6.571	5.631	148.4E6	228.8E6	53.549	52.443
15)	B Endosulfa...	6.791	5.926	147.8E6	244.9E6	54.427	56.585
16)	A 4,4'-DDD	6.707	5.779	134.2E6	227.6E6	61.943	63.298
17)	MA 4,4'-DDT	7.020	6.028	121.2E6	202.2E6	50.940	50.141
18)	B Endrin al...	6.921	6.105	114.9E6	184.0E6	54.429	54.676
19)	B Endosulfa...	7.155	6.328	135.2E6	230.9E6	55.593	56.692
20)	A Methoxychlor	7.496	6.604	62436906	108.1E6	52.158	50.976
21)	B Endrin ke...	7.641	6.833	155.1E6	290.5E6	58.675	60.879
22)	Mirex	8.113	7.013	114.2E6	211.3E6	55.276	55.682
24)	Chlordane-2	5.253f	4.359	193.0E6	688423	1275.661	3.898 #
25)	Chlordane-3	5.937	4.972	177.9E6	283.7E6	355.889	533.199 #
26)	Chlordane-4	6.016	5.035	174.7E6	279.7E6	296.553	537.366 #
27)	Chlordane-5	0.000	5.926	0	244.9E6	N.D.	1276.686 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL031225\
Data File : PL094664.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 12 Mar 2025 22:22
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 13 05:39:09 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031125.M
Quant Title : GC Extractables
QLast Update : Tue Mar 11 17:42:21 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.536 min
Delta R.T.: -0.002 min
Response: 152388410
Conc: 53.83 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.771 min
Delta R.T.: 0.000 min
Response: 202320471
Conc: 56.68 ng/ml




#2 alpha-BHC

R.T.: 3.992 min
Delta R.T.: -0.002 min
Response: 224289130
Conc: 54.02 ng/ml



#2 alpha-BHC


R.T.: 3.273 min
Delta R.T.: -0.001 min
Response: 308646991
Conc: 57.25 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.325 min
Delta R.T.: -0.002 min
Response: 214542418
Conc: 53.77 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.603 min
Delta R.T.: -0.001 min
Response: 291542994
Conc: 56.73 ng/ml




#4 Heptachlor

R.T.: 4.912 min
Delta R.T.: -0.003 min
Response: 194481003
Conc: 50.10 ng/ml



#4 Heptachlor


R.T.: 3.940 min
Delta R.T.: -0.002 min
Response: 278506493
Conc: 52.86 ng/ml



#5 Aldrin


R.T.: 5.253 min
Delta R.T.: -0.003 min
Response: 193014185
Conc: 52.28 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.219 min
Delta R.T.: -0.003 min
Response: 274968104
Conc: 56.39 ng/ml




#6 beta-BHC

R.T.: 4.523 min
Delta R.T.: -0.002 min
Response: 96799304
Conc: 52.46 ng/ml



#6 beta-BHC


R.T.: 3.903 min
Delta R.T.: -0.002 min
Response: 127384902
Conc: 57.35 ng/ml



#7 delta-BHC


R.T.: 4.771 min
Delta R.T.: -0.002 min
Response: 211947858
Conc: 54.43 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.131 min
Delta R.T.: -0.002 min
Response: 293084513
Conc: 58.59 ng/ml




#8 Heptachlor epoxide

R.T.: 5.680 min
Delta R.T.: -0.003 min
Response: 176338544
Conc: 52.71 ng/ml



#8 Heptachlor epoxide


R.T.: 4.722 min
Delta R.T.: -0.003 min
Response: 255136858
Conc: 55.72 ng/ml



#9 Endosulfan I


R.T.: 6.066 min
Delta R.T.: -0.003 min
Response: 162321197
Conc: 52.87 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.091 min
Delta R.T.: -0.003 min
Response: 246528519
Conc: 56.17 ng/ml




#10 gamma-Chlordane

R.T.: 5.937 min
Delta R.T.: -0.003 min
Response: 177880588
Conc: 52.79 ng/ml



#10 gamma-Chlordane


R.T.: 4.972 min
Delta R.T.: -0.002 min
Response: 283660846
Conc: 58.75 ng/ml



#11 alpha-Chlordane


R.T.: 6.016 min
Delta R.T.: -0.003 min
Response: 174697020
Conc: 52.99 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.035 min
Delta R.T.: -0.003 min
Response: 279731111
Conc: 58.61 ng/ml




#12 4,4'-DDE

R.T.: 6.189 min
Delta R.T.: -0.004 min
Response: 165236035
Conc: 56.16 ng/ml



#12 4,4'-DDE


R.T.: 5.224 min
Delta R.T.: -0.003 min
Response: 327426638
Conc: 70.44 ng/ml



#13 Dieldrin


R.T.: 6.341 min
Delta R.T.: -0.003 min
Response: 170848735
Conc: 53.42 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.355 min
Delta R.T.: -0.003 min
Response: 304585411
Conc: 62.78 ng/ml




#14 Endrin

R.T.: 6.571 min
Delta R.T.: -0.003 min
Response: 148442725
Conc: 53.55 ng/ml



#14 Endrin


R.T.: 5.631 min
Delta R.T.: -0.003 min
Response: 228842936
Conc: 52.44 ng/ml



#15 Endosulfan II


R.T.: 6.791 min
Delta R.T.: -0.003 min
Response: 147756158
Conc: 54.43 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.926 min
Delta R.T.: -0.003 min
Response: 244914503
Conc: 56.58 ng/ml




#16 4,4'-DDD

R.T.: 6.707 min
Delta R.T.: -0.003 min
Response: 134172260
Conc: 61.94 ng/ml



#16 4,4'-DDD


R.T.: 5.779 min
Delta R.T.: -0.003 min
Response: 227611392
Conc: 63.30 ng/ml



#17 4,4'-DDT


R.T.: 7.020 min
Delta R.T.: -0.003 min
Response: 121163900
Conc: 50.94 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.028 min
Delta R.T.: -0.003 min
Response: 202173010
Conc: 50.14 ng/ml




#18 Endrin aldehyde

R.T.: 6.921 min
Delta R.T.: -0.003 min
Response: 114899110
Conc: 54.43 ng/ml



#18 Endrin aldehyde


R.T.: 6.105 min
Delta R.T.: -0.003 min
Response: 184005292
Conc: 54.68 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.155 min
Delta R.T.: -0.003 min
Response: 135203635
Conc: 55.59 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.328 min
Delta R.T.: -0.003 min
Response: 230930885
Conc: 56.69 ng/ml




#20 Methoxychlor

R.T.: 7.496 min
Delta R.T.: -0.003 min
Response: 62436906
Conc: 52.16 ng/ml



#20 Methoxychlor


R.T.: 6.604 min
Delta R.T.: -0.003 min
Response: 108123450
Conc: 50.98 ng/ml



#21 Endrin ketone


R.T.: 7.641 min
Delta R.T.: -0.003 min
Response: 155094895
Conc: 58.68 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.833 min
Delta R.T.: -0.002 min
Response: 290548717
Conc: 60.88 ng/ml




#22 Mirex

R.T.: 8.113 min
Delta R.T.: -0.004 min
Response: 114215997
Conc: 55.28 ng/ml



#22 Mirex


R.T.: 7.013 min
Delta R.T.: -0.003 min
Response: 211329015
Conc: 55.68 ng/ml



#24 Chlordane-2


R.T.: 5.253 min
Delta R.T.: 0.023 min
Response: 193014185
Conc: 1275.66 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 4.359 min
Delta R.T.: 0.014 min
Response: 688423
Conc: 3.90 ng/ml




#25 Chlordane-3

R.T.: 5.937 min
Delta R.T.: -0.003 min
Response: 177880588
Conc: 355.89 ng/ml



#25 Chlordane-3


R.T.: 4.972 min
Delta R.T.: -0.003 min
Response: 283660846
Conc: 533.20 ng/ml



#26 Chlordane-4


R.T.: 6.016 min
Delta R.T.: -0.006 min
Response: 174697020
Conc: 296.55 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 5.035 min
Delta R.T.: -0.002 min
Response: 279731111
Conc: 537.37 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.871 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.926 min
Delta R.T.: -0.007 min
Response: 244914503
Conc: 1276.69 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.050 min
Delta R.T.: -0.005 min
Response: 121784217
Conc: 57.79 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.904 min
Delta R.T.: -0.003 min
Response: 232030625
Conc: 57.44 ng/ml