

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL031325\
 Data File : PL094677.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 13 Mar 2025 15:25
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 13 15:39:09 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031125.M
 Quant Title : GC Extractables
 QLast Update : Tue Mar 11 17:42:21 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.536	2.770	143.5E6	191.4E6	50.699	53.613
28)	SA Decachlor...	9.051	7.903	122.5E6	229.5E6	58.106	56.816
Target Compounds							
2)	A alpha-BHC	3.992	3.272	211.0E6	292.5E6	50.806	54.262
3)	MA gamma-BHC...	4.325	3.602	203.4E6	277.4E6	50.967	53.967
4)	MA Heptachlor	4.912	3.940	193.5E6	280.3E6	49.863	53.196
5)	MB Aldrin	5.254	4.219	182.7E6	262.8E6	49.473	53.887
6)	B beta-BHC	4.523	3.902	92605730	120.7E6	50.187	54.326
7)	B delta-BHC	4.770	4.130	202.5E6	278.9E6	52.002	55.767
8)	B Heptachlo...	5.680	4.721	167.8E6	246.4E6	50.169	53.812
9)	A Endosulfan I	6.066	5.091	155.4E6	233.4E6	50.622	53.184
10)	B gamma-Chl...	5.936	4.971	170.0E6	260.0E6	50.456	53.845
11)	B alpha-Chl...	6.016	5.035	167.3E6	256.3E6	50.740	53.697
12)	B 4,4'-DDE	6.190	5.224	162.1E6	263.5E6	55.086	56.674
13)	MA Dieldrin	6.341	5.355	163.5E6	265.8E6	51.126	54.794
14)	MA Endrin	6.571	5.631	144.7E6	233.1E6	52.215	53.415
15)	B Endosulfa...	6.791	5.926	141.9E6	235.1E6	52.274	54.306
16)	A 4,4'-DDD	6.707	5.779	123.0E6	208.9E6	56.781	58.105
17)	MA 4,4'-DDT	7.021	6.029	135.5E6	234.8E6	56.973	58.244
18)	B Endrin al...	6.921	6.105	110.3E6	179.9E6	52.264	53.460
19)	B Endosulfa...	7.156	6.328	130.3E6	224.6E6	53.587	55.133
20)	A Methoxychlor	7.497	6.604	71555509	126.0E6	59.775	59.418
21)	B Endrin ke...	7.640	6.833	145.3E6	270.4E6	54.970	56.662
22)	Mirex	8.113	7.012	109.8E6	215.3E6	53.127	56.732
24)	Chlordane-2	5.254f	0.000	182.7E6	0	1207.271	N.D. #
25)	Chlordane-3	5.936	4.971	170.0E6	260.0E6	340.129	488.696 #
26)	Chlordane-4	6.016	5.035	167.3E6	256.3E6	283.967	492.318 #
27)	Chlordane-5	0.000	5.926	0	235.1E6	N.D.	1225.269 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL031325\
Data File : PL094677.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 13 Mar 2025 15:25
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 13 15:39:09 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031125.M
Quant Title : GC Extractables
QLast Update : Tue Mar 11 17:42:21 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.536 min
Delta R.T.: -0.002 min
Response: 143512980
Conc: 50.70 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.770 min
Delta R.T.: -0.002 min
Response: 191360228
Conc: 53.61 ng/ml




#2 alpha-BHC

R.T.: 3.992 min
Delta R.T.: -0.002 min
Response: 210962419
Conc: 50.81 ng/ml



#2 alpha-BHC


R.T.: 3.272 min
Delta R.T.: -0.002 min
Response: 292548661
Conc: 54.26 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.325 min
Delta R.T.: -0.002 min
Response: 203370259
Conc: 50.97 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.602 min
Delta R.T.: -0.003 min
Response: 277359189
Conc: 53.97 ng/ml




#4 Heptachlor

R.T.: 4.912 min
Delta R.T.: -0.002 min
Response: 193548322
Conc: 49.86 ng/ml



#4 Heptachlor


R.T.: 3.940 min
Delta R.T.: -0.003 min
Response: 280273378
Conc: 53.20 ng/ml



#5 Aldrin


R.T.: 5.254 min
Delta R.T.: -0.003 min
Response: 182666362
Conc: 49.47 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.219 min
Delta R.T.: -0.003 min
Response: 262773122
Conc: 53.89 ng/ml




#6 beta-BHC

R.T.: 4.523 min
Delta R.T.: -0.002 min
Response: 92605730
Conc: 50.19 ng/ml



#6 beta-BHC


R.T.: 3.902 min
Delta R.T.: -0.003 min
Response: 120673914
Conc: 54.33 ng/ml



#7 delta-BHC


R.T.: 4.770 min
Delta R.T.: -0.002 min
Response: 202511185
Conc: 52.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.130 min
Delta R.T.: -0.003 min
Response: 278945949
Conc: 55.77 ng/ml




#8 Heptachlor epoxide

R.T.: 5.680 min
Delta R.T.: -0.003 min
Response: 167824883
Conc: 50.17 ng/ml



#8 Heptachlor epoxide


R.T.: 4.721 min
Delta R.T.: -0.003 min
Response: 246380792
Conc: 53.81 ng/ml



#9 Endosulfan I


R.T.: 6.066 min
Delta R.T.: -0.003 min
Response: 155420624
Conc: 50.62 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.091 min
Delta R.T.: -0.003 min
Response: 233412443
Conc: 53.18 ng/ml




#10 gamma-Chlordane

R.T.: 5.936 min
Delta R.T.: -0.003 min
Response: 170003359
Conc: 50.46 ng/ml



#10 gamma-Chlordane


R.T.: 4.971 min
Delta R.T.: -0.003 min
Response: 259985122
Conc: 53.84 ng/ml



#11 alpha-Chlordane


R.T.: 6.016 min
Delta R.T.: -0.003 min
Response: 167282929
Conc: 50.74 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.035 min
Delta R.T.: -0.002 min
Response: 256281275
Conc: 53.70 ng/ml




#12 4,4'-DDE

R.T.: 6.190 min
Delta R.T.: -0.003 min
Response: 162065150
Conc: 55.09 ng/ml



#12 4,4'-DDE


R.T.: 5.224 min
Delta R.T.: -0.003 min
Response: 263451305
Conc: 56.67 ng/ml



#13 Dieldrin


R.T.: 6.341 min
Delta R.T.: -0.003 min
Response: 163507606
Conc: 51.13 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.355 min
Delta R.T.: -0.003 min
Response: 265849164
Conc: 54.79 ng/ml




#14 Endrin

R.T.: 6.571 min
Delta R.T.: -0.003 min
Response: 144744977
Conc: 52.22 ng/ml



#14 Endrin


R.T.: 5.631 min
Delta R.T.: -0.003 min
Response: 233086490
Conc: 53.42 ng/ml



#15 Endosulfan II


R.T.: 6.791 min
Delta R.T.: -0.003 min
Response: 141911195
Conc: 52.27 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.926 min
Delta R.T.: -0.003 min
Response: 235050852
Conc: 54.31 ng/ml




#16 4,4'-DDD

R.T.: 6.707 min
Delta R.T.: -0.003 min
Response: 122991052
Conc: 56.78 ng/ml



#16 4,4'-DDD


R.T.: 5.779 min
Delta R.T.: -0.003 min
Response: 208939665
Conc: 58.11 ng/ml



#17 4,4'-DDT


R.T.: 7.021 min
Delta R.T.: -0.003 min
Response: 135512407
Conc: 56.97 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.029 min
Delta R.T.: -0.003 min
Response: 234847312
Conc: 58.24 ng/ml




#18 Endrin aldehyde

R.T.: 6.921 min
Delta R.T.: -0.003 min
Response: 110329562
Conc: 52.26 ng/ml



#18 Endrin aldehyde


R.T.: 6.105 min
Delta R.T.: -0.003 min
Response: 179913667
Conc: 53.46 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.156 min
Delta R.T.: -0.003 min
Response: 130323667
Conc: 53.59 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.328 min
Delta R.T.: -0.002 min
Response: 224580527
Conc: 55.13 ng/ml




#20 Methoxychlor

R.T.: 7.497 min
Delta R.T.: -0.002 min
Response: 71555509
Conc: 59.78 ng/ml



#20 Methoxychlor


R.T.: 6.604 min
Delta R.T.: -0.003 min
Response: 126028675
Conc: 59.42 ng/ml



#21 Endrin ketone


R.T.: 7.640 min
Delta R.T.: -0.003 min
Response: 14530018
Conc: 54.97 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.833 min
Delta R.T.: -0.003 min
Response: 270421696
Conc: 56.66 ng/ml




#22 Mirex

R.T.: 8.113 min
Delta R.T.: -0.004 min
Response: 109775345
Conc: 53.13 ng/ml



#22 Mirex


R.T.: 7.012 min
Delta R.T.: -0.003 min
Response: 215317352
Conc: 56.73 ng/ml



#24 Chlordane-2


R.T.: 5.254 min
Delta R.T.: 0.023 min
Response: 182666362
Conc: 1207.27 ng/m

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T. : 4.344 min
Response: 0
Conc: N.D.




#25 Chlordane-3

R.T.: 5.936 min
Delta R.T.: -0.003 min
Response: 170003359
Conc: 340.13 ng/ml



#25 Chlordane-3


R.T.: 4.971 min
Delta R.T.: -0.003 min
Response: 259985122
Conc: 488.70 ng/ml



#26 Chlordane-4


R.T.: 6.016 min
Delta R.T.: -0.006 min
Response: 167282929
Conc: 283.97 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 5.035 min
Delta R.T.: -0.002 min
Response: 256281275
Conc: 492.32 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.871 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.926 min
Delta R.T.: -0.007 min
Response: 235050852
Conc: 1225.27 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.051 min
Delta R.T.: -0.005 min
Response: 122455967
Conc: 58.11 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.903 min
Delta R.T.: -0.003 min
Response: 229501187
Conc: 56.82 ng/ml