

DATA PACKAGE

GENERAL CHEMISTRY

PROJECT NAME : TRANSFER STATION-SPDES

TULLY ENVIRONMENTAL, INC

127-50 Northern Blvd.

Flushing, NY - 11368

Phone No: 718-446-7000

ORDER ID : Q1497

ATTENTION : Dean Devoe



Laboratory Certification ID # 20012



1) Signature Page	3
2) Case Narrative	4
2.1) Genchem- Case Narrative	4
3) Qualifier Page	5
4) QA Checklist	6
5) Genchem Data	7
6) Shipping Document	11
6.1) CHAIN OF CUSTODY	12
6.2) Lab Certificate	13

1
2
3
4
5
6

Cover Page

Order ID : Q1497

Project ID : Transfer Station-SPDES

Client : Tully Environmental, Inc

Lab Sample Number

Q1497-01
Q1497-02

Client Sample Number

001-WILLETS-PT-BLVD(FEB)
002-35TH-AVE(FEB)

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 3/7/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

Tully Environmental, Inc
Project Name: Transfer Station-SPDES
Project # N/A
Chemtech Project # Q1497
Test Name: TSS

A. Number of Samples and Date of Receipt:
2 Water samples were received on 03/05/2025.

B. Parameters:
According to the Chain of Custody document, the following analyses were requested:
TSS. This data package contains results for TSS.

C. Analytical Techniques:
The analysis of TSS was based on method SM2540 D.

D. QA/ QC Samples:
The Holding Times were met for all analysis.
The Blank Spike met requirements for all samples.
The Duplicate analysis met criteria for all samples.
The Blank analysis did not indicate the presence of lab contamination.
The Calibration met the requirements.

E. Additional Comments:

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature _____

DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following “ Results Qualifiers” are used:

- J** Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
- U** Indicates the analyte was analyzed for, but not detected.
- ND** Indicates the analyte was analyzed for, but not detected
- E** Indicates the reported value is estimated because of the presence of interference
- M** Indicates Duplicate injection precision not met.
- N** Indicates the spiked sample recovery is not within control limits.
- S** Indicates the reported value was determined by the Method of Standard Addition (MSA).
- *** Indicates that the duplicate analysis is not within control limits.
- +** Indicates the correlation coefficient for the MSA is less than 0.995.
- D** Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
- M** Method qualifiers
 - “P”** for ICP instrument
 - “PM”** for ICP when Microwave Digestion is used
 - “CV”** for Manual Cold Vapor AA
 - “AV”** for automated Cold Vapor AA
 - “CA”** for MIDI-Distillation Spectrophotometric
 - “AS”** for Semi -Automated Spectrophotometric
 - “C”** for Manual Spectrophotometric
 - “T”** for Titrimetric
 - “NR”** for analyte not required to be analyzed
- OR** Indicates the analyte’s concentration exceeds the calibrated range of the instrument for that specific analysis.
- Q** Indicates the LCS did not meet the control limits requirements
- H** Sample Analysis Out Of Hold Time

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q1497

Completed

For thorough review, the report must have the following:

GENERAL:

- Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page) ✓
- Check chain-of-custody for proper relinquish/return of samples ✓
- Is the chain of custody signed and complete ✓
- Check internal chain-of-custody for proper relinquish/return of samples /sample extracts ✓
- Collect information for each project id from server. Were all requirements followed ✓

COVER PAGE:

- Do numbers of samples correspond to the number of samples in the Chain of Custody on login page ✓
- Do lab numbers and client Ids on cover page agree with the Chain of Custody ✓

CHAIN OF CUSTODY:

- Do requested analyses on Chain of Custody agree with form I results ✓
- Do requested analyses on Chain of Custody agree with the log-in page ✓
- Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody ✓
- Were the samples received within hold time ✓
- Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle ✓

ANALYTICAL:

- Was method requirement followed? ✓
- Was client requirement followed? ✓
- Does the case narrative summarize all QC failure? ✓
- All runlogs and manual integration are reviewed for requirements ✓
- All manual calculations and /or hand notations verified ✓

QA Review Signature: SOHIL JODHANI

Date: 03/07/2025



SAMPLE DATA

Report of Analysis

A

B

C

Client:	Tully Environmental, Inc	Date Collected:	03/05/25 11:45
Project:	Transfer Station-SPDES	Date Received:	03/05/25
Client Sample ID:	001-WILLETS-PT-BLVD(FEB)	SDG No.:	Q1497
Lab Sample ID:	Q1497-01	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
TSS	33.8		1	1.00	4.00	mg/L		03/06/25 10:00	SM 2540 D-15

Comments: _____

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements
 H = Sample Analysis Out Of Hold Time

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Tully Environmental, Inc	Date Collected:	03/05/25 11:45
Project:	Transfer Station-SPDES	Date Received:	03/05/25
Client Sample ID:	002-35TH-AVE(FEB)	SDG No.:	Q1497
Lab Sample ID:	Q1497-02	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
TSS	38.6		1	1.00	4.00	mg/L		03/06/25 10:00	SM 2540 D-15

Comments: _____

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements
 H = Sample Analysis Out Of Hold Time

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID: Q1497	OrderDate: 3/5/2025 1:53:00 PM
Client: Tully Environmental, Inc	Project: Transfer Station-SPDES
Contact: Dean Devoe	Location: I13

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1497-01	001-WILLETS-PT-BLV D(FEB)	WATER	TSS	SM2540 D	03/05/25 11:45		03/06/25 10:00	03/05/25
Q1497-02	002-35TH-AVE(FEB)	WATER	TSS	SM2540 D	03/05/25 11:45		03/06/25 10:00	03/05/25



SHIPPING DOCUMENTS

CLIENT INFORMATION

CLIENT PROJECT INFORMATION

CLIENT BILLING INFORMATION

REPORT TO BE SENT TO:

COMPANY: Tully Environmental
 ADDRESS: 57 Seaview Blvd
 CITY: Pt Washington STATE: NY ZIP: 11050
 ATTENTION: D Dene
 PHONE: 718 446 7000 FAX:

PROJECT NAME: Transfer Station SPAS
 PROJECT NO.: 25213 LOCATION:
 PROJECT MANAGER:
 e-mail:
 PHONE: FAX:

BILL TO: Same PO#:
 ADDRESS:
 CITY STATE: ZIP:
 ATTENTION: PHONE:

ANALYSIS

DATA TURNAROUND INFORMATION

DATA DELIVERABLE INFORMATION

FAX (RUSH) _____ DAYS*
 HARDCOPY (DATA PACKAGE): _____ DAYS*
 EDD: _____ DAYS*
 *TO BE APPROVED BY CHEMTECH
 STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS

Level 1 (Results Only) Level 4 (QC + Full Raw Data)
 Level 2 (Results + QC) NJ Reduced US EPA CLP
 Level 3 (Results + QC) NYS ASP A NYS ASP B
 + Raw Data Other _____
 EDD FORMAT _____



PRESERVATIVES

COMMENTS

ALLIANCE SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# OF BOTTLES	PRESERVATIVES									← Specify Preservatives A-HCl D-NaOH B-HNO3 E-ICE C-H2SO4 F-OTHER			
			COMP	GRAB	DATE	TIME		1	2	3	4	5	6	7	8	9				
1.	001 Willet Pt Blvd (Feb)	W	X	X	3/5	1145		X												
2.	0023 5th Ave (Feb)	W	X	X	3/5	1145		X												
3.																				
4.																				
5.																				
6.																				
7.																				
8.																				
9.																				
10.																				

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER: 1. <u>D Dene</u>	DATE/TIME: <u>3/5/25</u>	RECEIVED BY: <u>[Signature]</u>
RELINQUISHED BY SAMPLER: 2. <u>[Signature]</u>	DATE/TIME: <u>1310</u> <u>3-5-25</u>	RECEIVED BY: <u>[Signature]</u>
RELINQUISHED BY SAMPLER: 3. <u>[Signature]</u>	DATE/TIME:	RECEIVED BY: <u>[Signature]</u>

Conditions of bottles or coolers at receipt: COMPLIANT NON COMPLIANT COOLER TEMP 4.6 °C
 Comments:
 Page ____ of CLIENT: Hand Delivered Other
 Shipment Complete YES NO

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488