

Report of Analysis

Client:	JACOBS Engineering Group, Inc.	Date Collected:	03/05/25
Project:	Former Schlumberger STC PTC Site # D3868221	Date Received:	03/05/25
Client Sample ID:	EB01-030525	SDG No.:	Q1501
Lab Sample ID:	Q1501-03	Matrix:	Water
Analytical Method:	SW8270ESIM	% Solid:	0
Sample Wt/Vol:	950 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-SIMGroup1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BN036540.D	1	03/06/25 08:26	03/06/25 18:25	PB167006

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
123-91-1	1,4-Dioxane	0.070	U	0.070	0.21	ug/L
SURROGATES						
7297-45-2	2-Methylnaphthalene-d10	0.33		30 (20) - 150 (139)	83%	SPK: 0.4
93951-69-0	Fluoranthene-d10	0.43		30 (30) - 150 (150)	108%	SPK: 0.4
4165-60-0	Nitrobenzene-d5	0.32		30 (27) - 130 (154)	79%	SPK: 0.4
321-60-8	2-Fluorobiphenyl	0.43		30 (25) - 130 (149)	107%	SPK: 0.4
1718-51-0	Terphenyl-d14	0.51		30 (54) - 130 (175)	127%	SPK: 0.4
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	1900	7.731			
1146-65-2	Naphthalene-d8	4350	10.519			
15067-26-2	Acenaphthene-d10	3040	14.366			
1517-22-2	Phenanthrene-d10	5820	17.111			
1719-03-5	Chrysene-d12	4930	21.303			
1520-96-3	Perylene-d12	4430	23.557			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products