

Hit Summary Sheet
SW-846

SDG No.: Q1502

Client: Alliance Technical Group, LLC - Newark

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID:	PT-VOA-WP							
Q1502-01	PT-VOA-WP	Water	Bromomethane	61.5		1.40	5.00	ug/L
Q1502-01	PT-VOA-WP	Water	Trichlorofluoromethane	95.4		0.34	1.00	ug/L
Q1502-01	PT-VOA-WP	Water	1,1-Dichloroethene	87.4		0.26	1.00	ug/L
Q1502-01	PT-VOA-WP	Water	Acetone	150		1.40	5.00	ug/L
Q1502-01	PT-VOA-WP	Water	Methyl tert-butyl Ether	54.9		0.16	1.00	ug/L
Q1502-01	PT-VOA-WP	Water	Methylene Chloride	48.8		0.32	1.00	ug/L
Q1502-01	PT-VOA-WP	Water	trans-1,2-Dichloroethene	80.5		0.25	1.00	ug/L
Q1502-01	PT-VOA-WP	Water	2-Butanone	41.2		1.30	5.00	ug/L
Q1502-01	PT-VOA-WP	Water	Carbon Tetrachloride	29.8		0.25	1.00	ug/L
Q1502-01	PT-VOA-WP	Water	cis-1,2-Dichloroethene	110		0.25	1.00	ug/L
Q1502-01	PT-VOA-WP	Water	Chloroform	68.7		0.26	1.00	ug/L
Q1502-01	PT-VOA-WP	Water	Benzene	110		0.16	1.00	ug/L
Q1502-01	PT-VOA-WP	Water	1,2-Dichloroethane	35.7		0.24	1.00	ug/L
Q1502-01	PT-VOA-WP	Water	Trichloroethene	51.9		0.32	1.00	ug/L
Q1502-01	PT-VOA-WP	Water	1,2-Dichloropropane	77.5		0.19	1.00	ug/L
Q1502-01	PT-VOA-WP	Water	Dibromomethane	100		0.23	1.00	ug/L
Q1502-01	PT-VOA-WP	Water	Bromodichloromethane	16.2		0.24	1.00	ug/L
Q1502-01	PT-VOA-WP	Water	4-Methyl-2-Pentanone	120		0.75	5.00	ug/L
Q1502-01	PT-VOA-WP	Water	Toluene	110		0.18	1.00	ug/L
Q1502-01	PT-VOA-WP	Water	t-1,3-Dichloropropene	85.1		0.21	1.00	ug/L
Q1502-01	PT-VOA-WP	Water	cis-1,3-Dichloropropene	61.7		0.18	1.00	ug/L
Q1502-01	PT-VOA-WP	Water	2-Hexanone	140		1.10	5.00	ug/L
Q1502-01	PT-VOA-WP	Water	Tetrachloroethene	120		0.25	1.00	ug/L
Q1502-01	PT-VOA-WP	Water	Chlorobenzene	110		0.13	1.00	ug/L
Q1502-01	PT-VOA-WP	Water	1,1,1,2-Tetrachloroethane	110		0.21	1.00	ug/L
Q1502-01	PT-VOA-WP	Water	Ethyl Benzene	35.4		0.16	1.00	ug/L
Q1502-01	PT-VOA-WP	Water	Total Xylenes	213		0.45	3.00	ug/L
Q1502-01	PT-VOA-WP	Water	m/p-Xylenes	72.6		0.31	2.00	ug/L
Q1502-01	PT-VOA-WP	Water	o-Xylene	140		0.14	1.00	ug/L
Q1502-01	PT-VOA-WP	Water	Styrene	89.6		0.16	1.00	ug/L
Q1502-01	PT-VOA-WP	Water	1,3,5-Trimethylbenzene	92.9		0.18	1.00	ug/L
Q1502-01	PT-VOA-WP	Water	1,3-Dichlorobenzene	48.9		0.24	1.00	ug/L
Q1502-01	PT-VOA-WP	Water	1,2-Dichlorobenzene	120		0.19	1.00	ug/L
Q1502-01	PT-VOA-WP	Water	Naphthalene	86.5		0.59	1.00	ug/L
Total Voc :					2760			
Total Concentration:					2760			



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet
SW-846

SDG No.: Q1502

Client: Alliance Technical Group, LLC - Newark

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
-----------	-----------	--------	-----------	---------------	---	-----	-----	-------

A

B

C

D



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	Alliance Technical Group, LLC - Newark		Date Collected:	03/03/25	
Project:	NJ Waste Water PT		Date Received:	03/05/25	
Client Sample ID:	PT-VOA-WP		SDG No.:	Q1502	
Lab Sample ID:	Q1502-01		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group1	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX045216.D	1		03/11/25 12:03	VX031125

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.21	U	0.21	1.00	ug/L
74-87-3	Chloromethane	0.35	U	0.35	1.00	ug/L
75-01-4	Vinyl Chloride	0.34	U	0.34	1.00	ug/L
74-83-9	Bromomethane	61.5		1.40	5.00	ug/L
75-00-3	Chloroethane	0.56	U	0.56	1.00	ug/L
75-69-4	Trichlorofluoromethane	95.4		0.34	1.00	ug/L
75-35-4	1,1-Dichloroethene	87.4		0.26	1.00	ug/L
107-02-8	Acrolein	6.70	U	6.70	25.0	ug/L
107-13-1	Acrylonitrile	0.90	U	0.90	5.00	ug/L
67-64-1	Acetone	150		1.40	5.00	ug/L
75-15-0	Carbon Disulfide	0.32	U	0.32	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	54.9		0.16	1.00	ug/L
75-09-2	Methylene Chloride	48.8		0.32	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	80.5		0.25	1.00	ug/L
108-05-4	Vinyl Acetate	0.71	U	0.71	5.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	1.00	ug/L
78-93-3	2-Butanone	41.2		1.30	5.00	ug/L
56-23-5	Carbon Tetrachloride	29.8		0.25	1.00	ug/L
594-20-7	2,2-Dichloropropane	0.31	UQ	0.31	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	110		0.25	1.00	ug/L
74-97-5	Bromochloromethane	0.18	U	0.18	1.00	ug/L
67-66-3	Chloroform	68.7		0.26	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.19	U	0.19	1.00	ug/L
563-58-6	1,1-Dichloropropene	0.18	U	0.18	1.00	ug/L
71-43-2	Benzene	110		0.16	1.00	ug/L
107-06-2	1,2-Dichloroethane	35.7		0.24	1.00	ug/L
79-01-6	Trichloroethene	51.9		0.32	1.00	ug/L
78-87-5	1,2-Dichloropropane	77.5		0.19	1.00	ug/L
74-95-3	Dibromomethane	100		0.23	1.00	ug/L
75-27-4	Bromodichloromethane	16.2		0.24	1.00	ug/L

Report of Analysis

Client:	Alliance Technical Group, LLC - Newark		Date Collected:	03/03/25	
Project:	NJ Waste Water PT		Date Received:	03/05/25	
Client Sample ID:	PT-VOA-WP		SDG No.:	Q1502	
Lab Sample ID:	Q1502-01		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group1	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX045216.D	1		03/11/25 12:03	VX031125

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
108-10-1	4-Methyl-2-Pentanone	120		0.75	5.00	ug/L
108-88-3	Toluene	110		0.18	1.00	ug/L
10061-02-6	t-1,3-Dichloropropene	85.1		0.21	1.00	ug/L
10061-01-5	cis-1,3-Dichloropropene	61.7		0.18	1.00	ug/L
79-00-5	1,1,2-Trichloroethane	0.21	U	0.21	1.00	ug/L
142-28-9	1,3-Dichloropropane	0.17	U	0.17	1.00	ug/L
110-75-8	2-Chloroethyl Vinyl ether	1.80	U	1.80	5.00	ug/L
591-78-6	2-Hexanone	140		1.10	5.00	ug/L
124-48-1	Dibromochloromethane	0.18	U	0.18	1.00	ug/L
106-93-4	1,2-Dibromoethane	0.16	U	0.16	1.00	ug/L
127-18-4	Tetrachloroethene	120		0.25	1.00	ug/L
108-90-7	Chlorobenzene	110		0.13	1.00	ug/L
630-20-6	1,1,1,2-Tetrachloroethane	110		0.21	1.00	ug/L
67-72-1	Hexachloroethane	0	U	0	0	ug/L
100-41-4	Ethyl Benzene	35.4		0.16	1.00	ug/L
179601-23-1	m/p-Xylenes	72.6		0.31	2.00	ug/L
1330-20-7	Total Xylenes	213		0.45	3.00	ug/L
95-47-6	o-Xylene	140		0.14	1.00	ug/L
100-42-5	Styrene	89.6		0.16	1.00	ug/L
75-25-2	Bromoform	0.21	U	0.21	1.00	ug/L
98-82-8	Isopropylbenzene	0.13	U	0.13	1.00	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.27	U	0.27	1.00	ug/L
96-18-4	1,2,3-Trichloropropane	0.39	U	0.39	1.00	ug/L
108-86-1	Bromobenzene	0.26	U	0.26	1.00	ug/L
103-65-1	n-propylbenzene	0.14	U	0.14	1.00	ug/L
95-49-8	2-Chlorotoluene	0.16	U	0.16	1.00	ug/L
108-67-8	1,3,5-Trimethylbenzene	92.9		0.18	1.00	ug/L
106-43-4	4-Chlorotoluene	0.18	U	0.18	1.00	ug/L
98-06-6	tert-Butylbenzene	0.17	U	0.17	1.00	ug/L
95-63-6	1,2,4-Trimethylbenzene	0.18	U	0.18	1.00	ug/L
135-98-8	sec-Butylbenzene	0.17	U	0.17	1.00	ug/L

Report of Analysis

Client:	Alliance Technical Group, LLC - Newark		Date Collected:	03/03/25	
Project:	NJ Waste Water PT		Date Received:	03/05/25	
Client Sample ID:	PT-VOA-WP		SDG No.:	Q1502	
Lab Sample ID:	Q1502-01		Matrix:	Water	
Analytical Method:	SW8260		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group1	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX045216.D	1		03/11/25 12:03	VX031125

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
99-87-6	p-Isopropyltoluene	0.15	U	0.15	1.00	ug/L
541-73-1	1,3-Dichlorobenzene	48.9		0.24	1.00	ug/L
106-46-7	1,4-Dichlorobenzene	0.27	U	0.27	1.00	ug/L
104-51-8	n-Butylbenzene	0.22	U	0.22	1.00	ug/L
95-50-1	1,2-Dichlorobenzene	120		0.19	1.00	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	0.46	U	0.46	1.00	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.42	U	0.42	1.00	ug/L
87-68-3	Hexachlorobutadiene	0.31	U	0.31	1.00	ug/L
91-20-3	Naphthalene	86.5		0.59	1.00	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.51	U	0.51	1.00	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	48.8		74 - 125	98%	SPK: 50
1868-53-7	Dibromofluoromethane	49.0		75 - 124	98%	SPK: 50
2037-26-5	Toluene-d8	48.9		86 - 113	98%	SPK: 50
460-00-4	4-Bromofluorobenzene	49.1		77 - 121	98%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	98300	5.55			
540-36-3	1,4-Difluorobenzene	178000	6.757			
3114-55-4	Chlorobenzene-d5	159000	10.055			
3855-82-1	1,4-Dichlorobenzene-d4	68000	12.018			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products



LAB CHRONICLE

OrderID:	Q1502	OrderDate:	3/6/2025 10:04:07 AM
Client:	Alliance Technical Group, LLC - Newark	Project:	NJ Waste Water PT
Contact:	Mohammad Ahmed	Location:	QA Office,VOA Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1502-01	PT-VOA-WP	Water	VOCMS Group1	8260-Low	03/03/25		03/11/25	03/05/25