

LAB CHRONICLE

OrderID:	Q1505	OrderDate:	3/6/2025 10:20:04 AM
Client:	Alliance Technical Group, LLC - Newark	Project:	NJ Waste Water PT
Contact:	Mohammad Ahmed	Location:	QA Office

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1505-01	PT-CR6-WP	WATER	Hexavalent Chromium	7196A	03/03/25 08:00		03/20/25 15:14	03/05/25
Q1505-02	PT-CR6-WP	WATER	Hexavalent Chromium	SM3500-Cr B	03/03/25 08:00		03/19/25 16:54	03/05/25
Q1505-03	PT-DEM-WP	WATER	BOD5	SM5210 B	03/03/25 08:00		03/12/25 15:45	03/05/25
			CBOD5	SM5210 B			03/12/25 15:45	
			COD	SM5220 D			03/21/25 13:42	
			TOC	SM5310B			03/19/25 11:24	
Q1505-03DL	PT-DEM-WPDL	WATER	TOC	SM5310B	03/03/25 08:00		03/19/25 11:49	03/05/25
Q1505-04	PT-DEM-WP	WATER	TOC	9060A	03/03/25 08:00		03/19/25 11:24	03/05/25
Q1505-04DL	PT-DEM-WPDL	WATER			03/03/25 08:00			03/05/25

LAB CHRONICLE

TOC 9060A 03/19/25
11:49

Q1505-05 PT-MIN1-WP WATER 03/03/25 08:00 03/05/25

Alkalinity SM2320 B 03/18/25
09:40
Anions Group1 300.0 03/11/25
12:10
Chloride SM4500-CL C 03/12/25
12:13
Sulfate SM 03/26/25
4500-SO4E 11:15

Q1505-05DL PT-MIN1-WPDL WATER 03/03/25 08:00 03/05/25

Anions Group1 300.0 03/11/25
13:15
Sulfate SM 03/26/25
4500-SO4E 11:18

Q1505-05DL PT-MIN1-WPDL2 WATER 03/03/25 08:00 03/05/25

Anions Group1 300.0 03/11/25
13:36

Q1505-06 PT-MIN1-WP WATER 03/03/25 08:00 03/05/25

Anions Group1 9056A 03/11/25
12:10
Sulfate 9038 03/26/25
12:20

Q1505-06DL PT-MIN1-WPDL WATER 03/03/25 08:00 03/05/25

Anions Group1 9056A 03/11/25
13:15
Sulfate 9038 03/26/25
12:23

Q1505-06DL PT-MIN1-WPDL2 WATER 03/03/25 08:00 03/05/25

LAB CHRONICLE

			Anions Group1	9056A		03/11/25 13:36	
Q1505-07	PT-COND-WP	Water			03/03/25 08:00		03/05/25
			Conductance	SM2510 B		03/13/25 13:10	
Q1505-08	PT-COND-WP	Water			03/03/25 08:00		03/05/25
			Conductance	120.1		03/13/25 13:10	
Q1505-09	PT-COND-WP	Water			03/03/25 08:00		03/05/25
			Conductance	9050A		03/13/25 13:10	
Q1505-10	PT-SOL-WP	WATER			03/03/25 08:00		03/05/25
			TDS	SM2540 C		04/08/25 12:30	
			TS	SM2540 B		04/08/25 11:00	
			TSS	SM2540 D		04/08/25 11:00	
Q1505-11	PT-NUT1-WP	WATER			03/03/25 08:00		03/05/25
			Ammonia	SM4500-NH3		03/12/25 03/12/25 15:36	
			Anions Group2	300.0		03/11/25 12:32	
Q1505-11DL	PT-NUT1-WPDL	WATER			03/03/25 08:00		03/05/25
			Ammonia	SM4500-NH3		03/12/25 03/12/25 16:25	
			Anions Group2	300.0		03/11/25 13:58	
Q1505-12	PT-NUT1-WP	WATER			03/03/25 08:00		03/05/25

LAB CHRONICLE

			Anions Group2	9056A		03/11/25 12:32	
Q1505-12DL	PT-NUT1-WPDL	WATER			03/03/25 08:00		03/05/25
			Anions Group2	9056A		03/11/25 13:58	
			Phosphorus-Ortho	SM4500-P E		03/14/25 15:21	
Q1505-13	PT-NUT2-WP	WATER			03/03/25 08:00		03/05/25
			Phosphorus-Total	365.3		03/14/25 14:16	
			TKN	SM4500-N Org C-11 plus NH3 B plus G-11		03/19/25 15:20	
Q1505-13DL	PT-NUT2-WPDL	WATER			03/03/25 08:00		03/05/25
			Phosphorus-Total	365.3		03/14/25 14:19	
			TKN	SM4500-N Org C-11 plus NH3 B plus G-11		03/19/25 16:13	
Q1505-14	PT-NUT3-WP	WATER			03/03/25 08:00		03/05/25
			Nitrite	SM4500-NO2 B		03/11/25 12:13	
Q1505-14DL	PT-NUT3-WPDL	WATER			03/03/25 08:00		03/05/25
			Nitrite	SM4500-NO2 B		03/11/25 12:13	

LAB CHRONICLE

Q1505-15	PT-NUT3-WP	WATER			03/03/25 08:00		03/05/25
			Anions Group4	300.0		03/11/25 12:53	
Q1505-16	PT-NUT3-WP	WATER			03/03/25 08:00		03/05/25
			Anions Group5	9056A		03/11/25 12:53	
Q1505-17	PT-ORG1L-WP	WATER			03/03/25 08:00		03/05/25
			Oil and Grease	1664A		03/14/25 10:00	
Q1505-18	RR-TPH1L-WP	WATER			03/03/25 08:00		03/05/25
			TPH	1664A		03/14/25 10:30	
Q1505-19	PT-CL-WP	Water			03/03/25 08:00		03/05/25
			Residual Chlorine	SM4500 Cl G		03/19/25 11:21	
Q1505-20	PT-PH-WP	WATER			03/03/25 08:00		03/05/25
			pH	9040C		03/11/25 12:50	
Q1505-21	PT-PH-WP	WATER			03/03/25 08:00		03/05/25
			pH	SM 4500-H B		03/11/25 12:50	
Q1505-22	PT-CN-WP	WATER			03/03/25 08:00		03/05/25
			Cyanide	SM4500-CN C,E		03/18/25 03/18/25 14:22	
Q1505-23	PT-CN-WP	WATER			03/03/25 08:00		03/05/25

LAB CHRONICLE

Q1505-24	PT-CN-WP	WATER	Cyanide	9012B		03/18/25	03/18/25 12:29	03/05/25
					03/03/25 08:00			
Q1505-25	PT-PHEN-WP	WATER	Cyanide	9014		03/18/25	03/18/25 13:32	03/05/25
					03/03/25 08:00			
Q1505-26	PT-PHEN-WP	WATER	Phenolics	9065		03/17/25	03/17/25 16:30	03/05/25
					03/03/25 08:00			
Q1505-27	PT-COL-WP	Water	Phenolics	420.1		03/17/25	03/17/25 15:33	03/05/25
					03/03/25 08:00			
Q1505-28	PT-S2-WP	WATER	Apparent Color	SM2120 B			03/19/25 09:35	03/05/25
					03/03/25 08:00			
Q1505-29	PT-S2-WP	WATER	Sulfide	SM4500 S EorF		03/20/25	03/20/25 11:16	03/05/25
					03/03/25 08:00			
Q1505-30	PT-SSOL-WP	Water	Sulfide	9034		03/20/25	03/20/25 11:26	03/05/25
					03/03/25 08:00			
Q1505-31	PT-VSOL-WP	WATER	Settleable Solids	SM2540 F			03/11/25 11:15	03/05/25
					03/03/25 08:00			
			TVS	160.4			03/13/25 16:00	

LAB CHRONICLE

Q1505-32	PT-VSOL-WP	WATER			03/03/25 08:00		03/05/25
			TVS	SM2540 G		03/13/25 16:00	
Q1505-33	PT-TURB-WP	Water			03/03/25 08:00		03/05/25
			Turbidity	SM2130 B		03/27/25 11:20	
Q1505-34	PT-TURB-WP	Water			03/03/25 08:00		03/05/25
			Turbidity	180.1		03/27/25 11:20	
