

Initial Calibration Report for SequenceID : FE030325AL

AreaCount

Parameter Range	FE052574.D	FE052575.D	FE052576.D	FE052577.D	FE052578.D	
Aliphatic C9-C12	42442133.000	21908913.000	9597805.000	4926333.000	2520517.000	
Aliphatic C12-C16	27580281.000	14251729.000	6250320.000	3204581.000	1635867.000	
Aliphatic C16-C21	39738338.000	20559097.000	9010211.000	4640638.000	2375408.000	
Aliphatic C21-C28	50608585.000	26547978.000	11639338.000	6148197.000	3076025.000	
Aliphatic C28-C40	66374736.000	34517397.000	15630021.000	8240673.000	4340048.000	
Aliphatic EPH	226744073.000	117785114.000	52127695.000	27160422.000	13947865.000	

AVG Response Factor

Parameter Range	AVG RF	% RSD				
Aliphatic C9-C12	155948.4359996	7.435				
Aliphatic C12-C16	152098.489	7.415				
Aliphatic C16-C21	146548.0846662	7.685				
Aliphatic C21-C28	142451.8505	8.689				
Aliphatic C28-C40	127589.1083332	11.35				
Aliphatic EPH	141501.5884438	8.903				

Concentration

Parameter Range	FE052574.D	FE052575.D	FE052576.D	FE052577.D	FE052578.D	
Aliphatic C9-C12	300.000	150.000	60.000	30.000	15.000	
Aliphatic C12-C16	200.000	100.000	40.000	20.000	10.000	
Aliphatic C16-C21	300.000	150.000	60.000	30.000	15.000	
Aliphatic C21-C28	400.000	200.000	80.000	40.000	20.000	
Aliphatic C28-C40	600.000	300.000	120.000	60.000	30.000	
Aliphatic EPH	1800.000	900.000	360.000	180.000	90.000	

Response Factor

Parameter Range	FE052574.D	FE052575.D	FE052576.D	FE052577.D	FE052578.D	
Aliphatic C9-C12	141473.776666	146059.420000	159963.416666	164211.100000	168034.466666	
Aliphatic C12-C16	137901.405000	142517.290000	156258.000000	160229.050000	163586.700000	
Aliphatic C16-C21	132461.126666	137060.646666	150170.183333	154687.933333	158360.533333	

Initial Calibration Report for SequenceID : FE030325AL

Aliphatic C21-C28	126521.462500	132739.890000	145491.725000	153704.925000	153801.250000	
Aliphatic C28-C40	110624.560000	115057.990000	130250.175000	137344.550000	144668.266666	
Aliphatic EPH	125968.929444	130872.348888	144799.152777	150891.233333	154976.277777	

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE030325AL\
 Data File : FE052574.D
 Signal(s) : FID1B.ch
 Acq On : 03 Mar 2025 11:03
 Operator : YP\AJ
 Sample : 100 PPM ALIPHATIC HC STD1
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 FID_E
 ClientSampleId :
 100 PPM ALIPHATIC HC STD1

Integration File: autoint1.e
 Quant Time: Mar 03 12:35:11 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 030325.M
 Quant Title : GC Extractables
 QLast Update : Mon Mar 03 12:32:42 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.921	15249190	93.747 ug/ml
Spiked Amount 50.000		Recovery =	187.49%
12) S 1-chlorooctadecane (S...	13.362	11123183	94.425 ug/ml
Spiked Amount 50.000		Recovery =	188.85%
Target Compounds			
1) T n-Nonane (C9)	3.257	14069581	93.932 ug/ml
2) T n-Decane (C10)	4.520	14244956	93.842 ug/ml
3) T A~Naphthalene (C11.7)	6.234	15515805	94.126 ug/ml
4) T n-Dodecane (C12)	6.701	14127596	93.824 ug/ml
5) T A~2-methylnaphthalene...	7.337	14872839	94.265 ug/ml
6) T n-Tetradecane (C14)	8.538	13725919	93.771 ug/ml
7) T n-Hexadecane (C16)	10.153	13854362	93.748 ug/ml
8) T n-Octadecane (C18)	11.603	13752507	93.737 ug/ml
10) T n-Eicosane (C20)	12.917	13115140	93.713 ug/ml
11) T n-Heneicosane (C21)	13.531	12870691	93.753 ug/ml
13) T n-Docosane (C22)	14.119	12800111	93.460 ug/ml
14) T n-Tetracosane (C24)	15.226	12766560	93.227 ug/ml
15) T n-Hexacosane (C26)	16.249	12617268	93.065 ug/ml
16) T n-Octacosane (C28)	17.201	12424646	92.341 ug/ml
17) T n-Tricontane (C30)	18.092	12609210	91.462 ug/ml
18) T n-Dotriacontane (C32)	18.928	12252844	90.798 ug/ml
19) T n-Tetratriacontane (C34)	19.714	11540152	91.301 ug/ml
20) T n-Hexatriacontane (C36)	20.455	10354123	91.810 ug/ml
21) T n-Octatriacontane (C38)	21.198	9888606	92.810 ug/ml
22) T n-Tetracontane (C40)	22.124	9729801	93.471 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE030325AL\
Data File : FE052574.D
Signal(s) : FID1B.ch
Acq On : 03 Mar 2025 11:03
Operator : YP\AJ
Sample : 100 PPM ALIPHATIC HC STD1
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
FID_E
ClientSampleId :
100 PPM ALIPHATIC HC STD1

Integration File: autoint1.e
Quant Time: Mar 03 12:35:11 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 030325.M
Quant Title : GC Extractables
QLast Update : Mon Mar 03 12:32:42 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#1 n-Nonane (C9)


R.T.: 3.257 min
Delta R.T.: 0.000 min
Response: 14069581
Conc: 93.93 ug/ml

Instrument :
FID_E
ClientSampleId :
100 PPM ALIPHATIC HC STD1




#2 n-Decane (C10)

R.T.: 4.520 min
Delta R.T.: 0.000 min
Response: 14244956
Conc: 93.84 ug/ml




#3 A~Naphthalene (C11.7)

R.T.: 6.234 min
Delta R.T.: 0.000 min
Response: 15515805
Conc: 94.13 ug/ml



#4 n-Dodecane (C12)


R.T.: 6.701 min
Delta R.T.: 0.000 min
Response: 14127596
Conc: 93.82 ug/ml



#5 A~2-methylnaphthalene (C12.89)


R.T.: 7.337 min
Delta R.T.: 0.000 min
Response: 14872839
Conc: 94.27 ug/ml

Instrument :
FID_E
ClientSampleId :
100 PPM ALIPHATIC HC STD1




#6 n-Tetradecane (C14)

R.T.: 8.538 min
Delta R.T.: 0.000 min
Response: 13725919
Conc: 93.77 ug/ml




#7 n-Hexadecane (C16)

R.T.: 10.153 min
Delta R.T.: 0.000 min
Response: 13854362
Conc: 93.75 ug/ml



#8 n-Octadecane (C18)


R.T.: 11.603 min
Delta R.T.: 0.000 min
Response: 13752507
Conc: 93.74 ug/ml



#9 ortho-Terphenyl (SURR)


R.T.: 11.921 min
Delta R.T.: 0.000 min
Response: 15249190
Conc: 93.75 ug/ml

Instrument :
FID_E
ClientSampleId :
100 PPM ALIPHATIC HC STD1




#10 n-Eicosane (C20)

R.T.: 12.917 min
Delta R.T.: 0.000 min
Response: 13115140
Conc: 93.71 ug/ml




#11 n-Heneicosane (C21)

R.T.: 13.531 min
Delta R.T.: 0.000 min
Response: 12870691
Conc: 93.75 ug/ml



#12 1-chlorooctadecane (SURR)


R.T.: 13.362 min
Delta R.T.: 0.000 min
Response: 11123183
Conc: 94.43 ug/ml



#13 n-Docosane (C22)


R.T.: 14.119 min
Delta R.T.: 0.000 min
Response: 12800111
Conc: 93.46 ug/ml

Instrument :
FID_E
ClientSampleId :
100 PPM ALIPHATIC HC STD1




#14 n-Tetracosane (C24)

R.T.: 15.226 min
Delta R.T.: 0.000 min
Response: 12766560
Conc: 93.23 ug/ml




#15 n-Hexacosane (C26)

R.T.: 16.249 min
Delta R.T.: 0.000 min
Response: 12617268
Conc: 93.06 ug/ml



#16 n-Octacosane (C28)


R.T.: 17.201 min
Delta R.T.: 0.000 min
Response: 12424646
Conc: 92.34 ug/ml



#17 n-Tricontane (C30)


R.T.: 18.092 min
Delta R.T.: 0.000 min
Response: 12609210
Conc: 91.46 ug/ml

Instrument :
FID_E
ClientSampleId :
100 PPM ALIPHATIC HC STD1




#18 n-Dotriacontane (C32)

R.T.: 18.928 min
Delta R.T.: 0.000 min
Response: 12252844
Conc: 90.80 ug/ml




#19 n-Tetratriacontane (C34)

R.T.: 19.714 min
Delta R.T.: 0.000 min
Response: 11540152
Conc: 91.30 ug/ml



#20 n-Hexatriacontane (C36)

R.T.: 20.455 min
Delta R.T.: 0.000 min
Response: 10354123
Conc: 91.81 ug/ml



#21 n-Octatriacontane (C38)


R.T.: 21.198 min
Delta R.T.: 0.000 min
Response: 9888606
Conc: 92.81 ug/ml

Instrument :

FID_E

ClientSampleId :

100 PPM ALIPHATIC HC STD1



#22 n-Tetracontane (C40)

R.T.: 22.124 min
Delta R.T.: 0.000 min
Response: 9729801
Conc: 93.47 ug/ml

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE030325AL\
 Data File : FE052574.D
 Signal(s) : FID1B.ch
 Acq On : 03 Mar 2025 11:03
 Sample : 100 PPM ALIPHATIC HC STD1
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 030325.M
 Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.257	3.218	3.341	BB	1376737	14069581	90.68%	4.963%
2	4.520	4.481	4.604	BB	1385573	14244956	91.81%	5.025%
3	6.234	6.194	6.331	BB	1543497	15515805	100.00%	5.473%
4	6.701	6.648	6.764	BB	1337401	14127596	91.05%	4.983%
5	7.337	7.291	7.451	PB	1429684	14872839	95.86%	5.246%
6	8.538	8.468	8.601	BB	1246041	13725919	88.46%	4.842%
7	10.153	10.111	10.221	BB	1228361	13854362	89.29%	4.887%
8	11.603	11.564	11.671	BB	1158280	13752507	88.64%	4.851%
9	11.921	11.858	11.991	BB	1294746	15249190	98.28%	5.379%
10	12.917	12.831	12.988	BB	1073457	13115140	84.53%	4.626%
11	13.362	13.311	13.488	BB	878519	11123183	71.69%	3.923%
12	13.531	13.491	13.604	BB	1034118	12870691	82.95%	4.540%
13	14.119	14.041	14.184	BB	1007279	12800111	82.50%	4.515%
14	15.226	15.141	15.301	BB	971384	12766560	82.28%	4.503%
15	16.249	16.158	16.331	BB	889127	12617268	81.32%	4.450%
16	17.201	17.124	17.308	BB	895534	12424646	80.08%	4.383%
17	18.092	18.018	18.201	VB	871317	12609210	81.27%	4.448%
18	18.928	18.871	19.054	BB	775818	12252844	78.97%	4.322%
19	19.714	19.651	19.841	BV	682323	11540152	74.38%	4.071%
20	20.455	20.401	20.562	BV	555199	10354123	66.73%	3.652%
21	21.198	21.131	21.358	BB	437475	9888606	63.73%	3.488%
22	22.124	22.041	22.284	BV	324105	9729801	62.71%	3.432%
Sum of corrected areas:						283505085		

Aliphatic EPH 030325.M Tue Mar 04 04:13:47 2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE030325AL\
 Data File : FE052575.D
 Signal(s) : FID1B.ch
 Acq On : 03 Mar 2025 11:34
 Operator : YP\AJ
 Sample : 50 PPM ALIPHATIC HC STD2
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 FID_E
 ClientSampleId :
 50 PPM ALIPHATIC HC STD2

Integration File: autoint1.e
 Quant Time: Mar 03 12:40:59 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 030325.M
 Quant Title : GC Extractables
 QLast Update : Mon Mar 03 12:40:45 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.915	7890446	48.995 ug/ml
Spiked Amount 50.000		Recovery =	97.99%
12) S 1-chlorooctadecane (S...	13.358	5721300	49.036 ug/ml
Spiked Amount 50.000		Recovery =	98.07%
Target Compounds			
1) T n-Nonane (C9)	3.254	7262625	48.981 ug/ml
2) T n-Decane (C10)	4.517	7350604	48.938 ug/ml
3) T A~Naphthalene (C11.7)	6.230	8003588	49.026 ug/ml
4) T n-Dodecane (C12)	6.698	7295684	48.957 ug/ml
5) T A~2-methylnaphthalene...	7.333	7667442	49.056 ug/ml
6) T n-Tetradecane (C14)	8.535	7087970	48.937 ug/ml
7) T n-Hexadecane (C16)	10.150	7163759	48.973 ug/ml
8) T n-Octadecane (C18)	11.599	7114585	48.985 ug/ml
10) T n-Eicosane (C20)	12.913	6790047	49.002 ug/ml
11) T n-Heneicosane (C21)	13.527	6654465	48.971 ug/ml
13) T n-Docosane (C22)	14.115	6651959	49.037 ug/ml
14) T n-Tetracosane (C24)	15.221	6697431	49.266 ug/ml
15) T n-Hexacosane (C26)	16.246	6641490	49.320 ug/ml
16) T n-Octacosane (C28)	17.198	6557098	49.148 ug/ml
17) T n-Tricontane (C30)	18.088	6637939	48.751 ug/ml
18) T n-Dotriacontane (C32)	18.923	6417064	48.341 ug/ml
19) T n-Tetratriacontane (C34)	19.709	5988221	48.220 ug/ml
20) T n-Hexatriacontane (C36)	20.451	5353171	48.282 ug/ml
21) T n-Octatriacontane (C38)	21.193	5101404	48.566 ug/ml
22) T n-Tetracontane (C40)	22.116	5019598	48.800 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE030325AL\
Data File : FE052575.D
Signal(s) : FID1B.ch
Acq On : 03 Mar 2025 11:34
Operator : YP\AJ
Sample : 50 PPM ALIPHATIC HC STD2
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
FID_E
ClientSampleId :
50 PPM ALIPHATIC HC STD2

Integration File: autoint1.e
Quant Time: Mar 03 12:40:59 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 030325.M
Quant Title : GC Extractables
QLast Update : Mon Mar 03 12:40:45 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#1 n-Nonane (C9)


R.T.: 3.254 min
Delta R.T.: 0.000 min
Response: 7262625
Conc: 48.98 ug/ml

Instrument :
FID_E
ClientSampleId :
50 PPM ALIPHATIC HC STD2




#2 n-Decane (C10)

R.T.: 4.517 min
Delta R.T.: 0.000 min
Response: 7350604
Conc: 48.94 ug/ml




#3 A~Naphthalene (C11.7)

R.T.: 6.230 min
Delta R.T.: 0.000 min
Response: 8003588
Conc: 49.03 ug/ml



#4 n-Dodecane (C12)


R.T.: 6.698 min
Delta R.T.: 0.000 min
Response: 7295684
Conc: 48.96 ug/ml



#5 A~2-methylnaphthalene (C12.89)


R.T.: 7.333 min
Delta R.T.: 0.000 min
Response: 7667442
Conc: 49.06 ug/ml

Instrument :
FID_E
ClientSampleId :
50 PPM ALIPHATIC HC STD2




#6 n-Tetradecane (C14)

R.T.: 8.535 min
Delta R.T.: 0.000 min
Response: 7087970
Conc: 48.94 ug/ml




#7 n-Hexadecane (C16)

R.T.: 10.150 min
Delta R.T.: 0.000 min
Response: 7163759
Conc: 48.97 ug/ml



#8 n-Octadecane (C18)


R.T.: 11.599 min
Delta R.T.: 0.000 min
Response: 7114585
Conc: 48.99 ug/ml



#9 ortho-Terphenyl (SURR)


R.T.: 11.915 min
Delta R.T.: 0.000 min
Response: 7890446
Conc: 49.00 ug/ml

Instrument :
FID_E
ClientSampleId :
50 PPM ALIPHATIC HC STD2




#10 n-Eicosane (C20)

R.T.: 12.913 min
Delta R.T.: 0.000 min
Response: 6790047
Conc: 49.00 ug/ml




#11 n-Heneicosane (C21)

R.T.: 13.527 min
Delta R.T.: 0.000 min
Response: 6654465
Conc: 48.97 ug/ml



#12 1-chlorooctadecane (SURR)


R.T.: 13.358 min
Delta R.T.: 0.000 min
Response: 5721300
Conc: 49.04 ug/ml



#13 n-Docosane (C22)


R.T.: 14.115 min
Delta R.T.: 0.000 min
Response: 6651959
Conc: 49.04 ug/ml

Instrument :
FID_E
ClientSampleId :
50 PPM ALIPHATIC HC STD2




#14 n-Tetracosane (C24)

R.T.: 15.221 min
Delta R.T.: 0.000 min
Response: 6697431
Conc: 49.27 ug/ml




#15 n-Hexacosane (C26)

R.T.: 16.246 min
Delta R.T.: 0.000 min
Response: 6641490
Conc: 49.32 ug/ml



#16 n-Octacosane (C28)


R.T.: 17.198 min
Delta R.T.: 0.000 min
Response: 6557098
Conc: 49.15 ug/ml



#17 n-Tricontane (C30)


R.T.: 18.088 min
Delta R.T.: 0.000 min
Response: 6637939
Conc: 48.75 ug/ml

Instrument :
FID_E
ClientSampleId :
50 PPM ALIPHATIC HC STD2




#18 n-Dotriacontane (C32)

R.T.: 18.923 min
Delta R.T.: 0.000 min
Response: 6417064
Conc: 48.34 ug/ml




#19 n-Tetratriacontane (C34)

R.T.: 19.709 min
Delta R.T.: 0.000 min
Response: 5988221
Conc: 48.22 ug/ml



#20 n-Hexatriacontane (C36)


R.T.: 20.451 min
Delta R.T.: 0.000 min
Response: 5353171
Conc: 48.28 ug/ml



#21 n-Octatriacontane (C38)

R.T.: 21.193 min
Delta R.T.: 0.000 min
Response: 5101404
Conc: 48.57 ug/ml

Instrument :
FID_E
ClientSampleId :
50 PPM ALIPHATIC HC STD2



#22 n-Tetracontane (C40)

R.T.: 22.116 min
Delta R.T.: 0.000 min
Response: 5019598
Conc: 48.80 ug/ml

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE030325AL\
Data File : FE052575.D
Signal(s) : FID1B.ch
Acq On : 03 Mar 2025 11:34
Sample : 50 PPM ALIPHATIC HC STD2
Misc :
ALS Vial : 12 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 030325.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.254	3.221	3.318	BB	720805	7262625	90.74%	4.938%
2	4.517	4.471	4.584	BB	725655	7350604	91.84%	4.998%
3	6.230	6.188	6.324	BB	812229	8003588	100.00%	5.442%
4	6.698	6.654	6.761	BB	705384	7295684	91.16%	4.961%
5	7.333	7.288	7.438	PB	756176	7667442	95.80%	5.214%
6	8.535	8.418	8.598	BB	657816	7087970	88.56%	4.820%
7	10.150	10.108	10.218	BB	647411	7163759	89.51%	4.871%
8	11.599	11.561	11.664	BB	599043	7114585	88.89%	4.838%
9	11.915	11.864	11.981	BB	717321	7890446	98.59%	5.365%
10	12.913	12.871	12.978	BB	565753	6790047	84.84%	4.617%
11	13.358	13.318	13.448	BB	458678	5721300	71.48%	3.890%
12	13.527	13.484	13.594	BB	530789	6654465	83.14%	4.525%
13	14.115	14.078	14.174	VB	526625	6651959	83.11%	4.523%
14	15.221	15.141	15.291	BB	504373	6697431	83.68%	4.554%
15	16.246	16.081	16.314	BB	495717	6641490	82.98%	4.516%
16	17.198	17.121	17.271	BB	483594	6557098	81.93%	4.459%
17	18.088	18.021	18.181	BB	469897	6637939	82.94%	4.514%
18	18.923	18.871	19.024	BB	409189	6417064	80.18%	4.363%
19	19.709	19.651	19.814	BB	357009	5988221	74.82%	4.072%
20	20.451	20.401	20.544	BV	293191	5353171	66.88%	3.640%
21	21.193	21.131	21.331	BB	232996	5101404	63.74%	3.469%
22	22.116	22.041	22.274	BV	168917	5019598	62.72%	3.413%
Sum of corrected areas:						147067888		

Aliphatic EPH 030325.M Tue Mar 04 04:14:28 2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE030325AL\
 Data File : FE052576.D
 Signal(s) : FID1B.ch
 Acq On : 03 Mar 2025 12:04
 Operator : YP\AJ
 Sample : 20 PPM ALIPHATIC HC STD3
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 FID_E
 ClientSampleId :
 20 PPM ALIPHATIC HC STD3

Integration File: autoint1.e
 Quant Time: Mar 03 12:32:58 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 030325.M
 Quant Title : GC Extractables
 QLast Update : Mon Mar 03 12:32:42 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.910	3456693	20.000 ug/ml
Spiked Amount 50.000		Recovery =	40.00%
12) S 1-chlorooctadecane (S...	13.355	2487317	20.000 ug/ml
Spiked Amount 50.000		Recovery =	40.00%
Target Compounds			
1) T n-Nonane (C9)	3.253	3177459	20.000 ug/ml
2) T n-Decane (C10)	4.514	3222867	20.000 ug/ml
3) T A~Naphthalene (C11.7)	6.228	3490467	20.000 ug/ml
4) T n-Dodecane (C12)	6.696	3197479	20.000 ug/ml
5) T A~2-methylnaphthalene...	7.330	3336499	20.000 ug/ml
6) T n-Tetradecane (C14)	8.531	3109866	20.000 ug/ml
7) T n-Hexadecane (C16)	10.146	3140454	20.000 ug/ml
8) T n-Octadecane (C18)	11.595	3118030	20.000 ug/ml
10) T n-Eicosane (C20)	12.909	2974997	20.000 ug/ml
11) T n-Heneicosane (C21)	13.523	2917184	20.000 ug/ml
13) T n-Docosane (C22)	14.111	2918322	20.000 ug/ml
14) T n-Tetracosane (C24)	15.217	2924292	20.000 ug/ml
15) T n-Hexacosane (C26)	16.242	2899563	20.000 ug/ml
16) T n-Octacosane (C28)	17.194	2897161	20.000 ug/ml
17) T n-Tricontane (C30)	18.085	2992644	20.000 ug/ml
18) T n-Dotriacontane (C32)	18.920	2947304	20.000 ug/ml
19) T n-Tetratriacontane (C34)	19.706	2747820	20.000 ug/ml
20) T n-Hexatriacontane (C36)	20.448	2440276	20.000 ug/ml
21) T n-Octatriacontane (C38)	21.189	2284145	20.000 ug/ml
22) T n-Tetracontane (C40)	22.109	2217832	20.000 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE030325AL\
Data File : FE052576.D
Signal(s) : FID1B.ch
Acq On : 03 Mar 2025 12:04
Operator : YP\AJ
Sample : 20 PPM ALIPHATIC HC STD3
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
FID_E
ClientSampleId :
20 PPM ALIPHATIC HC STD3

Integration File: autoint1.e
Quant Time: Mar 03 12:32:58 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 030325.M
Quant Title : GC Extractables
QLast Update : Mon Mar 03 12:32:42 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#1 n-Nonane (C9)


R.T.: 3.253 min
Delta R.T.: 0.000 min
Response: 3177459
Conc: 20.00 ug/ml

Instrument :
FID_E
ClientSampleId :
20 PPM ALIPHATIC HC STD3




#2 n-Decane (C10)

R.T.: 4.514 min
Delta R.T.: 0.000 min
Response: 3222867
Conc: 20.00 ug/ml




#3 A~Naphthalene (C11.7)

R.T.: 6.228 min
Delta R.T.: 0.000 min
Response: 3490467
Conc: 20.00 ug/ml



#4 n-Dodecane (C12)


R.T.: 6.696 min
Delta R.T.: 0.000 min
Response: 3197479
Conc: 20.00 ug/ml



#5 A~2-methylnaphthalene (C12.89)


R.T.: 7.330 min
Delta R.T.: 0.000 min
Response: 3336499
Conc: 20.00 ug/ml

Instrument :
FID_E
ClientSampleId :
20 PPM ALIPHATIC HC STD3




#6 n-Tetradecane (C14)

R.T.: 8.531 min
Delta R.T.: 0.000 min
Response: 3109866
Conc: 20.00 ug/ml




#7 n-Hexadecane (C16)

R.T.: 10.146 min
Delta R.T.: 0.000 min
Response: 3140454
Conc: 20.00 ug/ml



#8 n-Octadecane (C18)


R.T.: 11.595 min
Delta R.T.: 0.000 min
Response: 3118030
Conc: 20.00 ug/ml



#9 ortho-Terphenyl (SURR)


R.T.: 11.910 min
Delta R.T.: 0.000 min
Response: 3456693
Conc: 20.00 ug/ml

Instrument :
FID_E
ClientSampleId :
20 PPM ALIPHATIC HC STD3




#10 n-Eicosane (C20)

R.T.: 12.909 min
Delta R.T.: 0.000 min
Response: 2974997
Conc: 20.00 ug/ml




#11 n-Heneicosane (C21)

R.T.: 13.523 min
Delta R.T.: 0.000 min
Response: 2917184
Conc: 20.00 ug/ml



#12 1-chlorooctadecane (SURR)


R.T.: 13.355 min
Delta R.T.: 0.000 min
Response: 2487317
Conc: 20.00 ug/ml



#13 n-Docosane (C22)


R.T.: 14.111 min
Delta R.T.: 0.000 min
Response: 2918322
Conc: 20.00 ug/ml

Instrument :
FID_E
ClientSampleId :
20 PPM ALIPHATIC HC STD3




#14 n-Tetracosane (C24)

R.T.: 15.217 min
Delta R.T.: 0.000 min
Response: 2924292
Conc: 20.00 ug/ml




#15 n-Hexacosane (C26)

R.T.: 16.242 min
Delta R.T.: 0.000 min
Response: 2899563
Conc: 20.00 ug/ml



#16 n-Octacosane (C28)


R.T.: 17.194 min
Delta R.T.: 0.000 min
Response: 2897161
Conc: 20.00 ug/ml



#17 n-Tricontane (C30)


R.T.: 18.085 min
Delta R.T.: 0.000 min
Response: 2992644
Conc: 20.00 ug/ml

Instrument :
FID_E
ClientSampleId :
20 PPM ALIPHATIC HC STD3




#18 n-Dotriacontane (C32)

R.T.: 18.920 min
Delta R.T.: 0.000 min
Response: 2947304
Conc: 20.00 ug/ml




#19 n-Tetatriacontane (C34)

R.T.: 19.706 min
Delta R.T.: 0.000 min
Response: 2747820
Conc: 20.00 ug/ml



#20 n-Hexatriacontane (C36)


R.T.: 20.448 min
Delta R.T.: 0.000 min
Response: 2440276
Conc: 20.00 ug/ml



#21 n-Octatriacontane (C38)

R.T.: 21.189 min
Delta R.T.: 0.000 min
Response: 2284145
Conc: 20.00 ug/ml

Instrument :
FID_E
ClientSampleId :
20 PPM ALIPHATIC HC STD3



#22 n-Tetracontane (C40)

R.T.: 22.109 min
Delta R.T.: 0.000 min
Response: 2217832
Conc: 20.00 ug/ml

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE030325AL\
Data File : FE052576.D
Signal(s) : FID1B.ch
Acq On : 03 Mar 2025 12:04
Sample : 20 PPM ALIPHATIC HC STD3
Misc :
ALS Vial : 13 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 030325.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.253	3.218	3.325	BB	314137	3177459	91.03%	4.896%
2	4.514	4.478	4.581	BB	315822	3222867	92.33%	4.966%
3	6.228	6.188	6.325	BB	355761	3490467	100.00%	5.378%
4	6.696	6.655	6.758	BB	311337	3197479	91.61%	4.927%
5	7.330	7.278	7.418	BB	331214	3336499	95.59%	5.141%
6	8.531	8.495	8.598	BB	289879	3109866	89.10%	4.792%
7	10.146	10.105	10.215	BB	282742	3140454	89.97%	4.839%
8	11.595	11.555	11.658	BB	268071	3118030	89.33%	4.804%
9	11.910	11.865	11.971	BB	315131	3456693	99.03%	5.326%
10	12.909	12.871	12.978	BB	241865	2974997	85.23%	4.584%
11	13.355	13.311	13.425	BB	202368	2487317	71.26%	3.833%
12	13.523	13.481	13.581	BB	241268	2917184	83.58%	4.495%
13	14.111	14.038	14.175	BB	232061	2918322	83.61%	4.497%
14	15.217	15.131	15.281	BB	222983	2924292	83.78%	4.506%
15	16.242	16.171	16.305	BB	211679	2899563	83.07%	4.468%
16	17.194	17.128	17.261	BB	210130	2897161	83.00%	4.464%
17	18.085	18.038	18.145	BB	207605	2992644	85.74%	4.611%
18	18.920	18.871	19.005	BB	195997	2947304	84.44%	4.541%
19	19.706	19.651	19.801	BB	170743	2747820	78.72%	4.234%
20	20.448	20.401	20.538	BV	134980	2440276	69.91%	3.760%
21	21.189	21.131	21.298	BB	103725	2284145	65.44%	3.520%
22	22.109	22.041	22.248	BB	76593	2217832	63.54%	3.417%
Sum of corrected areas:							64898671	

Aliphatic EPH 030325.M Tue Mar 04 04:15:00 2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE030325AL\
 Data File : FE052577.D
 Signal(s) : FID1B.ch
 Acq On : 03 Mar 2025 12:34
 Operator : YP\AJ
 Sample : 10 PPM ALIPHATIC HC STD4
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 FID_E
 ClientSampleId :
 10 PPM ALIPHATIC HC STD4

Integration File: autoint1.e
 Quant Time: Mar 03 12:57:53 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 030325.M
 Quant Title : GC Extractables
 QLast Update : Mon Mar 03 12:57:44 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.909	1779109	10.765 ug/ml
Spiked Amount 50.000		Recovery =	21.53%
12) S 1-chlorooctadecane (S...	13.354	1275538	10.683 ug/ml
Spiked Amount 50.000		Recovery =	21.37%
Target Compounds			
1) T n-Nonane (C9)	3.253	1633896	10.746 ug/ml
2) T n-Decane (C10)	4.514	1652277	10.732 ug/ml
3) T A~Naphthalene (C11.7)	6.228	1784418	10.682 ug/ml
4) T n-Dodecane (C12)	6.695	1640160	10.736 ug/ml
5) T A~2-methylnaphthalene...	7.330	1702988	10.657 ug/ml
6) T n-Tetradecane (C14)	8.531	1594378	10.737 ug/ml
7) T n-Hexadecane (C16)	10.145	1610203	10.737 ug/ml
8) T n-Octadecane (C18)	11.594	1601994	10.753 ug/ml
10) T n-Eicosane (C20)	12.909	1536447	10.794 ug/ml
11) T n-Heneicosane (C21)	13.522	1502197	10.771 ug/ml
13) T n-Docosane (C22)	14.111	1511879	10.835 ug/ml
14) T n-Tetracosane (C24)	15.218	1545839	10.994 ug/ml
15) T n-Hexacosane (C26)	16.242	1542744	11.054 ug/ml
16) T n-Octacosane (C28)	17.194	1547735	11.154 ug/ml
17) T n-Tricontane (C30)	18.083	1607077	11.294 ug/ml
18) T n-Dotriacontane (C32)	18.918	1583504	11.380 ug/ml
19) T n-Tetratriacontane (C34)	19.705	1456233	11.241 ug/ml
20) T n-Hexatriacontane (C36)	20.447	1283640	11.138 ug/ml
21) T n-Octatriacontane (C38)	21.188	1168118	10.818 ug/ml
22) T n-Tetracontane (C40)	22.109	1142101	10.805 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE030325AL\
Data File : FE052577.D
Signal(s) : FID1B.ch
Acq On : 03 Mar 2025 12:34
Operator : YP\AJ
Sample : 10 PPM ALIPHATIC HC STD4
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
FID_E
ClientSampleId :
10 PPM ALIPHATIC HC STD4

Integration File: autoint1.e
Quant Time: Mar 03 12:57:53 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 030325.M
Quant Title : GC Extractables
QLast Update : Mon Mar 03 12:57:44 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#1 n-Nonane (C9)


R.T.: 3.253 min
Delta R.T.: 0.000 min
Response: 1633896
Conc: 10.75 ug/ml

Instrument :
FID_E
ClientSampleId :
10 PPM ALIPHATIC HC STD4




#2 n-Decane (C10)

R.T.: 4.514 min
Delta R.T.: 0.000 min
Response: 1652277
Conc: 10.73 ug/ml




#3 A~Naphthalene (C11.7)

R.T.: 6.228 min
Delta R.T.: 0.000 min
Response: 1784418
Conc: 10.68 ug/ml



#4 n-Dodecane (C12)


R.T.: 6.695 min
Delta R.T.: 0.000 min
Response: 1640160
Conc: 10.74 ug/ml



#5 A~2-methylnaphthalene (C12.89)


R.T.: 7.330 min
Delta R.T.: 0.000 min
Response: 1702988
Conc: 10.66 ug/ml

Instrument :
FID_E
ClientSampleId :
10 PPM ALIPHATIC HC STD4




#6 n-Tetradecane (C14)

R.T.: 8.531 min
Delta R.T.: 0.000 min
Response: 1594378
Conc: 10.74 ug/ml




#7 n-Hexadecane (C16)

R.T.: 10.145 min
Delta R.T.: 0.000 min
Response: 1610203
Conc: 10.74 ug/ml



#8 n-Octadecane (C18)


R.T.: 11.594 min
Delta R.T.: 0.000 min
Response: 1601994
Conc: 10.75 ug/ml



#9 ortho-Terphenyl (SURR)


R.T.: 11.909 min
Delta R.T.: 0.000 min
Response: 1779109
Conc: 10.77 ug/ml

Instrument :
FID_E
ClientSampleId :
10 PPM ALIPHATIC HC STD4




#10 n-Eicosane (C20)

R.T.: 12.909 min
Delta R.T.: 0.000 min
Response: 1536447
Conc: 10.79 ug/ml




#11 n-Heneicosane (C21)

R.T.: 13.522 min
Delta R.T.: 0.000 min
Response: 1502197
Conc: 10.77 ug/ml



#12 1-chlorooctadecane (SURR)


R.T.: 13.354 min
Delta R.T.: 0.000 min
Response: 1275538
Conc: 10.68 ug/ml



#13 n-Docosane (C22)


R.T.: 14.111 min
Delta R.T.: 0.000 min
Response: 1511879
Conc: 10.84 ug/ml

Instrument :
FID_E
ClientSampleId :
10 PPM ALIPHATIC HC STD4




#14 n-Tetracosane (C24)

R.T.: 15.218 min
Delta R.T.: 0.000 min
Response: 1545839
Conc: 10.99 ug/ml




#15 n-Hexacosane (C26)

R.T.: 16.242 min
Delta R.T.: 0.000 min
Response: 1542744
Conc: 11.05 ug/ml



#16 n-Octacosane (C28)


R.T.: 17.194 min
Delta R.T.: 0.000 min
Response: 1547735
Conc: 11.15 ug/ml



#17 n-Tricontane (C30)


R.T.: 18.083 min
Delta R.T.: 0.000 min
Response: 1607077
Conc: 11.29 ug/ml

Instrument :
FID_E
ClientSampleId :
10 PPM ALIPHATIC HC STD4




#18 n-Dotriacontane (C32)

R.T.: 18.918 min
Delta R.T.: 0.000 min
Response: 1583504
Conc: 11.38 ug/ml




#19 n-Tetatriacontane (C34)

R.T.: 19.705 min
Delta R.T.: 0.000 min
Response: 1456233
Conc: 11.24 ug/ml



#20 n-Hexatriacontane (C36)


R.T.: 20.447 min
Delta R.T.: 0.000 min
Response: 1283640
Conc: 11.14 ug/ml



#21 n-Octatriacontane (C38)

R.T.: 21.188 min
Delta R.T.: 0.000 min
Response: 1168118
Conc: 10.82 ug/ml

Instrument :
FID_E
ClientSampleId :
10 PPM ALIPHATIC HC STD4



#22 n-Tetracontane (C40)

R.T.: 22.109 min
Delta R.T.: 0.000 min
Response: 1142101
Conc: 10.81 ug/ml

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE030325AL\
Data File : FE052577.D
Signal(s) : FID1B.ch
Acq On : 03 Mar 2025 12:34
Sample : 10 PPM ALIPHATIC HC STD4
Misc :
ALS Vial : 14 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 030325.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.253	3.218	3.314	BB	161729	1633896	91.56%	4.848%
2	4.514	4.478	4.568	BB	162683	1652277	92.59%	4.903%
3	6.228	6.191	6.314	BB	178423	1784418	100.00%	5.295%
4	6.695	6.664	6.751	BB	160841	1640160	91.92%	4.867%
5	7.330	7.284	7.424	BB	162983	1702988	95.44%	5.053%
6	8.531	8.498	8.601	BB	148819	1594378	89.35%	4.731%
7	10.145	10.111	10.204	BB	145207	1610203	90.24%	4.778%
8	11.594	11.551	11.648	BB	135761	1601994	89.78%	4.753%
9	11.909	11.868	11.971	BB	162025	1779109	99.70%	5.279%
10	12.909	12.868	12.981	BB	125833	1536447	86.10%	4.559%
11	13.354	13.314	13.418	BB	105376	1275538	71.48%	3.785%
12	13.522	13.484	13.594	BB	122287	1502197	84.18%	4.457%
13	14.111	14.078	14.178	VB	116146	1511879	84.73%	4.486%
14	15.218	15.151	15.281	BB	117810	1545839	86.63%	4.587%
15	16.242	16.171	16.314	BB	116219	1542744	86.46%	4.578%
16	17.194	17.128	17.254	BB	112172	1547735	86.74%	4.592%
17	18.083	18.038	18.138	BB	113962	1607077	90.06%	4.768%
18	18.918	18.871	18.984	BB	106365	1583504	88.74%	4.698%
19	19.705	19.651	19.771	BB	90061	1456233	81.61%	4.321%
20	20.447	20.401	20.531	BB	73836	1283640	71.94%	3.809%
21	21.188	21.131	21.268	BB	54530	1168118	65.46%	3.466%
22	22.109	22.041	22.231	BB	38465	1142101	64.00%	3.389%
Sum of corrected areas:							33702476	

Aliphatic EPH 030325.M Tue Mar 04 04:15:29 2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE030325AL\
 Data File : FE052578.D
 Signal(s) : FID1B.ch
 Acq On : 03 Mar 2025 13:04
 Operator : YP\AJ
 Sample : 5 PPM ALIPHATIC HC STD5
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 FID_E
 ClientSampleId :
 5 PPM ALIPHATIC HC STD5

Integration File: autoint1.e
 Quant Time: Mar 03 13:38:46 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 030325.M
 Quant Title : GC Extractables
 QLast Update : Mon Mar 03 13:37:33 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.909	909430	5.394 ug/ml
Spiked Amount 50.000		Recovery =	10.79%
12) S 1-chlorooctadecane (S...	13.354	647768	5.335 ug/ml
Spiked Amount 50.000		Recovery =	10.67%
Target Compounds			
1) T n-Nonane (C9)	3.252	835200	5.387 ug/ml
2) T n-Decane (C10)	4.514	848233	5.399 ug/ml
3) T A~Naphthalene (C11.7)	6.228	898827	5.300 ug/ml
4) T n-Dodecane (C12)	6.695	837084	5.376 ug/ml
5) T A~2-methylnaphthalene...	7.330	855434	5.279 ug/ml
6) T n-Tetradecane (C14)	8.531	812990	5.373 ug/ml
7) T n-Hexadecane (C16)	10.145	822877	5.382 ug/ml
8) T n-Octadecane (C18)	11.593	823940	5.416 ug/ml
10) T n-Eicosane (C20)	12.908	782621	5.391 ug/ml
11) T n-Heneicosane (C21)	13.522	768847	5.402 ug/ml
13) T n-Docosane (C22)	14.110	767013	5.390 ug/ml
14) T n-Tetracosane (C24)	15.216	765651	5.350 ug/ml
15) T n-Hexacosane (C26)	16.241	763577	5.370 ug/ml
16) T n-Octacosane (C28)	17.192	779784	5.484 ug/ml
17) T n-Tricontane (C30)	18.083	846559	5.732 ug/ml
18) T n-Dotriacontane (C32)	18.917	846558	5.831 ug/ml
19) T n-Tetratriacontane (C34)	19.703	778580	5.777 ug/ml
20) T n-Hexatriacontane (C36)	20.445	665672	5.602 ug/ml
21) T n-Octatriacontane (C38)	21.185	613739	5.532 ug/ml
22) T n-Tetracontane (C40)	22.104	588940	5.447 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE030325AL\
Data File : FE052578.D
Signal(s) : FID1B.ch
Acq On : 03 Mar 2025 13:04
Operator : YP\AJ
Sample : 5 PPM ALIPHATIC HC STD5
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
FID_E
ClientSampleId :
5 PPM ALIPHATIC HC STD5

Integration File: autoint1.e
Quant Time: Mar 03 13:38:46 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 030325.M
Quant Title : GC Extractables
QLast Update : Mon Mar 03 13:37:33 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#1 n-Nonane (C9)


R.T.: 3.252 min
Delta R.T.: 0.000 min
Response: 835200
Conc: 5.39 ug/ml

Instrument :
FID_E
ClientSampleId :
5 PPM ALIPHATIC HC STD5




#2 n-Decane (C10)

R.T.: 4.514 min
Delta R.T.: 0.000 min
Response: 848233
Conc: 5.40 ug/ml




#3 A~Naphthalene (C11.7)

R.T.: 6.228 min
Delta R.T.: 0.000 min
Response: 898827
Conc: 5.30 ug/ml



#4 n-Dodecane (C12)


R.T.: 6.695 min
Delta R.T.: 0.000 min
Response: 837084
Conc: 5.38 ug/ml



#5 A~2-methylnaphthalene (C12.89)


R.T.: 7.330 min
Delta R.T.: 0.000 min
Response: 855434
Conc: 5.28 ug/ml

Instrument :
FID_E
ClientSampleId :
5 PPM ALIPHATIC HC STD5




#6 n-Tetradecane (C14)

R.T.: 8.531 min
Delta R.T.: 0.000 min
Response: 812990
Conc: 5.37 ug/ml




#7 n-Hexadecane (C16)

R.T.: 10.145 min
Delta R.T.: 0.000 min
Response: 822877
Conc: 5.38 ug/ml



#8 n-Octadecane (C18)


R.T.: 11.593 min
Delta R.T.: 0.000 min
Response: 823940
Conc: 5.42 ug/ml



#9 ortho-Terphenyl (SURR)


R.T.: 11.909 min
Delta R.T.: 0.000 min
Response: 909430
Conc: 5.39 ug/ml

Instrument :
FID_E
ClientSampleId :
5 PPM ALIPHATIC HC STD5




#10 n-Eicosane (C20)

R.T.: 12.908 min
Delta R.T.: 0.000 min
Response: 782621
Conc: 5.39 ug/ml




#11 n-Heneicosane (C21)

R.T.: 13.522 min
Delta R.T.: 0.000 min
Response: 768847
Conc: 5.40 ug/ml



#12 1-chlorooctadecane (SURR)


R.T.: 13.354 min
Delta R.T.: 0.000 min
Response: 647768
Conc: 5.33 ug/ml



#13 n-Docosane (C22)


R.T.: 14.110 min
Delta R.T.: 0.000 min
Response: 767013
Conc: 5.39 ug/ml

Instrument :
FID_E
ClientSampleId :
5 PPM ALIPHATIC HC STD5




#14 n-Tetracosane (C24)

R.T.: 15.216 min
Delta R.T.: 0.000 min
Response: 765651
Conc: 5.35 ug/ml




#15 n-Hexacosane (C26)

R.T.: 16.241 min
Delta R.T.: 0.000 min
Response: 763577
Conc: 5.37 ug/ml



#16 n-Octacosane (C28)


R.T.: 17.192 min
Delta R.T.: 0.000 min
Response: 779784
Conc: 5.48 ug/ml



#17 n-Tricontane (C30)


R.T.: 18.083 min
Delta R.T.: 0.000 min
Response: 846559
Conc: 5.73 ug/ml

Instrument :
FID_E
ClientSampleId :
5 PPM ALIPHATIC HC STD5




#18 n-Dotriacontane (C32)

R.T.: 18.917 min
Delta R.T.: 0.000 min
Response: 846558
Conc: 5.83 ug/ml




#19 n-Tetratriacontane (C34)

R.T.: 19.703 min
Delta R.T.: 0.000 min
Response: 778580
Conc: 5.78 ug/ml



#20 n-Hexatriacontane (C36)


R.T.: 20.445 min
Delta R.T.: 0.000 min
Response: 665672
Conc: 5.60 ug/ml



#21 n-Octatriacontane (C38)

R.T.: 21.185 min
Delta R.T.: 0.000 min
Response: 613739
Conc: 5.53 ug/ml

Instrument :
FID_E
ClientSampleId :
5 PPM ALIPHATIC HC STD5



#22 n-Tetracontane (C40)

R.T.: 22.104 min
Delta R.T.: 0.000 min
Response: 588940
Conc: 5.45 ug/ml

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE030325AL\
 Data File : FE052578.D
 Signal(s) : FID1B.ch
 Acq On : 03 Mar 2025 13:04
 Sample : 5 PPM ALIPHATIC HC STD5
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 030325.M
 Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.252	3.221	3.304	BB	82567	835200	91.84%	4.839%
2	4.514	4.478	4.591	BB	83234	848233	93.27%	4.915%
3	6.228	6.191	6.298	BB	88505	898827	98.83%	5.208%
4	6.695	6.661	6.761	BB	82093	837084	92.04%	4.850%
5	7.330	7.291	7.401	BB	81098	855434	94.06%	4.956%
6	8.531	8.491	8.598	BB	76461	812990	89.40%	4.710%
7	10.145	10.104	10.211	BB	72313	822877	90.48%	4.768%
8	11.593	11.501	11.648	BB	70861	823940	90.60%	4.774%
9	11.909	11.874	11.964	BB	81463	909430	100.00%	5.269%
10	12.908	12.868	12.968	BB	63441	782621	86.06%	4.534%
11	13.354	13.318	13.421	BB	53208	647768	71.23%	3.753%
12	13.522	13.484	13.584	BB	62420	768847	84.54%	4.455%
13	14.110	14.074	14.171	BB	61042	767013	84.34%	4.444%
14	15.216	15.171	15.264	BB	59393	765651	84.19%	4.436%
15	16.241	16.204	16.294	BB	57980	763577	83.96%	4.424%
16	17.192	17.151	17.258	BB	55884	779784	85.74%	4.518%
17	18.083	18.001	18.144	BB	58718	846559	93.09%	4.905%
18	18.917	18.871	18.984	BB	56748	846558	93.09%	4.905%
19	19.703	19.651	19.764	BB	48522	778580	85.61%	4.511%
20	20.445	20.401	20.498	BB	39239	665672	73.20%	3.857%
21	21.185	21.131	21.258	BB	29081	613739	67.49%	3.556%
22	22.104	22.041	22.198	BB	20470	588940	64.76%	3.412%
Sum of corrected areas:							17259325	

Aliphatic EPH 030325.M Tue Mar 04 04:15:51 2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE030325AL\
 Data File : FE052579.D
 Signal(s) : FID1B.ch
 Acq On : 03 Mar 2025 13:35
 Operator : YP\AJ
 Sample : 20 PPM ALIPHATIC HC STD ICV
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 FID_E
 ClientSampleId :
 20 PPM ALIPHATIC HC STD ICV

Integration File: autoint1.e
 Quant Time: Mar 03 14:00:02 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 030325.M
 Quant Title : GC Extractables
 QLast Update : Mon Mar 03 13:39:39 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.911	3455691	20.498 ug/ml
Spiked Amount 50.000		Recovery =	41.00%
12) S 1-chlorooctadecane (S...	13.356	2497681	20.570 ug/ml
Spiked Amount 50.000		Recovery =	41.14%
Target Compounds			
1) T n-Nonane (C9)	3.252	3187537	20.558 ug/ml
2) T n-Decane (C10)	4.514	3233718	20.584 ug/ml
3) T A~Naphthalene (C11.7)	6.228	3492595	20.594 ug/ml
4) T n-Dodecane (C12)	6.696	3203904	20.578 ug/ml
5) T A~2-methylnaphthalene...	7.330	3339319	20.606 ug/ml
6) T n-Tetradecane (C14)	8.532	3105696	20.525 ug/ml
7) T n-Hexadecane (C16)	10.147	3133929	20.498 ug/ml
8) T n-Octadecane (C18)	11.595	3112121	20.455 ug/ml
10) T n-Eicosane (C20)	12.910	2971006	20.465 ug/ml
11) T n-Heneicosane (C21)	13.524	2915343	20.483 ug/ml
13) T n-Docosane (C22)	14.111	2909985	20.448 ug/ml
14) T n-Tetracosane (C24)	15.219	2928929	20.466 ug/ml
15) T n-Hexacosane (C26)	16.241	2909458	20.461 ug/ml
16) T n-Octacosane (C28)	17.194	2913880	20.492 ug/ml
17) T n-Tricontane (C30)	18.084	3032387	20.531 ug/ml
18) T n-Dotriacontane (C32)	18.919	2988204	20.583 ug/ml
19) T n-Tetratriacontane (C34)	19.705	2786554	20.675 ug/ml
20) T n-Hexatriacontane (C36)	20.448	2490703	20.961 ug/ml
21) T n-Octatriacontane (C38)	21.189	2317135	20.887 ug/ml
22) T n-Tetracontane (C40)	22.111	2256635	20.872 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE030325AL\
Data File : FE052579.D
Signal(s) : FID1B.ch
Acq On : 03 Mar 2025 13:35
Operator : YP\AJ
Sample : 20 PPM ALIPHATIC HC STD ICV
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
FID_E
ClientSampleId :
20 PPM ALIPHATIC HC STD ICV

Integration File: autoint1.e
Quant Time: Mar 03 14:00:02 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 030325.M
Quant Title : GC Extractables
QLast Update : Mon Mar 03 13:39:39 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#1 n-Nonane (C9)


R.T.: 3.252 min
Delta R.T.: 0.000 min
Response: 3187537
Conc: 20.56 ug/ml

Instrument :
FID_E
ClientSampleId :
20 PPM ALIPHATIC HC STD ICV




#2 n-Decane (C10)

R.T.: 4.514 min
Delta R.T.: 0.000 min
Response: 3233718
Conc: 20.58 ug/ml




#3 A~Naphthalene (C11.7)

R.T.: 6.228 min
Delta R.T.: 0.000 min
Response: 3492595
Conc: 20.59 ug/ml



#4 n-Dodecane (C12)

R.T.: 6.696 min
Delta R.T.: 0.000 min
Response: 3203904
Conc: 20.58 ug/ml



#5 A~2-methylnaphthalene (C12.89)


R.T.: 7.330 min
Delta R.T.: 0.000 min
Response: 3339319
Conc: 20.61 ug/ml

Instrument :

FID_E


ClientSampleId :

20 PPM ALIPHATIC HC STD ICV




#6 n-Tetradecane (C14)

R.T.: 8.532 min
Delta R.T.: 0.001 min
Response: 3105696
Conc: 20.53 ug/ml




#7 n-Hexadecane (C16)

R.T.: 10.147 min
Delta R.T.: 0.002 min
Response: 3133929
Conc: 20.50 ug/ml



#8 n-Octadecane (C18)

R.T.: 11.595 min
Delta R.T.: 0.002 min
Response: 3112121
Conc: 20.46 ug/ml



#9 ortho-Terphenyl (SURR)


R.T.: 11.911 min
Delta R.T.: 0.003 min
Response: 3455691
Conc: 20.50 ug/ml

Instrument :

FID_E


ClientSampleId :

20 PPM ALIPHATIC HC STD ICV




#10 n-Eicosane (C20)

R.T.: 12.910 min
Delta R.T.: 0.002 min
Response: 2971006
Conc: 20.47 ug/ml




#11 n-Heneicosane (C21)

R.T.: 13.524 min
Delta R.T.: 0.002 min
Response: 2915343
Conc: 20.48 ug/ml



#12 1-chlorooctadecane (SURR)

R.T.: 13.356 min
Delta R.T.: 0.002 min
Response: 2497681
Conc: 20.57 ug/ml



#13 n-Docosane (C22)


R.T.: 14.111 min
Delta R.T.: 0.001 min
Response: 2909985
Conc: 20.45 ug/ml

Instrument :

FID_E


ClientSampleId :

20 PPM ALIPHATIC HC STD ICV




#14 n-Tetracosane (C24)

R.T.: 15.219 min
Delta R.T.: 0.003 min
Response: 2928929
Conc: 20.47 ug/ml




#15 n-Hexacosane (C26)

R.T.: 16.241 min
Delta R.T.: 0.000 min
Response: 2909458
Conc: 20.46 ug/ml



#16 n-Octacosane (C28)

R.T.: 17.194 min
Delta R.T.: 0.002 min
Response: 2913880
Conc: 20.49 ug/ml



#17 n-Tricontane (C30)


R.T.: 18.084 min
Delta R.T.: 0.001 min
Response: 3032387
Conc: 20.53 ug/ml

Instrument :

FID_E


ClientSampleId :

20 PPM ALIPHATIC HC STD ICV




#18 n-Dotriacontane (C32)

R.T.: 18.919 min
Delta R.T.: 0.002 min
Response: 2988204
Conc: 20.58 ug/ml




#19 n-Tetatriacontane (C34)

R.T.: 19.705 min
Delta R.T.: 0.002 min
Response: 2786554
Conc: 20.67 ug/ml



#20 n-Hexatriacontane (C36)

R.T.: 20.448 min
Delta R.T.: 0.003 min
Response: 2490703
Conc: 20.96 ug/ml



#21 n-Octatriacontane (C38)


R.T.: 21.189 min
Delta R.T.: 0.005 min
Response: 2317135
Conc: 20.89 ug/ml

Instrument :

FID_E

ClientSampleId :

20 PPM ALIPHATIC HC STD ICV



#22 n-Tetracontane (C40)

R.T.: 22.111 min
Delta R.T.: 0.007 min
Response: 2256635
Conc: 20.87 ug/ml

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE030325AL\
Data File : FE052579.D
Signal(s) : FID1B.ch
Acq On : 03 Mar 2025 13:35
Sample : 20 PPM ALIPHATIC HC STD ICV
Misc :
ALS Vial : 16 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 030325.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.252	3.221	3.315	BB	316370	3187537	91.27%	4.890%
2	4.514	4.475	4.581	BB	317352	3233718	92.59%	4.961%
3	6.228	6.191	6.311	BB	353933	3492595	100.00%	5.358%
4	6.696	6.658	6.758	BB	308321	3203904	91.73%	4.915%
5	7.330	7.288	7.421	BB	330915	3339319	95.61%	5.123%
6	8.532	8.495	8.595	BB	289204	3105696	88.92%	4.765%
7	10.147	10.111	10.205	BB	283052	3133929	89.73%	4.808%
8	11.595	11.558	11.655	BB	267693	3112121	89.11%	4.774%
9	11.911	11.871	11.975	BB	320258	3455691	98.94%	5.302%
10	12.910	12.865	12.975	BB	241076	2971006	85.07%	4.558%
11	13.356	13.315	13.421	BB	205009	2497681	71.51%	3.832%
12	13.524	13.485	13.585	BB	236434	2915343	83.47%	4.473%
13	14.111	14.076	14.158	VB	228081	2909985	83.32%	4.464%
14	15.219	15.138	15.278	BB	218919	2928929	83.86%	4.493%
15	16.241	16.091	16.305	BB	220045	2909458	83.30%	4.464%
16	17.194	17.118	17.261	BB	212865	2913880	83.43%	4.470%
17	18.084	18.011	18.155	BB	215009	3032387	86.82%	4.652%
18	18.919	18.871	18.991	BB	209239	2988204	85.56%	4.584%
19	19.705	19.651	19.775	BB	182519	2786554	79.78%	4.275%
20	20.448	20.401	20.535	BB	148923	2490703	71.31%	3.821%
21	21.189	21.131	21.295	BB	113912	2317135	66.34%	3.555%
22	22.111	22.041	22.238	BB	81783	2256635	64.61%	3.462%
Sum of corrected areas:							65182406	

Aliphatic EPH 030325.M Tue Mar 04 04:16:17 2025