

Report of Analysis

Client:	Portal Partners Tri-Venture		Date Collected:	03/05/25	
Project:	Amtrak Sawtooth Bridges 2025		Date Received:	03/06/25	
Client Sample ID:	ENV-103-SB01		SDG No.:	Q1514	
Lab Sample ID:	Q1514-05		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	89.1	Decanted:
Sample Wt/Vol:	30.06	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP070372.D	1	03/07/25 08:25	03/07/25 19:16	PB167029

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	3.80	U	3.80	19.0	ug/kg
11104-28-2	Aroclor-1221	7.20	U	7.20	19.0	ug/kg
11141-16-5	Aroclor-1232	3.80	U	3.80	19.0	ug/kg
53469-21-9	Aroclor-1242	3.80	U	3.80	19.0	ug/kg
12672-29-6	Aroclor-1248	8.80	U	8.80	19.0	ug/kg
11097-69-1	Aroclor-1254	18.9	J	3.10	19.0	ug/kg
37324-23-5	Aroclor-1262	5.10	U	5.10	19.0	ug/kg
11100-14-4	Aroclor-1268	3.80	U	3.80	19.0	ug/kg
11096-82-5	Aroclor-1260	12.5	J	3.30	19.0	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	22.8		30 (32) - 150 (144)	114%	SPK: 20
2051-24-3	Decachlorobiphenyl	16.3		30 (32) - 150 (175)	81%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit