

Analytical Sequence

Client: Portal Partners Tri-Venture	SDG No.: Q1514
Project: Amtrak Sawtooth Bridges 2025	Instrument ID: ECD_S
GC Column: RTX-CLP	ID: 0.32 (mm) Inst. Calib. Date(s): 02/21/2025 02/21/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCAA RT #	RT #
IBLK	IBLK	02/21/2025	19:32	PS029233.D	7.16	0.00
HSTDICC200	HSTDICC200	02/21/2025	19:56	PS029234.D	7.16	0.00
HSTDICC500	HSTDICC500	02/21/2025	20:20	PS029235.D	7.16	0.00
HSTDICC750	HSTDICC750	02/21/2025	20:44	PS029236.D	7.16	0.00
HSTDICC1000	HSTDICC1000	02/21/2025	21:08	PS029237.D	7.16	0.00
HSTDICC1500	HSTDICC1500	02/21/2025	21:32	PS029238.D	7.16	0.00
IBLK	IBLK	03/12/2025	09:03	PS029395.D	7.16	0.00
HSTDCCC750	HSTDCCC750	03/12/2025	09:27	PS029396.D	7.16	0.00
PB167090BL	PB167090BL	03/12/2025	09:57	PS029397.D	7.16	0.00
PB167090BS	PB167090BS	03/12/2025	10:21	PS029398.D	7.16	0.00
PB167020TB	PB167020TB	03/12/2025	10:45	PS029399.D	7.15	0.00
ENV-101-SB01MS	Q1488-02MS	03/12/2025	12:14	PS029402.D	7.16	0.00
ENV-101-SB01MSD	Q1488-02MSD	03/12/2025	12:38	PS029403.D	7.16	0.00
IBLK	IBLK	03/12/2025	13:02	PS029404.D	7.16	0.00
HSTDCCC750	HSTDCCC750	03/12/2025	13:26	PS029405.D	7.16	0.00
ENV-105-SB01	Q1514-02	03/12/2025	15:51	PS029411.D	7.16	0.00
ENV-105-SB02	Q1514-04	03/12/2025	16:15	PS029412.D	7.15	0.00
ENV-103-SB01	Q1514-06	03/12/2025	16:39	PS029413.D	7.16	0.00
IBLK	IBLK	03/12/2025	17:51	PS029416.D	7.16	0.00
HSTDCCC750	HSTDCCC750	03/12/2025	18:15	PS029417.D	7.15	0.00

Analytical Sequence

Client: Portal Partners Tri-Venture	SDG No.: Q1514
Project: Amtrak Sawtooth Bridges 2025	Instrument ID: ECD_S
GC Column: RTX-CLP2	ID: 0.32 (mm) Inst. Calib. Date(s): 02/21/2025 02/21/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCAA RT #	RT #
IBLK	IBLK	02/21/2025	19:32	PS029233.D	7.63	0.00
HSTDICC200	HSTDICC200	02/21/2025	19:56	PS029234.D	7.63	0.00
HSTDICC500	HSTDICC500	02/21/2025	20:20	PS029235.D	7.63	0.00
HSTDICC750	HSTDICC750	02/21/2025	20:44	PS029236.D	7.63	0.00
HSTDICC1000	HSTDICC1000	02/21/2025	21:08	PS029237.D	7.63	0.00
HSTDICC1500	HSTDICC1500	02/21/2025	21:32	PS029238.D	7.63	0.00
IBLK	IBLK	03/12/2025	09:03	PS029395.D	7.62	0.00
HSTDCCC750	HSTDCCC750	03/12/2025	09:27	PS029396.D	7.62	0.00
PB167090BL	PB167090BL	03/12/2025	09:57	PS029397.D	7.62	0.00
PB167090BS	PB167090BS	03/12/2025	10:21	PS029398.D	7.62	0.00
PB167020TB	PB167020TB	03/12/2025	10:45	PS029399.D	7.62	0.00
ENV-101-SB01MS	Q1488-02MS	03/12/2025	12:14	PS029402.D	7.62	0.00
ENV-101-SB01MSD	Q1488-02MSD	03/12/2025	12:38	PS029403.D	7.62	0.00
IBLK	IBLK	03/12/2025	13:02	PS029404.D	7.62	0.00
HSTDCCC750	HSTDCCC750	03/12/2025	13:26	PS029405.D	7.62	0.00
ENV-105-SB01	Q1514-02	03/12/2025	15:51	PS029411.D	7.62	0.00
ENV-105-SB02	Q1514-04	03/12/2025	16:15	PS029412.D	7.62	0.00
ENV-103-SB01	Q1514-06	03/12/2025	16:39	PS029413.D	7.62	0.00
IBLK	IBLK	03/12/2025	17:51	PS029416.D	7.62	0.00
HSTDCCC750	HSTDCCC750	03/12/2025	18:15	PS029417.D	7.62	0.00