

SOP ID : M9012B-Total, Amenable and Reactive Cyanide-20

SDG No : N/A

Start Digest Date: 03/10/2025 **Time :** 11:00 **Temp :** N/A

Matrix : SOIL

End Digest Date: 03/10/2025 **Time :** 12:30 **Temp :** N/A

Pipette ID : N/A

Balance ID : WC SC-7

Hood ID : HOOD#1

Digestion tube ID : M5595

Block Thermometer ID : N/A

Block ID : MC-1, MC-2

Filter paper ID : N/A

Prep Technician Signature: NF

Weigh By : NF

pH Meter ID : N/A

Supervisor Signature: 12

Standard Name	MLS USED	STD REF. # FROM LOG
PBS003	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.25N NaOH	50.0ML	WP111294
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

LAB SAMPLE ID	CLIENT SAMPLE ID	Comment

Extraction Conformance/Non-Conformance Comments:

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
03/10/2025, 12:45	NF / WC	NF / WC
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
PB167015BL	PBS015	1.00	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1490-02DUP	CLAY-SLUDGE-DRUMSDUP	1.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1490-02	CLAY-SLUDGE-DRUMS	1.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1494-04	ASPHALT-SOIL	1.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1494-06	SOIL	1.05	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1494-08	SOIL-COMP	1.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1510-01	FMC-25-0001-0005	1.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1514-02	ENV-105-SB01	1.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1514-04	ENV-105-SB02	1.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1514-06	ENV-103-SB01	1.00	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1523-03	WC-AI-01-C	1.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1523-06	WC-AI-02-C	1.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1534-06	OR-363-COMP-16	1.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1534-12	OR-363-COMP-17	1.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1534-18	OR-363-COMP-18	1.05	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1534-24	OR-363OR-363-COMP-19-	1.00	50	N/A	N/A	N/A	N/A	N/A	N/A