



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

Hit Summary Sheet  
SW-846

SDG No.:

Q1523

Order ID:

Q1523

Client:

ENTACT

Project ID:

540 Degraw St, Brooklyn, NY - E9309

| Sample ID   | Client ID | Matrix | Parameter | Concentration        | C     | MDL | RDL | Units |
|-------------|-----------|--------|-----------|----------------------|-------|-----|-----|-------|
| Client ID : |           |        |           | Total Concentration: | 0.000 |     |     |       |



# SAMPLE DATA

A

B

C

D

## Report of Analysis

|                    |                                     |           |                    |                |           |
|--------------------|-------------------------------------|-----------|--------------------|----------------|-----------|
| Client:            | ENTACT                              |           | Date Collected:    |                |           |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 |           | Date Received:     | 03/11/25       |           |
| Client Sample ID:  | PB167049TB                          |           | SDG No.:           | Q1523          |           |
| Lab Sample ID:     | PB167049TB                          |           | Matrix:            | TCLP           |           |
| Analytical Method: | SW8081                              |           | % Solid:           | 0              | Decanted: |
| Sample Wt/Vol:     | 100                                 | Units: mL | Final Vol:         | 10000          | uL        |
| Soil Aliquot Vol:  |                                     | uL        | Test:              | TCLP Pesticide |           |
| Extraction Type:   |                                     |           | Injection Volume : |                |           |
| GPC Factor :       | 1.0                                 | PH :      |                    |                |           |
| Prep Method :      | SW3541B                             |           |                    |                |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PL094685.D        | 1         | 03/11/25 11:54 | 03/13/25 17:47 | PB167091      |

| CAS Number        | Parameter            | Conc. | Qualifier | MDL                 | LOQ / CRQL | Units   |
|-------------------|----------------------|-------|-----------|---------------------|------------|---------|
| <b>TARGETS</b>    |                      |       |           |                     |            |         |
| 58-89-9           | gamma-BHC (Lindane)  | 0.037 | U         | 0.037               | 0.50       | ug/L    |
| 76-44-8           | Heptachlor           | 0.027 | U         | 0.027               | 0.50       | ug/L    |
| 1024-57-3         | Heptachlor epoxide   | 0.096 | U         | 0.096               | 0.50       | ug/L    |
| 72-20-8           | Endrin               | 0.032 | U         | 0.032               | 0.50       | ug/L    |
| 72-43-5           | Methoxychlor         | 0.11  | U         | 0.11                | 0.50       | ug/L    |
| 8001-35-2         | Toxaphene            | 1.70  | U         | 1.70                | 10.0       | ug/L    |
| 57-74-9           | Chlordane            | 0.88  | U         | 0.88                | 5.00       | ug/L    |
| <b>SURROGATES</b> |                      |       |           |                     |            |         |
| 2051-24-3         | Decachlorobiphenyl   | 23.5  |           | 30 (43) - 150 (140) | 117%       | SPK: 20 |
| 877-09-8          | Tetrachloro-m-xylene | 19.1  |           | 30 (77) - 150 (126) | 96%        | SPK: 20 |

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

|                    |                                     |           |                    |                |           |
|--------------------|-------------------------------------|-----------|--------------------|----------------|-----------|
| Client:            | ENTACT                              |           | Date Collected:    | 03/06/25       |           |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 |           | Date Received:     | 03/07/25       |           |
| Client Sample ID:  | WC-A1-01-C                          |           | SDG No.:           | Q1523          |           |
| Lab Sample ID:     | Q1523-03                            |           | Matrix:            | TCLP           |           |
| Analytical Method: | SW8081                              |           | % Solid:           | 0              | Decanted: |
| Sample Wt/Vol:     | 100                                 | Units: mL | Final Vol:         | 10000          | uL        |
| Soil Aliquot Vol:  |                                     | uL        | Test:              | TCLP Pesticide |           |
| Extraction Type:   |                                     |           | Injection Volume : |                |           |
| GPC Factor :       | 1.0                                 | PH :      |                    |                |           |
| Prep Method :      | SW3541B                             |           |                    |                |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PL094661.D        | 1         | 03/11/25 11:54 | 03/12/25 21:41 | PB167091      |

| CAS Number        | Parameter            | Conc. | Qualifier | MDL                 | LOQ / CRQL | Units   |
|-------------------|----------------------|-------|-----------|---------------------|------------|---------|
| <b>TARGETS</b>    |                      |       |           |                     |            |         |
| 58-89-9           | gamma-BHC (Lindane)  | 0.037 | U         | 0.037               | 0.50       | ug/L    |
| 76-44-8           | Heptachlor           | 0.027 | U         | 0.027               | 0.50       | ug/L    |
| 1024-57-3         | Heptachlor epoxide   | 0.096 | U         | 0.096               | 0.50       | ug/L    |
| 72-20-8           | Endrin               | 0.032 | U         | 0.032               | 0.50       | ug/L    |
| 72-43-5           | Methoxychlor         | 0.11  | U         | 0.11                | 0.50       | ug/L    |
| 8001-35-2         | Toxaphene            | 1.70  | U         | 1.70                | 10.0       | ug/L    |
| 57-74-9           | Chlordane            | 0.88  | U         | 0.88                | 5.00       | ug/L    |
| <b>SURROGATES</b> |                      |       |           |                     |            |         |
| 2051-24-3         | Decachlorobiphenyl   | 25.1  |           | 30 (43) - 150 (140) | 126%       | SPK: 20 |
| 877-09-8          | Tetrachloro-m-xylene | 20.0  |           | 30 (77) - 150 (126) | 100%       | SPK: 20 |

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

|                    |                                     |           |                    |                |           |
|--------------------|-------------------------------------|-----------|--------------------|----------------|-----------|
| Client:            | ENTACT                              |           | Date Collected:    | 03/06/25       |           |
| Project:           | 540 Degraw St, Brooklyn, NY - E9309 |           | Date Received:     | 03/07/25       |           |
| Client Sample ID:  | WC-A1-02-C                          |           | SDG No.:           | Q1523          |           |
| Lab Sample ID:     | Q1523-06                            |           | Matrix:            | TCLP           |           |
| Analytical Method: | SW8081                              |           | % Solid:           | 0              | Decanted: |
| Sample Wt/Vol:     | 100                                 | Units: mL | Final Vol:         | 10000          | uL        |
| Soil Aliquot Vol:  |                                     | uL        | Test:              | TCLP Pesticide |           |
| Extraction Type:   |                                     |           | Injection Volume : |                |           |
| GPC Factor :       | 1.0                                 | PH :      |                    |                |           |
| Prep Method :      | SW3541B                             |           |                    |                |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PL094662.D        | 1         | 03/11/25 11:54 | 03/12/25 21:55 | PB167091      |

| CAS Number        | Parameter            | Conc. | Qualifier | MDL                 | LOQ / CRQL | Units   |
|-------------------|----------------------|-------|-----------|---------------------|------------|---------|
| <b>TARGETS</b>    |                      |       |           |                     |            |         |
| 58-89-9           | gamma-BHC (Lindane)  | 0.037 | U         | 0.037               | 0.50       | ug/L    |
| 76-44-8           | Heptachlor           | 0.027 | U         | 0.027               | 0.50       | ug/L    |
| 1024-57-3         | Heptachlor epoxide   | 0.096 | U         | 0.096               | 0.50       | ug/L    |
| 72-20-8           | Endrin               | 0.032 | U         | 0.032               | 0.50       | ug/L    |
| 72-43-5           | Methoxychlor         | 0.11  | U         | 0.11                | 0.50       | ug/L    |
| 8001-35-2         | Toxaphene            | 1.70  | U         | 1.70                | 10.0       | ug/L    |
| 57-74-9           | Chlordane            | 0.88  | U         | 0.88                | 5.00       | ug/L    |
| <b>SURROGATES</b> |                      |       |           |                     |            |         |
| 2051-24-3         | Decachlorobiphenyl   | 26.9  |           | 30 (43) - 150 (140) | 134%       | SPK: 20 |
| 877-09-8          | Tetrachloro-m-xylene | 20.4  |           | 30 (77) - 150 (126) | 102%       | SPK: 20 |

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

### LAB CHRONICLE

|                 |                 |                   |                                     |
|-----------------|-----------------|-------------------|-------------------------------------|
| <b>OrderID:</b> | Q1523           | <b>OrderDate:</b> | 3/7/2025 10:35:00 AM                |
| <b>Client:</b>  | ENTACT          | <b>Project:</b>   | 540 Degraw St, Brooklyn, NY - E9309 |
| <b>Contact:</b> | Jarod Stanfield | <b>Location:</b>  | I31                                 |

| LabID    | ClientID   | Matrix | Test                             | Method         | Sample Date | Prep Date            | Anal Date            | Received |
|----------|------------|--------|----------------------------------|----------------|-------------|----------------------|----------------------|----------|
| Q1523-02 | WC-A1-01-C | SOIL   | PCB                              | 8082A          | 03/06/25    | 03/10/25             | 03/10/25             | 03/07/25 |
| Q1523-03 | WC-A1-01-C | TCLP   | TCLP Herbicide<br>TCLP Pesticide | 8151A<br>8081B | 03/06/25    | 03/11/25<br>03/11/25 | 03/12/25<br>03/12/25 | 03/07/25 |
| Q1523-05 | WC-A1-02-C | SOIL   | PCB                              | 8082A          | 03/06/25    | 03/10/25             | 03/10/25             | 03/07/25 |
| Q1523-06 | WC-A1-02-C | TCLP   | TCLP Herbicide<br>TCLP Pesticide | 8151A<br>8081B | 03/06/25    | 03/11/25<br>03/11/25 | 03/12/25<br>03/12/25 | 03/07/25 |