

284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

# **CASE NARRATIVE**

G Environmental Project Name: DPW Project # N/A

Chemtech Project # Q1525 Test Name: Metals Group3

### A. Number of Samples and Date of Receipt:

1 Water sample was received on 03/07/2025.

#### **B. Parameters:**

According to the Chain of Custody document, the following analyses were requested: Alkalinity, Anions Group1, Metals Group3, Nitrate, Sulfate and VOCMS Group1. This data package contains results for Metals Group3.

## C. Analytical Techniques:

The analysis of Metals Group3 was based on method 6010D and digestion based on method 3010 (waters).

# D. QA/ QC Samples:

The Holding Times were met for all analysis.

Sample MW10 was diluted due to high concentrations for Manganese.

The Blank Spike met requirements for all samples.

The Duplicate analysis met criteria for all samples.

The Matrix Spike analysis met criteria for all samples.

The Matrix Spike Duplicate analysis met criteria for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

The Serial Dilution met the acceptable requirements.

### **E. Additional Comments:**

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature	