

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN031125\
 Data File : BN036582.D
 Acq On : 11 Mar 2025 15:32
 Operator : RC/JU
 Sample : Q1531-11
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 RE103D2-20250306

Quant Time: Mar 11 15:58:27 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN031025.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 10 16:06:28 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.724	152	2161	0.400	ng	0.00
7) Naphthalene-d8	10.509	136	4915	0.400	ng	0.00
13) Acenaphthene-d10	14.366	164	2930	0.400	ng	0.00
19) Phenanthrene-d10	17.111	188	5748	0.400	ng	0.00
29) Chrysene-d12	21.295	240	3765	0.400	ng	0.00
35) Perylene-d12	23.557	264	3253	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.319	112	764	0.152	ng	0.00
5) Phenol-d6	6.901	99	495	0.080	ng	0.00
8) Nitrobenzene-d5	8.875	82	1634	0.306	ng	0.00
11) 2-Methylnaphthalene-d10	12.106	152	2304	0.315	ng	0.00
14) 2,4,6-Tribromophenol	15.858	330	536	0.403	ng	0.00
15) 2-Fluorobiphenyl	12.988	172	6493	0.381	ng	0.00
27) Fluoranthene-d10	19.141	212	6150	0.417	ng	0.00
31) Terphenyl-d14	19.740	244	7435	0.824	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.239	88	1124	0.469	ng	Qvalue # 83
34) Bis(2-ethylhexyl)phtha...	21.214	149	2180	0.234	ng	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN031125\
Data File : BN036582.D
Acq On : 11 Mar 2025 15:32
Operator : RC/JU
Sample : Q1531-11
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
RE103D2-20250306


Quant Time: Mar 11 15:58:27 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN031025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 10 16:06:28 2025
Response via : Initial Calibration








#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 7.724 min Scan# 64
 Delta R.T. 0.000 min
 Lab File: BN036582.D
 Acq: 11 Mar 2025 15:32

Instrument :
 BNA_N
 ClientSampleId :
 RE103D2-20250306







Tgt Ion:152 Resp: 2161
 Ion Ratio Lower Upper
 152 100
 150 154.6 123.7 185.5
 115 67.3 54.3 81.5



#2
 1,4-Dioxane
 Concen: 0.469 ng
 RT: 3.239 min Scan# 22
 Delta R.T. 0.000 min
 Lab File: BN036582.D
 Acq: 11 Mar 2025 15:32

Tgt Ion: 88 Resp: 1124
 Ion Ratio Lower Upper
 88 100
 43 73.0 37.8 56.8#
 58 88.7 67.4 101.2









#4
2-Fluorophenol
Concen: 0.152 ng
RT: 5.319 min Scan# 310
Delta R.T. 0.007 min
Lab File: BN036582.D
Acq: 11 Mar 2025 15:32




Instrument :
BNA_N
ClientSampleId :
RE103D2-20250306


Tgt Ion:	112	Resp:	764
Ion	Ratio	Lower	Upper
112	100		
64	67.5	53.1	79.7
63	40.1	31.8	47.8



#5
Phenol-d6
Concen: 0.080 ng
RT: 6.901 min Scan# 529
Delta R.T. 0.000 min
Lab File: BN036582.D
Acq: 11 Mar 2025 15:32

Tgt Ion:	99	Resp:	495
Ion	Ratio	Lower	Upper
99	100		
42	37.8	26.5	39.7
71	64.2	34.1	51.1









#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.509 min Scan# 91
Delta R.T. 0.000 min
Lab File: BN036582.D
Acq: 11 Mar 2025 15:32




Instrument :
BNA_N
ClientSampleId :
RE103D2-20250306


Tgt Ion:	136	Resp:	4915
Ion	Ratio	Lower	Upper
136	100		
137	13.5	10.3	15.5
54	15.0	11.5	17.3
68	9.5	7.0	10.4



#8
Nitrobenzene-d5
Concen: 0.306 ng
RT: 8.875 min Scan# 777
Delta R.T. 0.000 min
Lab File: BN036582.D
Acq: 11 Mar 2025 15:32

Tgt Ion:	82	Resp:	1634
Ion	Ratio	Lower	Upper
82	100		
128	38.0	30.6	45.8
54	70.7	52.2	78.4









#11
2-Methylnaphthalene-d10
Concen: 0.315 ng
RT: 12.106 min Scan# 1141
Delta R.T. -0.005 min
Lab File: BN036582.D
Acq: 11 Mar 2025 15:32




Instrument :
BNA_N
ClientSampleId :
RE103D2-20250306


Tgt Ion:152 Resp: 2304
Ion Ratio Lower Upper
152 100
151 21.4 17.0 25.6



#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.366 min Scan# 1446
Delta R.T. 0.000 min
Lab File: BN036582.D
Acq: 11 Mar 2025 15:32

Tgt Ion:164 Resp: 2930
Ion Ratio Lower Upper
164 100
162 103.5 84.2 126.2
160 53.0 42.2 63.2









#14
2,4,6-Tribromophenol
Concen: 0.403 ng
RT: 15.858 min Scan# 1581
Delta R.T. 0.000 min
Lab File: BN036582.D
Acq: 11 Mar 2025 15:32




Instrument :
BNA_N
ClientSampleId :
RE103D2-20250306


Tgt Ion:	330	Resp:	536
Ion Ratio	Lower	Upper	
330	100		
332	96.6	75.2	112.8
141	50.4	43.4	65.2



#15
2-Fluorobiphenyl
Concen: 0.381 ng
RT: 12.988 min Scan# 1315
Delta R.T. 0.000 min
Lab File: BN036582.D
Acq: 11 Mar 2025 15:32

Tgt Ion:	172	Resp:	6493
Ion Ratio	Lower	Upper	
172	100		
171	36.5	29.5	44.3
170	24.9	20.2	30.4









#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.111 min Scan# 1682
Delta R.T. 0.000 min
Lab File: BN036582.D
Acq: 11 Mar 2025 15:32




Instrument :
BNA_N
ClientSampleId :
RE103D2-20250306


Tgt Ion:188 Resp: 5748
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 10.4 8.8 13.2



#27
Fluoranthene-d10
Concen: 0.417 ng
RT: 19.141 min Scan# 1930
Delta R.T. 0.000 min
Lab File: BN036582.D
Acq: 11 Mar 2025 15:32


Tgt Ion:212 Resp: 6150
Ion Ratio Lower Upper
212 100
106 15.4 11.8 17.6
104 8.8 7.3 10.9








#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.295 min Scan# 21
Delta R.T. 0.000 min
Lab File: BN036582.D
Acq: 11 Mar 2025 15:32


Instrument :
BNA_N
ClientSampleId :
RE103D2-20250306





Tgt Ion:240 Resp: 3765
Ion Ratio Lower Upper
240 100
120 21.8 14.6 22.0
236 30.9 24.1 36.1




#31
Terphenyl-d14
Concen: 0.824 ng
RT: 19.740 min Scan# 2059
Delta R.T. -0.005 min
Lab File: BN036582.D
Acq: 11 Mar 2025 15:32



Tgt Ion:244 Resp: 7435
Ion Ratio Lower Upper
244 100
212 10.9 9.6 14.4
122 16.7 13.9 20.9









#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.234 ng
 RT: 21.214 min Scan# 21
 Delta R.T. 0.000 min
 Lab File: BN036582.D
 Acq: 11 Mar 2025 15:32

Instrument :
 BNA_N
 ClientSampleId :
 RE103D2-20250306

Tgt Ion:149 Resp: 2180
 Ion Ratio Lower Upper
 149 100
 167 22.9 20.7 31.1
 279 4.0 3.6 5.4



#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.557 min Scan# 2778
 Delta R.T. 0.003 min
 Lab File: BN036582.D
 Acq: 11 Mar 2025 15:32

Tgt Ion:264 Resp: 3253
 Ion Ratio Lower Upper
 264 100
 260 28.0 22.6 33.8
 265 127.2 88.1 132.1

