

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN031125\
 Data File : BN036587.D
 Acq On : 11 Mar 2025 18:33
 Operator : RC/JU
 Sample : Q1531-18
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 FB01

Quant Time: Mar 12 01:09:05 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN031025.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 10 16:06:28 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.724	152	1897	0.400	ng	0.00
7) Naphthalene-d8	10.519	136	4317	0.400	ng	0.01
13) Acenaphthene-d10	14.366	164	2633	0.400	ng	0.00
19) Phenanthrene-d10	17.111	188	5337	0.400	ng	# 0.00
29) Chrysene-d12	21.295	240	4002	0.400	ng	0.00
35) Perylene-d12	23.557	264	3149	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.312	112	681	0.154	ng	0.00
5) Phenol-d6	6.908	99	442	0.081	ng	0.00
8) Nitrobenzene-d5	8.875	82	1539	0.328	ng	0.00
11) 2-Methylnaphthalene-d10	12.116	152	2100	0.327	ng	0.00
14) 2,4,6-Tribromophenol	15.870	330	471	0.394	ng	0.01
15) 2-Fluorobiphenyl	12.993	172	4935	0.322	ng	0.00
27) Fluoranthene-d10	19.141	212	6733	0.492	ng	0.00
31) Terphenyl-d14	19.740	244	5015	0.523	ng	0.00
Target Compounds						Qvalue
34) Bis(2-ethylhexyl)phtha...	21.214	149	581	0.059	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN031125\
Data File : BN036587.D
Acq On : 11 Mar 2025 18:33
Operator : RC/JU
Sample : Q1531-18
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
FB01

Quant Time: Mar 12 01:09:05 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN031025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 10 16:06:28 2025
Response via : Initial Calibration








#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 7.724 min Scan# 643
 Delta R.T. 0.000 min
 Lab File: BN036587.D
 Acq: 11 Mar 2025 18:33




Instrument :
 BNA_N
 ClientSampleId :
 FB01

Tgt Ion:152 Resp: 1897
 Ion Ratio Lower Upper
 152 100
 150 149.8 123.7 185.5
 115 66.7 54.3 81.5



#4
 2-Fluorophenol
 Concen: 0.154 ng
 RT: 5.312 min Scan# 309
 Delta R.T. 0.000 min
 Lab File: BN036587.D
 Acq: 11 Mar 2025 18:33

Tgt Ion:112 Resp: 681
 Ion Ratio Lower Upper
 112 100
 64 68.9 53.1 79.7
 63 38.0 31.8 47.8








#5
Phenol-d6
Concen: 0.081 ng
RT: 6.908 min Scan# 51
Delta R.T. 0.007 min
Lab File: BN036587.D
Acq: 11 Mar 2025 18:33




Instrument :
BNA_N
ClientSampleId :
FB01

Tgt Ion: 99 Resp: 442
Ion Ratio Lower Upper
99 100
42 36.7 26.5 39.7
71 86.4 34.1 51.1#



#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.519 min Scan# 931
Delta R.T. 0.011 min
Lab File: BN036587.D
Acq: 11 Mar 2025 18:33

Tgt Ion: 136 Resp: 4317
Ion Ratio Lower Upper
136 100
137 13.3 10.3 15.5
54 12.8 11.5 17.3
68 8.2 7.0 10.4








#8
 Nitrobenzene-d5
 Concen: 0.328 ng
 RT: 8.875 min Scan# 71
 Delta R.T. 0.000 min
 Lab File: BN036587.D
 Acq: 11 Mar 2025 18:33




Instrument :
 BNA_N
 ClientSampleId :
 FB01


Tgt Ion: 82 Resp: 1539
 Ion Ratio Lower Upper
 82 100
 128 37.9 30.6 45.8
 54 69.9 52.2 78.4



#11
 2-Methylnaphthalene-d10
 Concen: 0.327 ng
 RT: 12.116 min Scan# 1143
 Delta R.T. 0.005 min
 Lab File: BN036587.D
 Acq: 11 Mar 2025 18:33

Tgt Ion:152 Resp: 2100
 Ion Ratio Lower Upper
 152 100
 151 21.0 17.0 25.6





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.366 min Scan# 1446

Delta R.T. 0.000 min

Lab File: BN036587.D

Acq: 11 Mar 2025 18:33

Instrument :

BNA_N

ClientSampleId :

FB01





Tgt Ion:164 Resp: 2633

Ion Ratio Lower Upper

164 100

162 105.4 84.2 126.2

160 54.4 42.2 63.2



#14

2,4,6-Tribromophenol

Concen: 0.394 ng

RT: 15.870 min Scan# 1582

Delta R.T. 0.012 min

Lab File: BN036587.D

Acq: 11 Mar 2025 18:33




Tgt Ion:330 Resp: 471


Ion Ratio Lower Upper

330 100

332 90.4 75.2 112.8

141 51.8 43.4 65.2









#15
2-Fluorobiphenyl
Concen: 0.322 ng
RT: 12.993 min Scan# 11
Delta R.T. 0.005 min
Lab File: BN036587.D
Acq: 11 Mar 2025 18:33




Instrument :
BNA_N
ClientSampleId :
FB01


Tgt Ion:172 Resp: 4935
Ion Ratio Lower Upper
172 100
171 37.2 29.5 44.3
170 25.7 20.2 30.4



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.111 min Scan# 1682
Delta R.T. 0.000 min
Lab File: BN036587.D
Acq: 11 Mar 2025 18:33

Tgt Ion:188 Resp: 5337
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 14.0 8.8 13.2#









#27
Fluoranthene-d10
Concen: 0.492 ng
RT: 19.141 min Scan# 1930
Delta R.T. 0.000 min
Lab File: BN036587.D
Acq: 11 Mar 2025 18:33




Instrument :
BNA_N
ClientSampleId :
FB01


Tgt Ion:212 Resp: 6733
Ion Ratio Lower Upper
212 100
106 14.0 11.8 17.6
104 9.9 7.3 10.9



#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.295 min Scan# 2260
Delta R.T. 0.000 min
Lab File: BN036587.D
Acq: 11 Mar 2025 18:33

Tgt Ion:240 Resp: 4002
Ion Ratio Lower Upper
240 100
120 20.0 14.6 22.0
236 30.7 24.1 36.1









#31
 Terphenyl-d14
 Concen: 0.523 ng
 RT: 19.740 min Scan# 2060
 Delta R.T. -0.005 min
 Lab File: BN036587.D
 Acq: 11 Mar 2025 18:33




Instrument :
 BNA_N
 ClientSampleId :
 FB01


Tgt Ion:244	Resp:	5015
Ion Ratio	Lower	Upper
244	100	
212	11.4	9.6 14.4
122	17.6	13.9 20.9



#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.059 ng
 RT: 21.214 min Scan# 2251
 Delta R.T. 0.000 min
 Lab File: BN036587.D
 Acq: 11 Mar 2025 18:33


Tgt Ion:149	Resp:	581
Ion Ratio	Lower	Upper
149	100	
167	25.1	20.7 31.1
279	4.3	3.6 5.4





#35
Perylene-d12
Concen: 0.400 ng
RT: 23.557 min Scan# 21
Delta R.T. 0.003 min
Lab File: BN036587.D
Acq: 11 Mar 2025 18:33

Instrument :
BNA_N
ClientSampleId :
FB01



Tgt Ion:	264	Resp:	3149
Ion	Ratio	Lower	Upper
264	100		
260	28.9	22.6	33.8
265	121.5	88.1	132.1

