

Hit Summary Sheet
SW-846

SDG No.: Q1531
Client: AECOM Technical Services, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Client ID:	RE122D2-20250305								
Q1531-01	RE122D2-20250305	Water	Trichloroethene	4300		32.0	75.0	100	ug/L
			Total Voc :	4300					
			Total Concentration:	4300					
Client ID:	RE122D3-20250305								
Q1531-02	RE122D3-20250305	Water	Acetone	1.80	J	1.40	3.80	5.00	ug/L
Q1531-02	RE122D3-20250305	Water	Trichloroethene	1.60		0.32	0.75	1.00	ug/L
			Total Voc :	3.40					
			Total Concentration:	3.40					
Client ID:	RE122D1-20250305								
Q1531-03	RE122D1-20250305	Water	1,1-Dichloroethene	0.54	J	0.26	0.75	1.00	ug/L
Q1531-03	RE122D1-20250305	Water	cis-1,2-Dichloroethene	2.10		0.25	0.75	1.00	ug/L
Q1531-03	RE122D1-20250305	Water	Trichloroethene	340	E	0.32	0.75	1.00	ug/L
Q1531-03	RE122D1-20250305	Water	Tetrachloroethene	2.30		0.25	0.50	1.00	ug/L
			Total Voc :	345					
			Total Concentration:	345					
Client ID:	RE122D1-20250305DL								
Q1531-03DL	RE122D1-20250305	Water	Trichloroethene	350	D	3.20	7.50	10.0	ug/L
			Total Voc :	350					
			Total Concentration:	350					
Client ID:	RE126D1-20250306								
Q1531-04	RE126D1-20250306	Water	Acetone	1.70	J	1.40	3.80	5.00	ug/L
Q1531-04	RE126D1-20250306	Water	Trichloroethene	18.2		0.32	0.75	1.00	ug/L
Q1531-04	RE126D1-20250306	Water	Tetrachloroethene	1.30		0.25	0.50	1.00	ug/L
			Total Voc :	21.2					
			Total Concentration:	21.2					
Client ID:	RE126D2-20250306								
Q1531-05	RE126D2-20250306	Water	1,1-Dichloroethene	0.85	J	0.26	0.75	1.00	ug/L
Q1531-05	RE126D2-20250306	Water	Trichloroethene	390	E	0.32	0.75	1.00	ug/L
Q1531-05	RE126D2-20250306	Water	Tetrachloroethene	0.65	J	0.25	0.50	1.00	ug/L
			Total Voc :	392					
			Total Concentration:	392					
Client ID:	RE126D2-20250306DL								
Q1531-05DL	RE126D2-20250306	Water	Trichloroethene	390	D	3.20	7.50	10.0	ug/L
			Total Voc :	390					
			Total Concentration:	390					
Client ID:	DUP01-20250306								
Q1531-06	DUP01-20250306	Water	1,1,2-Trichlorotrifluoroethane	2.90		0.25	0.50	1.00	ug/L
Q1531-06	DUP01-20250306	Water	1,1-Dichloroethene	0.70	J	0.26	0.75	1.00	ug/L
Q1531-06	DUP01-20250306	Water	Acetone	1.70	J	1.40	3.80	5.00	ug/L

Hit Summary Sheet
SW-846

SDG No.: Q1531

Client: AECOM Technical Services, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Q1531-06	DUP01-20250306	Water	trans-1,2-Dichloroethene	0.66	J	0.25	0.50	1.00	ug/L
Q1531-06	DUP01-20250306	Water	cis-1,2-Dichloroethene	2.20		0.25	0.75	1.00	ug/L
Q1531-06	DUP01-20250306	Water	Trichloroethene	370	E	0.32	0.75	1.00	ug/L
Q1531-06	DUP01-20250306	Water	Tetrachloroethene	2.40		0.25	0.50	1.00	ug/L
Total Voc :				381					
Total Concentration:				381					
Client ID:	DUP01-20250306DL								
Q1531-06DL	DUP01-20250306D	Water	Trichloroethene	380	D	3.20	7.50	10.0	ug/L
Total Voc :				380					
Total Concentration:				380					
Client ID:	RE103D1-20250306								
Q1531-07	RE103D1-20250306	Water	1,1,2-Trichlorotrifluoroethane	11.1		0.25	0.50	1.00	ug/L
Q1531-07	RE103D1-20250306	Water	1,1-Dichloroethene	1.70		0.26	0.75	1.00	ug/L
Q1531-07	RE103D1-20250306	Water	Acetone	1.80	J	1.40	3.80	5.00	ug/L
Q1531-07	RE103D1-20250306	Water	cis-1,2-Dichloroethene	1.70		0.25	0.75	1.00	ug/L
Q1531-07	RE103D1-20250306	Water	Trichloroethene	600	EM	0.32	0.75	1.00	ug/L
Q1531-07	RE103D1-20250306	Water	Tetrachloroethene	8.00		0.25	0.50	1.00	ug/L
Total Voc :				624					
Total Concentration:				624					
Client ID:	RE103D1-20250306DL								
Q1531-07DL	RE103D1-20250306	Water	Trichloroethene	600	D	6.40	15.0	20.0	ug/L
Total Voc :				600					
Total Concentration:				600					
Client ID:	RE103D3-20250306								
Q1531-10	RE103D3-20250306	Water	Acetone	1.80	J	1.40	3.80	5.00	ug/L
Q1531-10	RE103D3-20250306	Water	Trichloroethene	120		0.32	0.75	1.00	ug/L
Q1531-10	RE103D3-20250306	Water	Tetrachloroethene	0.41	J	0.25	0.50	1.00	ug/L
Total Voc :				122					
Total Concentration:				122					
Client ID:	RE103D2-20250306								
Q1531-11	RE103D2-20250306	Water	1,1,2-Trichlorotrifluoroethane	5.20		0.25	0.50	1.00	ug/L
Q1531-11	RE103D2-20250306	Water	Acetone	1.50	J	1.40	3.80	5.00	ug/L
Q1531-11	RE103D2-20250306	Water	Trichloroethene	370	E	0.32	0.75	1.00	ug/L
Q1531-11	RE103D2-20250306	Water	Tetrachloroethene	1.40		0.25	0.50	1.00	ug/L
Total Voc :				378					
Total Concentration:				378					
Client ID:	RE103D2-20250306DL								
Q1531-11DL	RE103D2-20250306	Water	Trichloroethene	340	D	3.20	7.50	10.0	ug/L
Total Voc :				340					
Total Concentration:				340					

Hit Summary Sheet
SW-846

SDG No.: Q1531

Client: AECOM Technical Services, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Client ID: RE108D2-20250306									
Q1531-12	RE108D2-20250306	Water	1,1,2-Trichlorotrifluoroethane	3.90		0.25	0.50	1.00	ug/L
Q1531-12	RE108D2-20250306	Water	1,1-Dichloroethene	3.80		0.26	0.75	1.00	ug/L
Q1531-12	RE108D2-20250306	Water	Acetone	1.60	J	1.40	3.80	5.00	ug/L
Q1531-12	RE108D2-20250306	Water	1,1-Dichloroethane	2.60		0.23	0.50	1.00	ug/L
Q1531-12	RE108D2-20250306	Water	Carbon Tetrachloride	1.10		0.25	0.50	1.00	ug/L
Q1531-12	RE108D2-20250306	Water	cis-1,2-Dichloroethene	3.50		0.25	0.75	1.00	ug/L
Q1531-12	RE108D2-20250306	Water	Chloroform	1.70		0.26	0.50	1.00	ug/L
Q1531-12	RE108D2-20250306	Water	Trichloroethene	1800	E	0.32	0.75	1.00	ug/L
Q1531-12	RE108D2-20250306	Water	Tetrachloroethene	2.90		0.25	0.50	1.00	ug/L
			Total Voc :	1820					
			Total Concentration:	1820					
Client ID: RE108D2-20250306DL									
Q1531-12DL	RE108D2-20250306	Water	Trichloroethene	2100	D	12.8	30.0	40.0	ug/L
			Total Voc :	2100					
			Total Concentration:	2100					
Client ID: RE108D1-20250306									
Q1531-13	RE108D1-20250306	Water	Acetone	2.10	J	1.40	3.80	5.00	ug/L
Q1531-13	RE108D1-20250306	Water	Trichloroethene	31.8		0.32	0.75	1.00	ug/L
Q1531-13	RE108D1-20250306	Water	Tetrachloroethene	2.10		0.25	0.50	1.00	ug/L
			Total Voc :	36.0					
			Total Concentration:	36.0					
Client ID: RE105D1-20250306									
Q1531-14	RE105D1-20250306	Water	Dichlorodifluoromethane	1.10		0.21	0.50	1.00	ug/L
Q1531-14	RE105D1-20250306	Water	1,1,2-Trichlorotrifluoroethane	8.20		0.25	0.50	1.00	ug/L
Q1531-14	RE105D1-20250306	Water	Acetone	1.70	J	1.40	3.80	5.00	ug/L
Q1531-14	RE105D1-20250306	Water	Trichloroethene	48.5		0.32	0.75	1.00	ug/L
			Total Voc :	59.5					
			Total Concentration:	59.5					
Client ID: RE105D2-20250306									
Q1531-15	RE105D2-20250306	Water	1,1,2-Trichlorotrifluoroethane	27.4		0.25	0.50	1.00	ug/L
Q1531-15	RE105D2-20250306	Water	1,1-Dichloroethene	7.70		0.26	0.75	1.00	ug/L
Q1531-15	RE105D2-20250306	Water	1,1-Dichloroethane	1.60		0.23	0.50	1.00	ug/L
Q1531-15	RE105D2-20250306	Water	Carbon Tetrachloride	3.40		0.25	0.50	1.00	ug/L
Q1531-15	RE105D2-20250306	Water	cis-1,2-Dichloroethene	4.20		0.25	0.75	1.00	ug/L
Q1531-15	RE105D2-20250306	Water	Chloroform	1.90		0.26	0.50	1.00	ug/L
Q1531-15	RE105D2-20250306	Water	Trichloroethene	2100	E	0.32	0.75	1.00	ug/L
Q1531-15	RE105D2-20250306	Water	1,1,2-Trichloroethane	1.20		0.21	0.50	1.00	ug/L
Q1531-15	RE105D2-20250306	Water	Tetrachloroethene	4.40		0.25	0.50	1.00	ug/L

Hit Summary Sheet
SW-846

SDG No.: Q1531

Client: AECOM Technical Services, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Total Voc :				2150					
Total Concentration:				2150					
Client ID: Q1531-15DL	RE105D2-20250306DL RE105D2-20250306	Water	Trichloroethene	2200	D	12.8	30.0	40.0	ug/L
Total Voc :				2200					
Total Concentration:				2200					
Client ID: Q1531-16	RE125D1-20250307 RE125D1-20250307	Water	1,1,2-Trichlorotrifluoroethane	2.90		0.25	0.50	1.00	ug/L
Q1531-16	RE125D1-20250307	Water	1,1-Dichloroethene	0.80	J	0.26	0.75	1.00	ug/L
Q1531-16	RE125D1-20250307	Water	Acetone	1.50	J	1.40	3.80	5.00	ug/L
Q1531-16	RE125D1-20250307	Water	Methyl tert-butyl Ether	0.88	J	0.16	0.50	1.00	ug/L
Q1531-16	RE125D1-20250307	Water	cis-1,2-Dichloroethene	2.70		0.25	0.75	1.00	ug/L
Q1531-16	RE125D1-20250307	Water	Trichloroethene	200	E	0.32	0.75	1.00	ug/L
Q1531-16	RE125D1-20250307	Water	Tetrachloroethene	11.8		0.25	0.50	1.00	ug/L
Total Voc :				221					
Total Concentration:				221					
Client ID: Q1531-16DL	RE125D1-20250307DL RE125D1-20250307	Water	Trichloroethene	210	D	1.30	3.00	4.00	ug/L
Q1531-16DL	RE125D1-20250307	Water	Tetrachloroethene	13.7	D	1.00	2.00	4.00	ug/L
Total Voc :				224					
Total Concentration:				224					
Client ID: Q1531-17	RE125D2-20250307 RE125D2-20250307	Water	1,1,2-Trichlorotrifluoroethane	11.8		0.25	0.50	1.00	ug/L
Q1531-17	RE125D2-20250307	Water	1,1-Dichloroethene	3.30		0.26	0.75	1.00	ug/L
Q1531-17	RE125D2-20250307	Water	Acetone	1.50	J	1.40	3.80	5.00	ug/L
Q1531-17	RE125D2-20250307	Water	cis-1,2-Dichloroethene	4.70		0.25	0.75	1.00	ug/L
Q1531-17	RE125D2-20250307	Water	Trichloroethene	440	E	0.32	0.75	1.00	ug/L
Q1531-17	RE125D2-20250307	Water	Tetrachloroethene	13.7		0.25	0.50	1.00	ug/L
Total Voc :				475					
Total Concentration:				475					
Client ID: Q1531-17DL	RE125D2-20250307DL RE125D2-20250307	Water	1,1-Dichloroethene	3.40	JD	2.60	7.50	10.0	ug/L
Q1531-17DL	RE125D2-20250307	Water	Trichloroethene	390	D	3.20	7.50	10.0	ug/L
Q1531-17DL	RE125D2-20250307	Water	Tetrachloroethene	11.4	D	2.50	5.00	10.0	ug/L
Total Voc :				405					
Total Concentration:				405					
Client ID: Q1531-18	FB01 FB01	Water	Acetone	3.70	J	1.40	3.80	5.00	ug/L
Total Voc :				3.70					
Total Concentration:				3.70					

Hit Summary Sheet
SW-846

SDG No.: Q1531

Client: AECOM Technical Services, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Client ID:	RE104D2-20250307								
Q1531-19	RE104D2-20250307	Water	1,1-Dichloroethene	1.80		0.26	0.75	1.00	ug/L
Q1531-19	RE104D2-20250307	Water	Acetone	1.60	J	1.40	3.80	5.00	ug/L
Q1531-19	RE104D2-20250307	Water	cis-1,2-Dichloroethene	47.8		0.25	0.75	1.00	ug/L
Q1531-19	RE104D2-20250307	Water	Chloroform	1.80		0.26	0.50	1.00	ug/L
Q1531-19	RE104D2-20250307	Water	1,2-Dichloroethane	1.70		0.24	0.50	1.00	ug/L
Q1531-19	RE104D2-20250307	Water	Trichloroethene	440	E	0.32	0.75	1.00	ug/L
Q1531-19	RE104D2-20250307	Water	Tetrachloroethene	0.59	J	0.25	0.50	1.00	ug/L
			Total Voc :	495					
			Total Concentration:	495					
Client ID:	RE104D2-20250307DL								
Q1531-19DL	RE104D2-20250307	Water	cis-1,2-Dichloroethene	46.2	D	2.50	7.50	10.0	ug/L
Q1531-19DL	RE104D2-20250307	Water	Trichloroethene	410	D	3.20	7.50	10.0	ug/L
			Total Voc :	456					
			Total Concentration:	456					
Client ID:	RE104D3-20250307								
Q1531-20	RE104D3-20250307	Water	Acetone	1.80	J	1.40	3.80	5.00	ug/L
Q1531-20	RE104D3-20250307	Water	Trichloroethene	0.78	J	0.32	0.75	1.00	ug/L
			Total Voc :	2.58					
			Total Concentration:	2.58					
Client ID:	TB								
Q1531-21	TB	Water	Acetone	1.90	J	1.40	3.80	5.00	ug/L
			Total Voc :	1.90					
			Total Concentration:	1.90					