

Client Contact Information						Bottle Order ID : B2503003				Courier :				1 of 4 COCs			
Client ID : ENVI46 Project ID : Soil Waste Characterization						Sampler Name(s) : <i>Athanasios P. Kamberis</i>				Analysis				Matrix			
Customer Name : Environmental Management Services Address : 18-65B Steinway Street, Suite 7 City : Astoria State : NY Zip Code : 11105 Country :						Project Manager : Kosta kamberis, pe				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
						Phone Number : 3473965556											
						Fax Number : 5163541999											
						Site Details: <i>36-12 37th Street Queens, NY Outdoor Streetfront</i>											
						Analysis Turnaround Time											
						Standard : 10 business days OR				Data Package Type :							
						Rush (Specify): Days				EDD Type :							
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
<i>1</i>	<i>3/6/25</i>	<i>10:49</i>	<i>14:40</i>	<i>300</i>	<i>4.7</i>			<i>-30</i>	<i>-4.7</i>	<i>10517</i>	<i>10303</i>	<i>6 L</i>	<i>25</i>	<i>VL041954.D</i>	<i>X</i>	<i>X</i>	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>[Signature]</i>							
		Ambient		Maximum		Minimum											
Start																	
Stop																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
		Ambient		Maximum		Minimum											
Start																	
Stop																	
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium Low PID Readings:																	
Sampling site (State):																	
Quick Connector required : <i>NO</i>																	
Canisters Shipped by: <i>Sam</i>				Date/Time: <i>03/04/25</i>				Canisters Received by: <i>[Signature]</i>				Date/Time: <i>3-7-25 13:16</i>				B2503003 - 1	
Samples Relinquished by:				Date/Time:				Received by:				Date/Time:					
Relinquished by:				Date/Time:				Received by:				Date/Time:					

Client Contact Information						Bottle Order ID : B2502012				Courier :				2 of 4 COCs				
Client ID : ENVI46 Project ID : Soil Waste Characterization						Sampler Name(s) : <i>Athanasios (Archer)</i>				Analysis				Matrix				
Customer Name : Environmental Management Services Address : 18-65B Steinway Street, Suite 7 City : Astoria State : NY Zip Code : 11105 Country :						Project Manager : Kosta Kamberis, PE				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified								
						Phone Number : 3473965556												
						Fax Number : 5163541999												
						Site Details: <i>36-12 37th Street Queens, NY storefront Back</i>												
						Analysis Turnaround Time												
						Standard : 10 business days OR				Data Package Type :								
						Rush (Specify): Days				EDD Type :								
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15		Indoor/Ambient Air	Soil Gas
2	3/6/25	10:58	14:42					-30	<i>-2.3</i>	10784	10590	6 L	25	VL041796.D	X		X	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>[Signature]</i>								
		Ambient	Maximum	Minimum														
Start																		
Stop																		
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.								
		Ambient	Maximum	Minimum														
Start																		
Stop																		
Special Instructions/QC Requirements & Comments :																		
Suspected Contamination: High Medium Low PID Readings:																		
Sampling site (State):																		
Quick Connector required : <i>No</i>																		
Canisters Shipped by: <i>Sabin</i>					Date/Time: <i>02/13/25</i>					Canisters Received by: <i>AR</i>					Date/Time: <i>3-7-25 13:10</i>			
Samples Relinquished by:					Date/Time:					Received by:					Date/Time:			
Relinquished by:					Date/Time:					Received by:					Date/Time:			
B2502012 - 3																		

Client Contact Information				Bottle Order ID : B2502012				Courier :				3 of 4 COCs					
Client ID : ENVI46 Project ID : Soil Waste Characterization				Sampler Name(s) : <i>Atmospheric (Ambient)</i>				Analysis				Matrix					
Customer Name : Environmental Management Services Address : 18-65B Steinway Street, Suite 7 City : Astoria State : NY Zip Code : 11105 Country :				Project Manager : Kosta Kamberis, PE				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified									
				Phone Number : 3473965556													
				Fax Number : 5163541999													
				Site Details: <i>36-12 37th Street Queens, NY supply room front</i>													
				Analysis Turnaround Time													
Standard : 10 business days OR				Data Package Type :													
Rush (Specify): Days				EDD Type :													
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
3	3/6/25	10:53	14:42					-30	-2 -4.3	10704	10279	6 L	25	VL041782.D	X	X	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>[Signature]</i>							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium Low PID Readings:																	
Sampling site (State):																	
Quick Connector required : <i>NO</i>																	
Canisters Shipped by: <i>Sam</i>				Date/Time: <i>02/18/25</i>				Canisters Received by: <i>AR</i>				Date/Time: <i>3-7-25 13:16</i>				B2502012 - 1	
Samples Relinquished by:				Date/Time:				Received by:				Date/Time:					
Relinquished by:				Date/Time:				Received by:				Date/Time:					

Client Contact Information				Bottle Order ID : B2502012				Courier :				<u>4</u> of <u>4</u> COCs																													
Client ID : ENVI46 Project ID : Soil Waste Characterization				Sampler Name(s) : <u>Alonso Kamberis</u>				Analysis				Matrix																													
Customer Name : Environmental Management Services Address : 18-65B Steinway Street, Suite 7 City : Astoria State : NY Zip Code : 11105 Country :				Project Manager : Kosta kamberis, pe				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																																	
				Phone Number : 3473965556																																					
				Fax Number : 5163541999																																					
				Site Details: <u>36-12 37th Street</u> <u>Quech, NY - Supply Room</u>																																					
Analysis Turnaround Time				Standard : 10 business days OR				Data Package Type :																																	
Rush (Specify): Days				EDD Type :																																					
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas																								
<u>4</u>	<u>3/6/25</u>	<u>10:55</u>	<u>14:42</u>					<u>-30</u>	<u>4.75</u>	<u>10714</u>	<u>10295</u>	<u>6 L</u>	<u>25</u>	<u>VL041782.D</u>	<u>X</u>	<u>X</u>																									
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table> Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop					Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) <u>[Signature]</u>							
	Ambient	Maximum	Minimum																																						
Start																																									
Stop																																									
	Ambient	Maximum	Minimum																																						
Start																																									
Stop																																									
Special Instructions/QC Requirements & Comments :										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.																															
Suspected Contamination: High Medium Low PID Readings:																																									
Sampling site (State):																																									
Quick Connector required : <u>NO</u>																																									
Canisters Shipped by: <u>Sam</u>				Date/Time: <u>02/13/25</u>				Canisters Received by: <u>[Signature]</u>				Date/Time: <u>3-7-25 18:16</u>				B2502012 - 2																									
Samples Relinquished by:				Date/Time:				Received by:				Date/Time:																													
Relinquished by:				Date/Time:				Received by:				Date/Time:																													

Analyst Signature:
METHOD: TO-15

Supervisor Signature: [Signature]
Pressure Gauge ID: A255971

Document Control # A3041228

10303 -4.7

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

CHEMTECH

Client Sample ID #: 1 - outdoor soil

Client Name: _____

Project Name: _____

Date: 3/6/23 Time: 10:49

Analysis: _____

Comments: _____

CHEMTECH'S
Date Received: _____

Storage Location: F11
Sample: Q1532-01
Cust #: 1

B2503003

10590 -2.7

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

CHEMTECH

Client Sample ID #: 2 - story frame - bldg

Client Name: _____

Project Name: _____

Date: 3/6/23 Time: 10:58

Analysis: _____

Comments: _____

CHEMTECH'S
Date Received: _____

Storage Location: F11
Sample: Q1532-02
Cust #: 2

B2502012

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

CHEMTECH

Client Sample ID #: 3 - supply room - front

Client Name: _____

Project Name: _____

Date: 3/6/23 Time: 10:55

Analysis: _____

Comments: _____

CHEMTECH'S
Date Received: _____

Storage Location: F11
Sample: Q1532-03
Cust #: 3

B2502012

10295 42

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

CHEMTECH

Client Sample ID #:	4	Supply	PO 012-824
Client Name:			
Project Name:			
Date:	3/6/25	Time:	10:55
Analysis:			
Comments:			
CHEMTECH			
Date Received:			

Storage Location: F11
Sample: Q1532-04
Cust #: 4

Disposal:

B2502012