



SHIPPING DOCUMENTS

Client Contact Information						Bottle Order ID : B2503003				Courier :				<u>1</u> of <u>4</u> COCs					
Client ID : ENVI46		Project ID : Soil Waste Characterization		Sampler Name(s) : <i>Athanasios P. Kamberis</i>		Analysis		Matrix											
Customer Name : Environmental Management Services Address : 18-65B Steinway Street, Suite 7		Project Manager : Kosta kamberis, pe		AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified															
		Phone Number : 3473965556																	
		Fax Number : 5163541999																	
		Site Details: <i>36-12 37th Street Queens, NY Outdoor Streetfront</i>																	
City : Astoria		Analysis Turnaround Time																	
State : NY		Standard : 10 business days OR		Data Package Type :															
Zip Code : 11105		Rush (Specify): Days		EDD Type :															
Country :																			
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15			Indoor/Ambient Air	Soil Gas
<i>1</i>	<i>3/6/25</i>	<i>10:49</i>	<i>14:40</i>	<i>300</i>	<i>4.7</i>			<i>-30</i>	<i>-4.7</i>	<i>10517</i>	<i>10303</i>	<i>6 L</i>	<i>25</i>	<i>VL041954.D</i>	<i>X</i>			<i>X</i>	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>[Signature]</i>									
		Ambient		Maximum		Minimum													
Start																			
Stop																			
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.									
		Ambient		Maximum		Minimum													
Start																			
Stop																			
Special Instructions/QC Requirements & Comments :																			
Suspected Contamination: High Medium Low PID Readings:																			
Sampling site (State):																			
Quick Connector required : <i>NO</i>																			
Canisters Shipped by: <i>Sam</i>					Date/Time: <i>03/04/25</i>					Canisters Received by: <i>[Signature]</i>					Date/Time: <i>3-7-25 13:16</i>				
Samples Relinquished by:					Date/Time:					Received by:					Date/Time:				
Relinquished by:					Date/Time:					Received by:					Date/Time:				
B2503003 - 1																			

Client Contact Information						Bottle Order ID : B2502012				Courier :				2 of 4 COCs				
Client ID : ENVI46 Project ID : Soil Waste Characterization						Sampler Name(s) : <i>Athanasios (Archer)</i>				Analysis				Matrix				
Customer Name : Environmental Management Services Address : 18-65B Steinway Street, Suite 7 City : Astoria State : NY Zip Code : 11105 Country :						Project Manager : Kosta Kamberis, PE				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified								
						Phone Number : 3473965556												
						Fax Number : 5163541999												
						Site Details: <i>36-12 37th Street Queens, NY storefront Back</i>												
						Analysis Turnaround Time												
						Standard : 10 business days OR				Data Package Type :								
						Rush (Specify): Days				EDD Type :								
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15		Indoor/Ambient Air	Soil Gas
2	3/6/25	10:58	14:42					-30	<i>-2.3</i>	10784	10590	6 L	25	VL041796.D	X		X	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>[Signature]</i>								
		Ambient	Maximum	Minimum														
Start																		
Stop																		
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.								
		Ambient	Maximum	Minimum														
Start																		
Stop																		
Special Instructions/QC Requirements & Comments :																		
Suspected Contamination: High Medium Low PID Readings:																		
Sampling site (State):																		
Quick Connector required : <i>No</i>																		
Canisters Shipped by: <i>Sabin</i>					Date/Time: <i>02/13/25</i>					Canisters Received by: <i>AR</i>					Date/Time: <i>3-7-25 13:10</i>			
Samples Relinquished by:					Date/Time:					Received by:					Date/Time:			
Relinquished by:					Date/Time:					Received by:					Date/Time:			
B2502012 - 3																		

Client Contact Information				Bottle Order ID : B2502012				Courier :				<u>3</u> of <u>4</u> COCs					
Client ID : ENVI46 Project ID : Soil Waste Characterization				Sampler Name(s) : <i>Atmospheric (Ambient)</i>				Analysis				Matrix					
Customer Name : Environmental Management Services Address : 18-65B Steinway Street, Suite 7 City : Astoria State : NY Zip Code : 11105 Country :				Project Manager : Kosta kameris, pe				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified									
				Phone Number : 3473965556													
				Fax Number : 5163541999													
				Site Details: <i>36-12 37th Street Queens, NY supply room front</i>													
Analysis Turnaround Time				Standard : 10 business days OR				Data Package Type :									
Rush (Specify): Days				EDD Type :													
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
<i>3</i>	<i>3/6/25</i>	<i>10:53</i>	<i>14:42</i>					<i>-30</i>	<i>-2</i> <i>+4.3</i>	<i>10704</i>	<i>10279</i>	<i>6 L</i>	<i>25</i>	<i>VL041782.D</i>	<i>X</i>	<i>X</i>	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>[Signature]</i>							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium Low PID Readings:																	
Sampling site (State):																	
Quick Connector required : <i>NO</i>																	
Canisters Shipped by: <i>Sam</i>				Date/Time: <i>02/18/25</i>				Canisters Received by: <i>AR</i>				Date/Time: <i>3-7-25 13:16</i>				B2502012 - 1	
Samples Relinquished by:				Date/Time:				Received by:				Date/Time:					
Relinquished by:				Date/Time:				Received by:				Date/Time:					

Client Contact Information				Bottle Order ID : B2502012				Courier :				<u>4</u> of <u>4</u> COCs																	
Client ID : ENVI46 Project ID : Soil Waste Characterization				Sampler Name(s) : <u>Alonso Kamberis</u>				Analysis				Matrix																	
Customer Name : Environmental Management Services Address : 18-65B Steinway Street, Suite 7 City : Astoria State : NY Zip Code : 11105 Country :				Project Manager : Kosta kamberis, pe				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																					
				Phone Number : 3473965556																									
				Fax Number : 5163541999																									
				Site Details: <u>36-12 37th Street</u> <u>Quech, NY - Supply Room</u>																									
Analysis Turnaround Time				Standard : 10 business days OR				Data Package Type :																					
Rush (Specify): Days				EDD Type :																									
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas												
<u>4</u>	<u>3/6/25</u>	<u>10:55</u>	<u>14:42</u>					<u>-30</u>	<u>4.75</u>	<u>10714</u>	<u>10295</u>	<u>6 L</u>	<u>25</u>	<u>VL041782.D</u>	<u>X</u>	<u>X</u>													
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table> GC/MS Analyst Signature (TO-15) <u>[Signature]</u>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop											
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Special Instructions/QC Requirements & Comments :																													
Suspected Contamination: High Medium Low PID Readings:																													
Sampling site (State):																													
Quick Connector required : <u>NO</u>																													
Canisters Shipped by: <u>Sam</u>		Date/Time: <u>02/13/25</u>		Canisters Received by: <u>[Signature]</u>		Date/Time: <u>3-7-25 18:16</u>		B2502012 - 2																					
Samples Relinquished by:		Date/Time:		Received by:		Date/Time:																							
Relinquished by:		Date/Time:		Received by:		Date/Time:																							

AIR SAMPLE PRESSURE & DILUTION LOGBOOK

Analyst Signature:

Supervisor Signature:

METHOD: TO-15

Pressure Gauge ID:

[illegible]

10303 -4.7

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

CHEMTECH

Client Sample ID #: 1 - outdoor soil

Client Name: _____

Project Name: _____

Date: 3/6/23 Time: 10:49

Analysis: _____

Comments: _____

CHEMTECH'S
Date Received: _____

Storage Location: F11
Sample: Q1532-01
Cust #: 1

B2503003

10590 -2.7

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

CHEMTECH

Client Sample ID #: 2 - story frame - bldg

Client Name: _____

Project Name: _____

Date: 3/6/23 Time: 10:58

Analysis: _____

Comments: _____

CHEMTECH'S
Date Received: _____

Storage Location: F11
Sample: Q1532-02
Cust #: 2

B2502012

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

CHEMTECH

Client Sample ID #: 3 - supply room - front

Client Name: _____

Project Name: _____

Date: 3/6/23 Time: 10:55

Analysis: _____

Comments: _____

CHEMTECH'S
Date Received: _____

Storage Location: F11
Sample: Q1532-03
Cust #: 3

B2502012

10295
-42

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

CHEMTECH

Client Sample ID #:	4	Supply	PO 012-824
Client Name:			
Project Name:			
Date:	3/6/25	Time:	10:55
Analysis:			
Comments:			
CHEMTECH			
Date Received:			

Storage Location: F11
Sample: Q1532-04
Cust #: 4

Disposal:

B2502012

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488

Internal Chain of Custody

Instructions: Use 1 form for each 20 samples of aliquot

Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample

Laboratory: Chemtech

Location: 284 Sheffield Street, Mountainside, NJ 7092

NAME:

Title: Sample Custodian

Field Sample Seal No. Q1532

Date Broken 3/7/2025

Military Time Seal Broken: 13:16:00

Case No.: 36-12 37th St. Queens, NY

Analytical Parameter/Fraction TO-15

Sample No.	Aliquot/Extract No.	Sample No.	Aliquot/Extract No.
Q1532-01	1		
Q1532-02	2		
Q1532-03	3		
Q1532-04	4		

Date	Time	Relinquished By	Received By	Purpose of Change of Custody
3-10-25	12:01	Signature 	Signature 	
		Printed Name <u>Cassandra Ranc</u>	Printed Name <u>Samantha Gordon</u>	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	

Distribution: White - Original (Sent With Report)

Yellow - Contractor Archive

Pink - Sample Custodian - Interim Copy