



SHIPPING DOCUMENTS

284 Sheffield Street, MountainSide, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Client Contact Information		Bottle Order ID : B2503004		Courier : F GALDUN		1 of 5 COCs											
Client ID : GFEL01		Project ID :		Project Name(s) : FRANK GALDUN		Analysis											
Customer Name : GFE LLC		Project Manager : FRANK GALDUN		AIR ANALYSIS		Matrix											
Address : 58 Nokomis Ave		Phone Number : 646-542-3465		CHAIN-OF-CUSTODY													
		Fax Number : 973-334-1692		Batch Certified													
City : Lake Hiawatha		Site Details: 3555 Victory Blvd.															
State : NJ		STATEN ISLAND NY															
Zip Code : 07034		Analysis Turnaround Time 5 DAY															
Country :		Standard : 10-Business Days OR															
		Rush (Specify): 5 Days															
Sample Identification		Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum In Field ("Hg) (Start)	Can Vacuum In Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
SU1	4/12/25 8:50	4/12/25 10:50	10:50	10:50	6	6	68	68	-30	-6.3	10707	10296	6 L	50	VL041966.D		
Temperature (Fahrenheit)																	
		Ambient		Maximum		Minimum											
Start																	
Stop																	
Pressure (Inches of Hg)																	
		Ambient		Maximum		Minimum											
Start																	
Stop																	
Special Instructions/QC Requirements & Comments :																	
** Submittal of this COC indicates approval of the analysis based on existing conditions.																	
REPORT ONLY: PCE, TCE, cis-1,2-DCE, 1,1-DCE, 1,1,1-TCF, VINYL-CHLORIDE																	
Please follow the instructions on the back of this COC.																	
GC/MS Analyst Signature (TO-15)																	
PID Readings: 0.0																	
Suspected Contamination: High Medium Low																	
Sampling site (State):																	
Quick Connector required : NO																	
Canisters Shipped by: [Signature]																	
Samples Relinquished by: [Signature]																	
Relinquished by: [Signature]																	
Date/Time: 3/7/25 14:00																	
Date/Time: 3/7/25																	
Date/Time: 3/7/25																	
B2503004 - 4																	

Client Contact Information		Bottle Order ID : B2503004		Courier : F Galdun		2 of 2		COCs									
Client ID : GFEL01		Project ID :		Sampler Name(s) : FRANK GILDUN		Analysis		Matrix									
Customer Name : GFE LLC		Project Manager : FRANK GILDUN															
Address : 58 Nokomis Ave		Phone Number : 646-542-3465															
		Fax Number : 973-334-1692															
City : Lake Hiawatha		Site Details: 3455 Victory Blvd.															
State : NJ		Analysis Turnaround Time															
Zip Code : 07034		Standard : 18 business days		Data Package Type : RESULTS ONLY													
Country :		Rush (Specify): 5 Days		EDD Type :													
Sample Identification		Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum In Field ("Hg) (Start)	Can Vacuum In Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor Ambient Air	Soil Gas
IAI	3/25/06	8:40	10:40	10:40	6.5	40	68	68	-30	-7.1	10579	10321	6 L	50	VL041966.D	1	1
Temperature (Fahrenheit)																	
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Pressure (Inches of Hg)																	
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium Low																	
Sampling site (State):																	
Quick Connector required : No																	
Canisters Shipped by: [Signature]																	
Samples Relinquished by: [Signature]																	
Relinquished by: [Signature]																	
Date/Time: 3/25/06 14:00																	
Date/Time: 3/25/06																	
Date/Time: 3/25/06																	
B2503004 - 5																	

Client Contact Information						Bottle Order ID : B2503004	Courier : Results Only	3 of 5 COCs						
Client ID : GFEL01						Project ID :	Sampler Name(s) : PDF	Analysis						
Customer Name : GFE LLC						Project Manager : FRANK GALDUN		Matrix						
Address : 58 Nokomis Ave						Phone Number : 646-542-3465								
						Fax Number : 973-334-1692								
City : Lake Hiawatha						Site Details: 3555 Victory Blvd STATEN ISLAND, NY								
State : NJ						Analysis Turnaround Time S DAY								
Zip Code : 07034						Standard : 10 business days OR	Data Package Type : RESULTS ONLY							
Country :						Rush (Specify): 5 Days	EDD Type :							
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum In Field ("Hg) (Start)	Can Vacuum In Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	
SJ2	3/12/25	8:51	10:51	30	5.5	68	68	-30	-5.1	10648	10410	6 L	50	VL041954.D
Temperature (Fahrenheit)														
		Ambient	Maximum	Minimum										
Start														
Stop														
Pressure (Inches of Hg)														
		Ambient	Maximum	Minimum										
Start														
Stop														
Special Instructions/QC Requirements & Comments :														
Suspected Contamination:														
Sampling site (State):														
Quick Connector required : KJO														
Canisters Shipped by: Sam														
Samples Relinquished by: John														
Relinquished by:														
Date/Time: 3-7-25 14:00														
Date/Time:														
Date/Time:														
GC/MS Analyst Signature (TO-15)														
Soil Gas														
Indoor/Ambient Air														
TO-15														
Results Only														
Batch Certified														
AIR ANALYSIS CHAIN-OF-CUSTODY														
Please follow the instructions on the back of this COC.														
PID Readings: 0.0														
** Submittal of this COC indicates approval of the analysis based on existing conditions. RESULTS ONLY: PCE, TCE, cis-1,2-DCE, 1,1-DCE,														
B2503004 - 6														

Client Contact Information		Bottle Order ID : B2503004		Courier : F GALDUN		9 of 5 COCs	
Client ID : GFEL01		Project ID : 97-34-030000, Rego-PARA-NY		Sampler Name(s) : FRANK GALDUN		Analysis	
Customer Name : GFE LLC		Project Manager : FRANK GALDUN		AIR ANALYSIS		Matrix	
Address : 58 Nokomis Ave		Phone Number : 646-542-3465		CHAIN-OF-CUSTODY			
City : Lake Hiawatha		Fax Number : 973-334-1692		Batch Certified			
State : NJ		Site Details : 3555 VICTORY BLVD. STATEN ISLAND NY					
Zip Code : 07034		Analysis Turnaround Time : 5 DAY		Data Package Type : RESULTS ONLY			
Country :		Standard : 18-business days		EDD Type : PDE			
		Rush (Specify): 5					
		Days					
		Interior Temp. (F) (Start)		Interior Temp. (F) (Stop)		In coming Can Pressure ("Hg)(Lab)	
		Can Vacuum in Field ("Hg) (Start)**		Can Vacuum in Field ("Hg) (Stop)**		Out going Can Pressure ("Hg)(Lab)	
		Time Start (24 hr Clock)		Time Stop (24 hr Clock)		Flow Controller Readout (ml/min)	
		Sample Date(s)				Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can Cert ID	
						Flow	
						Reg. ID	
						Can ID	
						Can	

Client Contact Information				Bottle Order ID : B2503004				Courier : FRANK GARDUN				5 of 5 COCs																	
Client ID : GFE01				Project ID :				Sampler Name(s) : FRANK GARDUN				Analysis Matrix																	
Customer Name : GFE LLC				Project Manager : FRANK GARDUN				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																					
Address : 58 Nokomis Ave				Phone Number : 646-542-3465																									
City : Lake Hiawatha				Fax Number : 973-334-1692																									
State : NJ				Site Details: 3555 VICTORY BVD STATEN ISLAND NY																									
Zip Code : 07034				Analysis Turnaround Time : 5 DAY				Data Package Type : RESULTS ONLY																					
Country :				Standard : 18-business-days				EDD Type : PDF																					
Sample Identification				Time Start (24 hr Clock)		Time Stop (24 hr Clock)		Can Vacuum In Field ("Hg) (Start)		Can Vacuum In Field ("Hg) (Stop)**		Interior Temp. (F) (Start)		Interior Temp. (F) (Stop)		Out going Can Pressure ("Hg)(Lab)		In coming Can Pressure ("Hg)(Lab)		Flow Controller Readout (ml/min)		Can Cert ID							
OPI 11/15/12				11:42		11:42		30		2		39		43		-30		-3.9		10617		10153		6 L		50		VL041954.D	
Temperature (Fahrenheit)																													
Start		Ambient		Maximum		Minimum																							
Stop																													
Pressure (Inches of Hg)																													
Start		Ambient		Maximum		Minimum																							
Stop																													
Special Instructions/QC Requirements & Comments :																													
Suspected Contamination: High Medium Low																													
Sampling site (State):																													
Quick Connector required : NO																													
Canisters Shipped by: SCW		Date/Time: 11/15/12		Canisters Received by: AR		Date/Time: 11-25-12																							
Samples Relinquished by: FRANK		Date/Time: 11/15/12		Received by:		Date/Time:																							
Relinquished by:		Date/Time:		Received by:		Date/Time:																							

From: frankg4 <frankg4@optonline.net>
Sent: Thursday, March 13, 2025 11:33 AM
Subject: RE: Project 3555 Victory Blvd - Q1533

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Secured by Check Point

Sent via the Samsung Galaxy S9, an AT&T 5G Evolution capable smartphone
Yes mistake analyze for 6

----- Original message -----

From: Kiran Saleem <Kiran.Saleem@alliancetg.com>
Date: 3/13/25 10:21 AM (GMT-05:00)
To: frankg4 <frankg4@optonline.net>
Subject: Project 3555 Victory Blvd - Q1533

Good Morning Frank,

I am reaching out to check with you the Parameter list for Q1533 - All samples parameter list are same, but as per coc page 3 ,sample#03, SV2, parameter list is 4 compounds only, is it a mistake? Please see the COC attached.

Thanks.

NOTE: Chemtech is now an Alliance Technical Group company. Please add [AllianceTG.com](https://www.alliancetg.com) to your safe senders list to ensure receipt of important emails.

Regards,



Kiran Saleem
Project Manager
Alliance Technical Group
Main: 908-789-8900
Direct: 908-728-3148
Address: 284 Sheffield St, Ste 1, Mountainside, NJ 07092
www.alliancetg.com

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488

Internal Chain of Custody

Instructions: Use 1 form for each 20 samples of aliquot

Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample	
Laboratory: <u>Chemtech</u> Title: <u>Sample Custodian</u>	Location: <u>284 Sheffield Street, Mountainside, NJ 7092</u>
Field Sample Seal No. <u>Q1533</u>	Date Broken: <u>3/7/2025</u>
Case No.: <u>3555 Victory Blvd, Staten</u>	Military Time Seal Broken: <u>14:00:00</u>
Analytical Parameter/Fraction: <u>MOCCMS Group3</u>	

Sample No.	Aliquot/Extract No.	Sample No.	Aliquot/Extract No.
Q1533-01	SV1		
Q1533-02	IA1		
Q1533-03	SV2		
Q1533-04	IA2		
Q1533-05	OA1		

Date	Time	Relinquished By		Received By		Purpose of Change of Custody
3/7/25	15:10	Signature		Signature		
		Printed Name	<u>Carolee Perri</u>	Printed Name	<u>Samuel J. Jorgensen</u>	
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		

Distribution: White - Original (Sent With Report)

Yellow - Contractor Archive

Pink - Sample Custodian - Interim Copy