

SOP ID : M3010A-Digestion-17

SDG No : N/A

Matrix : WATER

Pipette ID : ICP A

Balance ID : N/A

Filter paper ID : N/A

pH Strip ID : M6069

Hood ID : #3

Block ID: 1. HOT BLOCK #1 2. N/A

Start Digest Date: 03/13/2025 Time : 10:40 Temp : 96 °C

End Digest Date: 03/13/2025 Time : 12:45 Temp : 96 °C

Digestion tube ID: M5595

Block thermometer ID: MET-DIG. #1

Dig Technician Signature: S/LG.

Supervisor Signature: [Signature]

Temp : 1. 96°C 2. N/A

Standard Name	MLS USED	STD REF. # FROM LOG
Spike Sol 1	0.50	MP84706
Spike Sol 2	1.00	MP84719
Spike Sol 3	1.00	MP84716
Spike Sol 4	1.00	MP84717
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
CONC: HNO3	3.00	M6126
1:1 HCL	5.00	MP84720
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

HOT BLOCK #1 CELL #50: 96 C

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
03/13/25 13:45	S/LG. met dig	pb metn lab
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	pH	Initial Vol (ml)	Final Vol (ml)	Color Before	Color After	Clarity Before	Clarity After	Comment	Prep Pos
PB167118BL	PBW118	<2	50	50	Colorless	Colorless	Clear	Clear	N/A	20
PB167118BS	LCS118	<2	50	50	Colorless	Colorless	Clear	Clear	MP84706,MP84719,MP84716,N	21
Q1539-01	TAPIAL3-MW03D-031025-00-T1	<2	50	50	Colorless	Colorless	Clear	Clear	N/A	22
Q1539-02	TAPFTA-MW01I-031025-00-T2	<2	50	50	Colorless	Colorless	Clear	Clear	N/A	23
Q1539-02MS	TAPFTA-MW01I-031025-00-T2MS	<2	50	50	Colorless	Colorless	Clear	Clear	MP84706,MP84719,MP84716,N	25
Q1539-02MSD	TAPFTA-MW01I-031025-00-T2MSD	<2	50	50	Colorless	Colorless	Clear	Clear	MP84706,MP84719,MP84716,N	26
Q1539-02DUP	TAPFTA-MW01I-031025-00-T2DUP	<2	50	50	Colorless	Colorless	Clear	Clear	N/A	24