

Report of Analysis

Client:	Sciaccia General Contractors, LLC	Date Collected:	03/10/25
Project:	248 Union St., Lodi	Date Received:	03/11/25
Client Sample ID:	5	SDG No.:	Q1542
Lab Sample ID:	Q1542-07	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	86.4
Sample Wt/Vol:	30.03 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

Prep Date :	Date Analyzed :	Prep Batch ID
03/12/25 08:55	03/12/25 15:38	PB167096

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
TARGETS								
Aliphatic C9-C28	Aliphatic C9-C28	27.8		1	1.99	4.63	mg/kg	FE052766.D
Total EPH	Total EPH	27.8			1.99	4.63	mg/kg	

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C28 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C28 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Sciacca General Contractors, LLC	Date Collected:	03/10/25
Project:	248 Union St., Lodi	Date Received:	03/11/25
Client Sample ID:	5	SDG No.:	Q1542
Lab Sample ID:	Q1542-07	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	86.4
Sample Wt/Vol:	30.03 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FE052766.D	1	03/12/25	03/12/25	PB167096

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C28	Aliphatic C9-C28	27.8		1.99	4.63	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	59.1	E	2.08	2.31	mg/kg
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	37.6		40 - 140	75%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	35.3		40 - 140	71%	SPK: 50

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q1542-07	Acq On:	12 Mar 2025 15:38
Client Sample ID:	5	Operator:	YP\AJ
Data file:	FE052766.D	Misc:	
Instrument:	FID_E	ALS Vial:	18
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.148	6.790	1000106	6.413	300	ug/ml
Aliphatic C12-C16	6.791	10.243	2519294	16.564	200	ug/ml
Aliphatic C16-C21	10.244	13.621	5581098	38.084	300	ug/ml
Aliphatic C21-C28	13.622	17.293	42673579	299.565	400	ug/ml
Aliphatic C28-C40	17.294	22.210	97827245	766.737	600	ug/ml
Aliphatic EPH	3.148	22.210	149601322	1130		ug/ml
ortho-Terphenyl (SURR)	11.913	11.913	5957099	35.34		ug/ml
1-chlorooctadecane (SURR)	13.359	13.359	4572120	37.65		ug/ml
Aliphatic C9-C28	3.148	17.293	51774077	360.626	1200	ug/ml