

Report of Analysis

Client:	Sciaccia General Contractors, LLC	Date Collected:	
Project:	248 Union St., Lodi	Date Received:	
Client Sample ID:	PB167096BL	SDG No.:	Q1542
Lab Sample ID:	PB167096BL	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	100
Sample Wt/Vol:	30.01 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

Prep Date :	Date Analyzed :	Prep Batch ID
03/12/25 08:55	03/12/25 12:08	PB167096

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
TARGETS								
Aliphatic C9-C28	Aliphatic C9-C28	1.72	U	1	1.72	4.00	mg/kg	FE052759.D
Total EPH	Total EPH	1.72	U		1.72	4.00	mg/kg	

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C28 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C28 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Sciacca General Contractors, LLC	Date Collected:	
Project:	248 Union St., Lodi	Date Received:	
Client Sample ID:	PB167096BL	SDG No.:	Q1542
Lab Sample ID:	PB167096BL	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	100
Sample Wt/Vol:	30.01 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FE052759.D	1	03/12/25	03/12/25	PB167096

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C28	Aliphatic C9-C28	1.72	U	1.72	4.00	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	1.80	U	1.80	2.00	mg/kg
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	39.3		40 - 140	79%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	37.8		40 - 140	76%	SPK: 50

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	PB167096BL	Acq On:	12 Mar 2025 12:08
Client Sample ID:	PB167096BL	Operator:	YP\AJ
Data file:	FE052759.D	Misc:	
Instrument:	FID_E	ALS Vial:	11
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.148	6.790	0	0	300	ug/ml
Aliphatic C12-C16	6.791	10.243	0	0	200	ug/ml
Aliphatic C16-C21	10.244	13.621	0	0	300	ug/ml
Aliphatic C21-C28	13.622	17.293	0	0	400	ug/ml
Aliphatic C28-C40	17.294	22.210	0	0	600	ug/ml
Aliphatic EPH	3.148	22.210	0	0		ug/ml
ortho-Terphenyl (SURR)	11.911	11.911	6364868	37.75		ug/ml
1-chlorooctadecane (SURR)	13.356	13.356	4768449	39.27		ug/ml
Aliphatic C9-C28	3.148	17.293	0	0	1200	ug/ml