



A

B

C

SAMPLE DATA

Report of Analysis

Client:	Sciaccia General Contractors, LLC	Date Collected:	03/10/25
Project:	248 Union St., Lodi	Date Received:	03/11/25
Client Sample ID:	1	SDG No.:	Q1542
Lab Sample ID:	Q1542-03	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	85.1
Sample Wt/Vol:	30.06 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

Prep Date :	Date Analyzed :	Prep Batch ID
03/12/25 08:55	03/12/25 13:38	PB167096

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
TARGETS								
Aliphatic C9-C28	Aliphatic C9-C28	4.93		1	2.02	4.68	mg/kg	FE052762.D
Total EPH	Total EPH	4.93			2.02	4.68	mg/kg	

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C28 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C28 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Sciacca General Contractors, LLC	Date Collected:	03/10/25
Project:	248 Union St., Lodi	Date Received:	03/11/25
Client Sample ID:	1	SDG No.:	Q1542
Lab Sample ID:	Q1542-03	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	85.1
Sample Wt/Vol:	30.06 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FE052762.D	1	03/12/25	03/12/25	PB167096

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C28	Aliphatic C9-C28	4.93		2.02	4.68	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	8.64		2.11	2.35	mg/kg
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	32.7		40 - 140	65%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	32.0		40 - 140	64%	SPK: 50

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q1542-03	Acq On:	12 Mar 2025 13:38
Client Sample ID:	1	Operator:	YP\AJ
Data file:	FE052762.D	Misc:	
Instrument:	FID_E	ALS Vial:	14
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.148	6.790	537104	3.444	300	ug/ml
Aliphatic C12-C16	6.791	10.243	1644687	10.813	200	ug/ml
Aliphatic C16-C21	10.244	13.621	2768399	18.891	300	ug/ml
Aliphatic C21-C28	13.622	17.293	4748732	33.336	400	ug/ml
Aliphatic C28-C40	17.294	22.210	14096437	110.483	600	ug/ml
Aliphatic EPH	3.148	22.210	23795359	176.967		ug/ml
ortho-Terphenyl (SURR)	11.908	11.908	5398815	32.02		ug/ml
1-chlorooctadecane (SURR)	13.353	13.353	3968594	32.68		ug/ml
Aliphatic C9-C28	3.148	17.293	9698922	66.484	1200	ug/ml

Report of Analysis

Client:	Sciaccia General Contractors, LLC	Date Collected:	03/10/25
Project:	248 Union St., Lodi	Date Received:	03/11/25
Client Sample ID:	2	SDG No.:	Q1542
Lab Sample ID:	Q1542-04	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	87.2
Sample Wt/Vol:	30.05 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

Prep Date :	Date Analyzed :	Prep Batch ID
03/12/25 08:55	03/12/25 14:08	PB167096

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
TARGETS								
Aliphatic C9-C28	Aliphatic C9-C28	6.59		1	1.97	4.57	mg/kg	FE052763.D
Total EPH	Total EPH	6.59			1.97	4.57	mg/kg	

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C28 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C28 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Sciacca General Contractors, LLC	Date Collected:	03/10/25
Project:	248 Union St., Lodi	Date Received:	03/11/25
Client Sample ID:	2	SDG No.:	Q1542
Lab Sample ID:	Q1542-04	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	87.2
Sample Wt/Vol:	30.05 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FE052763.D	1	03/12/25	03/12/25	PB167096

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C28	Aliphatic C9-C28	6.59		1.97	4.57	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	8.18		2.06	2.29	mg/kg
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	42.0		40 - 140	84%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	39.7		40 - 140	79%	SPK: 50

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q1542-04	Acq On:	12 Mar 2025 14:08
Client Sample ID:	2	Operator:	YP\AJ
Data file:	FE052763.D	Misc:	
Instrument:	FID_E	ALS Vial:	15
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.148	6.790	654541	4.197	300	ug/ml
Aliphatic C12-C16	6.791	10.243	2163284	14.223	200	ug/ml
Aliphatic C16-C21	10.244	13.621	3945398	26.922	300	ug/ml
Aliphatic C21-C28	13.622	17.293	6432734	45.157	400	ug/ml
Aliphatic C28-C40	17.294	22.210	13670406	107.144	600	ug/ml
Aliphatic EPH	3.148	22.210	26866363	197.644		ug/ml
ortho-Terphenyl (SURR)	11.909	11.909	6687196	39.67		ug/ml
1-chlorooctadecane (SURR)	13.353	13.353	5102804	42.02		ug/ml
Aliphatic C9-C28	3.148	17.293	13195957	90.499	1200	ug/ml

Report of Analysis

Client:	Sciaccia General Contractors, LLC	Date Collected:	03/10/25
Project:	248 Union St., Lodi	Date Received:	03/11/25
Client Sample ID:	3	SDG No.:	Q1542
Lab Sample ID:	Q1542-05	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	84.2
Sample Wt/Vol:	30.02 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

Prep Date :	Date Analyzed :	Prep Batch ID
03/12/25 08:55	03/12/25 14:37	PB167096

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
TARGETS								
Aliphatic C9-C28	Aliphatic C9-C28	7.05		1	2.04	4.75	mg/kg	FE052764.D
Total EPH	Total EPH	7.05			2.04	4.75	mg/kg	

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C28 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C28 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Sciacca General Contractors, LLC	Date Collected:	03/10/25
Project:	248 Union St., Lodi	Date Received:	03/11/25
Client Sample ID:	3	SDG No.:	Q1542
Lab Sample ID:	Q1542-05	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	84.2
Sample Wt/Vol:	30.02 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FE052764.D	1	03/12/25	03/12/25	PB167096

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C28	Aliphatic C9-C28	7.05		2.04	4.75	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	14.7		2.14	2.37	mg/kg
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	33.0		40 - 140	66%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	31.7		40 - 140	63%	SPK: 50

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q1542-05	Acq On:	12 Mar 2025 14:37
Client Sample ID:	3	Operator:	YP\AJ
Data file:	FE052764.D	Misc:	
Instrument:	FID_E	ALS Vial:	16
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.148	6.790	553469	3.549	300	ug/ml
Aliphatic C12-C16	6.791	10.243	1803333	11.856	200	ug/ml
Aliphatic C16-C21	10.244	13.621	3879743	26.474	300	ug/ml
Aliphatic C21-C28	13.622	17.293	7242365	50.841	400	ug/ml
Aliphatic C28-C40	17.294	22.210	23698947	185.744	600	ug/ml
Aliphatic EPH	3.148	22.210	37177857	278.465		ug/ml
ortho-Terphenyl (SURR)	11.908	11.908	5350576	31.74		ug/ml
1-chlorooctadecane (SURR)	13.353	13.353	4007844	33.01		ug/ml
Aliphatic C9-C28	3.148	17.293	13478910	92.72	1200	ug/ml

Report of Analysis

Client:	Sciaccia General Contractors, LLC	Date Collected:	03/10/25
Project:	248 Union St., Lodi	Date Received:	03/11/25
Client Sample ID:	4	SDG No.:	Q1542
Lab Sample ID:	Q1542-06	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	87.2
Sample Wt/Vol:	30.08 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

Prep Date :	Date Analyzed :	Prep Batch ID
03/12/25 08:55	03/12/25 15:08	PB167096

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
TARGETS								
Aliphatic C9-C28	Aliphatic C9-C28	21.7		1	1.97	4.56	mg/kg	FE052765.D
Total EPH	Total EPH	21.7			1.97	4.56	mg/kg	

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C28 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C28 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Sciacca General Contractors, LLC	Date Collected:	03/10/25
Project:	248 Union St., Lodi	Date Received:	03/11/25
Client Sample ID:	4	SDG No.:	Q1542
Lab Sample ID:	Q1542-06	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	87.2
Sample Wt/Vol:	30.08 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FE052765.D	1	03/12/25	03/12/25	PB167096

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C28	Aliphatic C9-C28	21.7		1.97	4.56	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	34.9		2.06	2.29	mg/kg
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	31.6		40 - 140	63%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	29.3		40 - 140	59%	SPK: 50

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q1542-06	Acq On:	12 Mar 2025 15:08
Client Sample ID:	4	Operator:	YP\AJ
Data file:	FE052765.D	Misc:	
Instrument:	FID_E	ALS Vial:	17
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.148	6.790	739995	4.745	300	ug/ml
Aliphatic C12-C16	6.791	10.243	1792542	11.785	200	ug/ml
Aliphatic C16-C21	10.244	13.621	3909326	26.676	300	ug/ml
Aliphatic C21-C28	13.622	17.293	35125197	246.576	400	ug/ml
Aliphatic C28-C40	17.294	22.210	58418092	457.861	600	ug/ml
Aliphatic EPH	3.148	22.210	99985152	747.644		ug/ml
ortho-Terphenyl (SURR)	11.909	11.909	4944795	29.33		ug/ml
1-chlorooctadecane (SURR)	13.353	13.353	3832336	31.56		ug/ml
Aliphatic C9-C28	3.148	17.293	41567060	289.782	1200	ug/ml

Report of Analysis

Client:	Sciaccia General Contractors, LLC	Date Collected:	03/10/25
Project:	248 Union St., Lodi	Date Received:	03/11/25
Client Sample ID:	5	SDG No.:	Q1542
Lab Sample ID:	Q1542-07	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	86.4
Sample Wt/Vol:	30.03 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

Prep Date :	Date Analyzed :	Prep Batch ID
03/12/25 08:55	03/12/25 15:38	PB167096

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
TARGETS								
Aliphatic C9-C28	Aliphatic C9-C28	27.8		1	1.99	4.63	mg/kg	FE052766.D
Total EPH	Total EPH	27.8			1.99	4.63	mg/kg	

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C28 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C28 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Sciacca General Contractors, LLC	Date Collected:	03/10/25
Project:	248 Union St., Lodi	Date Received:	03/11/25
Client Sample ID:	5	SDG No.:	Q1542
Lab Sample ID:	Q1542-07	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	86.4
Sample Wt/Vol:	30.03 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FE052766.D	1	03/12/25	03/12/25	PB167096

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C28	Aliphatic C9-C28	27.8		1.99	4.63	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	59.1	E	2.08	2.31	mg/kg
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	37.6		40 - 140	75%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	35.3		40 - 140	71%	SPK: 50

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q1542-07	Acq On:	12 Mar 2025 15:38
Client Sample ID:	5	Operator:	YP\AJ
Data file:	FE052766.D	Misc:	
Instrument:	FID_E	ALS Vial:	18
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.148	6.790	1000106	6.413	300	ug/ml
Aliphatic C12-C16	6.791	10.243	2519294	16.564	200	ug/ml
Aliphatic C16-C21	10.244	13.621	5581098	38.084	300	ug/ml
Aliphatic C21-C28	13.622	17.293	42673579	299.565	400	ug/ml
Aliphatic C28-C40	17.294	22.210	97827245	766.737	600	ug/ml
Aliphatic EPH	3.148	22.210	149601322	1130		ug/ml
ortho-Terphenyl (SURR)	11.913	11.913	5957099	35.34		ug/ml
1-chlorooctadecane (SURR)	13.359	13.359	4572120	37.65		ug/ml
Aliphatic C9-C28	3.148	17.293	51774077	360.626	1200	ug/ml

Report of Analysis

Client:	Sciaccia General Contractors, LLC	Date Collected:	03/10/25
Project:	248 Union St., Lodi	Date Received:	03/11/25
Client Sample ID:	6	SDG No.:	Q1542
Lab Sample ID:	Q1542-08	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	85.3
Sample Wt/Vol:	30.04 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

Prep Date :	Date Analyzed :	Prep Batch ID
03/12/25 08:55	03/12/25 17:09	PB167096

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
TARGETS								
Aliphatic C9-C28	Aliphatic C9-C28	15.3		1	2.01	4.68	mg/kg	FE052769.D
Total EPH	Total EPH	15.3			2.01	4.68	mg/kg	

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C28 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C28 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Sciacca General Contractors, LLC	Date Collected:	03/10/25
Project:	248 Union St., Lodi	Date Received:	03/11/25
Client Sample ID:	6	SDG No.:	Q1542
Lab Sample ID:	Q1542-08	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	85.3
Sample Wt/Vol:	30.04 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FE052769.D	1	03/12/25	03/12/25	PB167096

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C28	Aliphatic C9-C28	15.3		2.01	4.68	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	50.7	E	2.11	2.34	mg/kg
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	35.3		40 - 140	71%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	33.7		40 - 140	67%	SPK: 50

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q1542-08	Acq On:	12 Mar 2025 17:09
Client Sample ID:	6	Operator:	YP\AJ
Data file:	FE052769.D	Misc:	
Instrument:	FID_E	ALS Vial:	21
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.148	6.790	1186953	7.611	300	ug/ml
Aliphatic C12-C16	6.791	10.243	2233082	14.682	200	ug/ml
Aliphatic C16-C21	10.244	13.621	4073944	27.799	300	ug/ml
Aliphatic C21-C28	13.622	17.293	20841705	146.307	400	ug/ml
Aliphatic C28-C40	17.294	22.210	82862223	649.446	600	ug/ml
Aliphatic EPH	3.148	22.210	111197907	845.845		ug/ml
ortho-Terphenyl (SURR)	11.911	11.911	5680546	33.7		ug/ml
1-chlorooctadecane (SURR)	13.356	13.356	4287427	35.31		ug/ml
Aliphatic C9-C28	3.148	17.293	28335684	196.399	1200	ug/ml

LAB CHRONICLE

OrderID: Q1542	OrderDate: 3/11/2025 11:00:00 AM
Client: Sciacca General Contractors, LLC	Project: 248 Union St., Lodi
Contact: Rosanne Scirica	Location: --Select--,F11,VOA Ref. #2 Soil

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1542-01	WASTE	SOIL	TPH GC	8015D	03/10/25	03/12/25	03/12/25	03/11/25
Q1542-03	1	Solid	EPH_F2	NJEPH	03/10/25	03/12/25	03/12/25	03/11/25
Q1542-04	2	Solid	EPH_F2	NJEPH	03/10/25	03/12/25	03/12/25	03/11/25
Q1542-05	3	Solid	EPH_F2	NJEPH	03/10/25	03/12/25	03/12/25	03/11/25
Q1542-06	4	Solid	EPH_F2	NJEPH	03/10/25	03/12/25	03/12/25	03/11/25
Q1542-07	5	Solid	EPH_F2	NJEPH	03/10/25	03/12/25	03/12/25	03/11/25
Q1542-08	6	Solid	EPH_F2	NJEPH	03/10/25	03/12/25	03/12/25	03/11/25