

ANALYTICAL RESULTS SUMMARY

GENERAL CHEMISTRY

PROJECT NAME : FORT MEADE MD TIPTON AIRFIELD PARCEL RI - 0111169

WESTON SOLUTIONS

1400 Weston Way

PO Box 2653

West Chester, PA - 19380

Phone No: 610-701-7400

ORDER ID : Q1548

ATTENTION : Nathan Fretz



Laboratory Certification ID # 20012



1) Signature Page	3
2) Case Narrative	4
2.1) Genchem- Case Narrative	4
3) Qualifier Page	5
4) QA Checklist	6
5) Genchem Data	7
6) Shipping Document	12
6.1) CHAIN OF CUSTODY	13
6.2) Lab Certificate	14

1

2

3

4

5

6

Cover Page

Order ID : Q1548

Project ID : Fort Meade MD Tipton Airfield Parcel RI - 0111169

Client : Weston Solutions

Lab Sample Number

Q1548-01
Q1548-02
Q1548-03

Client Sample Number

TAPLPR-SED12-031125-00-T2
TAPLPR-SED13-031125-00-T2
TAPIAL2-SED03-031125-00-T2

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

APPROVED

By Nimisha Pandya, QA/QC Supervisor at 3:25 pm, Mar 24, 2025

Date: 3/21/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

Weston Solutions

Project Name: Fort Meade MD Tipton Airfield Parcel RI - 0111169

Project # N/A

Chemtech Project # Q1548

Test Name: pH,TOC

A. Number of Samples and Date of Receipt:

3 Solid samples were received on 03/12/2025.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: pH and TOC. This data package contains results for pH,TOC.

C. Analytical Techniques:

The analysis of pH was based on method 9045D and The analysis of TOC was based on method 9060A.

D. QA/ QC Samples:

The Holding Times were met for all samples except for TAPIAL2-SED03-031125-00-T2 of pH, for TAPLPR-SED12-031125-00-T2 of pH.for TAPLPR-SED13-031125-00-T2 of pH as samples were receive out of holding time.

The Blank Spike met requirements for all samples.

The Duplicate analysis met criteria for all samples.

The Matrix Spike analysis met criteria for all samples.

The Matrix Spike Duplicate (TAPLPR-SED13-031125-00-T2MSD) analysis met criteria for all samples except for TOC due to matrix interferences.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

E. Additional Comments:

Lab has used least representable sample weight for the sample Q1548-02 for TOC analysis. Therefore Lab has reported the TOC result with "OR" qualifier.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

APPROVED

By Nimisha Pandya, QA/QC Supervisor at 3:25 pm, Mar 24, 2025

Signature_____

DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following “ Results Qualifiers” are used:

J	Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
U	Indicates the analyte was analyzed for, but not detected.
ND	Indicates the analyte was analyzed for, but not detected
E	Indicates the reported value is estimated because of the presence of interference
M	Indicates Duplicate injection precision not met.
N	Indicates the spiked sample recovery is not within control limits.
S	Indicates the reported value was determined by the Method of Standard Addition (MSA).
*	Indicates that the duplicate analysis is not within control limits.
+	Indicates the correlation coefficient for the MSA is less than 0.995.
D	Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
M	Method qualifiers “P” for ICP instrument “PM” for ICP when Microwave Digestion is used “CV” for Manual Cold Vapor AA “AV” for automated Cold Vapor AA “CA” for MIDI-Distillation Spectrophotometric “AS” for Semi -Automated Spectrophotometric “C” for Manual Spectrophotometric “T” for Titrimetric “NR” for analyte not required to be analyzed
OR	Indicates the analyte’s concentration exceeds the calibrated range of the instrument for that specific analysis.
Q	Indicates the LCS did not meet the control limits requirements
H	Sample Analysis Out Of Hold Time

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q1548

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: Mohammad Ahmed

Date: 03/24/2025



SAMPLE DATA

Report of Analysis

Client:	Weston Solutions	Date Collected:	03/11/25 12:05
Project:	Fort Meade MD Tipton Airfield Parcel RI - 0111169	Date Received:	03/12/25
Client Sample ID:	TAPLPR-SED12-031125-00-T2	SDG No.:	Q1548
Lab Sample ID:	Q1548-01	Matrix:	SOIL
		% Solid:	84.6

Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
pH	6.29	H	1	0	0	0	pH		03/13/25 09:14	9045D
TOC	2110		1	28.9	50.0	250	mg/Kg		03/20/25 10:40	9060A

Comments: pH result reported at temperature 21.4 °C

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Weston Solutions	Date Collected:	03/11/25 12:55
Project:	Fort Meade MD Tipton Airfield Parcel RI - 0111169	Date Received:	03/12/25
Client Sample ID:	TAPLPR-SED13-031125-00-T2	SDG No.:	Q1548
Lab Sample ID:	Q1548-02	Matrix:	SOIL
		% Solid:	55.5

Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
pH	5.63	H	1	0	0	0	pH		03/13/25 09:25	9045D
TOC	15500	OR	1	28.9	50.0	250	mg/Kg		03/20/25 11:08	9060A

Comments: pH result reported at temperature 21.3 °C

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Weston Solutions	Date Collected:	03/11/25 13:55
Project:	Fort Meade MD Tipton Airfield Parcel RI - 0111169	Date Received:	03/12/25
Client Sample ID:	TAPIAL2-SED03-031125-00-T2	SDG No.:	Q1548
Lab Sample ID:	Q1548-03	Matrix:	SOIL
		% Solid:	72

Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
pH	4.57	H	1	0	0	0	pH		03/13/25 09:33	9045D
TOC	11200		1	28.9	50.0	250	mg/Kg		03/20/25 12:51	9060A

Comments: pH result reported at temperature 20.6 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q1548	OrderDate:	3/12/2025 9:35:00 AM
Client:	Weston Solutions	Project:	Fort Meade MD Tipton Airfield Parcel RI - 0111169
Contact:	Nathan Fretz	Location:	I41

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1548-01	TAPLPR-SED12-03112 5-00-T2	SOIL			03/11/25 12:05			03/12/25
			pH	9045D				
			TOC	9060A				
Q1548-02	TAPLPR-SED13-03112 5-00-T2	SOIL			03/11/25 12:55			03/12/25
			pH	9045D				
			TOC	9060A				
Q1548-03	TAPIAL2-SED03-0311 25-00-T2	SOIL			03/11/25 13:55			03/12/25
			pH	9045D				
			TOC	9060A				



SHIPPING DOCUMENTS

Q1548

6

6.1



Chain of Custody Record/Lab Work Request

Page 1 of 1

Weston COC ID
Weston_20250311_1452

Client:	Weston Solutions, Inc.		
Project Manager:	David Sembrot		
Street Address:	1400 Weston Way	City:	West Chester
Phone:	610-314-5456	ST, ZIP:	PA, 19038
e-mail:	david.sembrot@westonsolutions.com		
Sampled By:	Cheyenne Harrington		

Project Name:	Fort Meade RI	Project POC:	Nathan Fretz
PO Number	0111169	Phone:	484-524-5665
W.O. #:		POC e-mail:	nathan.fretz@westonsolutions.com
Lab:	CHEMTECH	Lab POC:	Jordan Hedvat
TAT (days):	21	Lab Phone:	908-728-3144
Lab Address:	284 Sheffield Street Mountainside, NJ 07092		

Matrix Codes
SS - Soil
SE - Sediment
SO - Solid
SL - Sludge
GW - Groundwater
W - Water
SB - Soil Boring
A - Air
DS - Drum Solids
DL - Drum Liquids
L - EP/TCLP Leachate
WI - Wipe
X - Other
F - Fish

Lab Use Only		
Temperature of cooler when received (°C)		
COC Tape was present and unbroken on outer package?	Y	N
Samples received in good condition?	Y	N
Labels indicate properly preserved?	Y	N
Received within holding times?	Y	N
Discrepancies between sample labels and COC record?	Y	N

Analyses Requested:	pH by EPA 9045D and TOC by EPA 9060A																			
	Container Type:	Glass																		
	Container Size:	8 oz																		
	Preservative:	Ice to 0 6 deg																		

#	Sample ID	G/C	Matrix	# Cont	MS/MSD	Date Collected	Time Collected														Special Instructions/Comments
1	TAPLPR-SED12-031125-00-T2	g	SED	1	no	3/11/2025	12:05	X													
2	TAPLPR-SED13-031125-00-T2	g	SED	1	no	3/11/2025	12:55	X													
3	TAPIAL2-SED03-031125-00-T2	g	SED	1	no	3/11/2025	13:55	X													
4																					
5																					
6																					
7																					
8																					
9																					
10																					
11																					
12																					

Shipping Airbill Number: 7726 4348 1050		Cooler Number: 1 of 1				
Relinquished By	Date	Time	Received By	Date	Time	Additional Comments
Chye Hagt	3/11/25	1530	FedEx	3-12-25	9:25	QSM 6.0 Compliant
			Chye	3-12-25	9:25	Deliverable Requirements: DoD Level IV report, EnviroData EDD, and ERIS-compatible EDD

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488