

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
FORM S-I

SAMPLE IDENTIFICATION AND ANALYTICAL REQUIREMENT SUMMARY

NYSDEC Sample ID/Code	Laboratory Sample ID/Code	VOA GC/MS (Method #)	BNA GC/MS (Method #)	VOA GC (Method #)	Pest PCBs (Method #)	Metals (Method #)	Other (Method #)
RE115D1-20250310	Q1559-01	8260-Low	8270-Modified				
RE115D2-20250310	Q1559-02	8260-Low	8270-Modified				
RE134D1-20250310	Q1559-03	8260-Low	8270-Modified				
RE134D3-20250310	Q1559-04	8260-Low	8270-Modified				
RE134D4-20250310	Q1559-05	8260-Low	8270-Modified				
TT149S1-20250310	Q1559-06	8260-Low	8270-Modified				
RE125D3-20250310	Q1559-07	8260-Low	8270-Modified				
DUP02-20250310	Q1559-08	8260-Low	8270-Modified				
DUP03-20250310	Q1559-09	8260-Low	8270-Modified				
RW10-MW01D-20250311	Q1559-10	8260-Low	8270-Modified				
RW10-MW01S-20250311	Q1559-11	8260-Low	8270-Modified				
TT158S1-20250311	Q1559-12	8260-Low	8270-Modified				
TT158I1-20250311	Q1559-13	8260-Low	8270-Modified				
RW10A-MW01S-20250311	Q1559-14	8260-Low	8270-Modified				
RW10A-MW01I-20250311	Q1559-15	8260-Low	8270-Modified				
RW4-RE137-20250311	Q1559-16	8260-Low	8270-Modified				
RE104D1-20250312	Q1559-17	8260-Low	8270-Modified				
TB	Q1559-18	8260-Low	8270-Modified				
DUP05-20250312	Q1559-19	8260-Low	8270-Modified				
RE120D1-20250312	Q1559-20	8260-Low	8270-Modified				
RE120D3-20250312	Q1559-21	8260-Low	8270-Modified				
RE120D2-20250312	Q1559-22	8260-Low	8270-Modified				

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

FORM S-IIa

SAMPLE PREPARATION AND ANALYSIS SUMMARY SEMIVOLATILE (BNA) ANALYSES

Laboratory Sample ID	Matrix	Date Collected	Date Rec'd at Lab	Date Extracted	Date Analyzed
Q1559-01	Water	03/10/25	03/12/25	03/14/25	03/15/25
Q1559-02	Water	03/10/25	03/12/25	03/14/25	03/15/25
Q1559-03	Water	03/10/25	03/12/25	03/14/25	03/15/25
Q1559-04	Water	03/10/25	03/12/25	03/14/25	03/15/25
Q1559-05	Water	03/10/25	03/12/25	03/14/25	03/15/25
Q1559-06	Water	03/10/25	03/12/25	03/14/25	03/15/25
Q1559-07	Water	03/10/25	03/12/25	03/14/25	03/15/25
Q1559-08	Water	03/10/25	03/12/25	03/14/25	03/15/25
Q1559-09	Water	03/10/25	03/12/25	03/14/25	03/15/25
Q1559-10	Water	03/11/25	03/12/25	03/14/25	03/15/25
Q1559-11	Water	03/11/25	03/12/25	03/14/25	03/15/25
Q1559-12	Water	03/11/25	03/12/25	03/14/25	03/15/25
Q1559-13	Water	03/11/25	03/12/25	03/14/25	03/15/25
Q1559-14	Water	03/11/25	03/12/25	03/14/25	03/15/25
Q1559-15	Water	03/11/25	03/12/25	03/14/25	03/15/25
Q1559-16	Water	03/11/25	03/12/25	03/14/25	03/15/25
Q1559-17	Water	03/12/25	03/12/25	03/14/25	03/15/25
Q1559-19	Water	03/12/25	03/12/25	03/14/25	03/14/25
Q1559-20	Water	03/12/25	03/12/25	03/14/25	03/14/25
Q1559-21	Water	03/12/25	03/12/25	03/14/25	03/14/25
Q1559-22	Water	03/12/25	03/12/25	03/13/25	03/15/25

* Details For Test : SVOC-SIMGroup1

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

FORM S-IIb

SAMPLE PREPARATION AND ANALYSIS SUMMARY VOLATILE (VOA) ANALYSES

Laboratory Sample ID	Matrix	Date Collected	Date Rec'd at Lab	Date Extracted	Date Analyzed
Q1559-01	Water	03/10/25	03/12/25		03/13/25
Q1559-02	Water	03/10/25	03/12/25		03/13/25
Q1559-03	Water	03/10/25	03/12/25		03/18/25
Q1559-04	Water	03/10/25	03/12/25		03/13/25
Q1559-05	Water	03/10/25	03/12/25		03/13/25
Q1559-06	Water	03/10/25	03/12/25		03/18/25
Q1559-07	Water	03/10/25	03/12/25		03/13/25
Q1559-08	Water	03/10/25	03/12/25		03/20/25
Q1559-09	Water	03/10/25	03/12/25		03/18/25
Q1559-10	Water	03/11/25	03/12/25		03/13/25
Q1559-11	Water	03/11/25	03/12/25		03/13/25
Q1559-12	Water	03/11/25	03/12/25		03/13/25
Q1559-13	Water	03/11/25	03/12/25		03/13/25
Q1559-14	Water	03/11/25	03/12/25		03/13/25
Q1559-15	Water	03/11/25	03/12/25		03/13/25
Q1559-16	Water	03/11/25	03/12/25		03/13/25
Q1559-17	Water	03/12/25	03/12/25		03/13/25
Q1559-18	Water	03/12/25	03/12/25		03/13/25
Q1559-19	Water	03/12/25	03/12/25		03/18/25
Q1559-20	Water	03/12/25	03/12/25		03/13/25
Q1559-21	Water	03/12/25	03/12/25		03/18/25
Q1559-22	Water	03/12/25	03/12/25		03/18/25

* Details For Test : VOCMS Group1

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

FORM S-III

SAMPLE PREPARATION AND ANALYSIS SUMMARY MISCELLANEOUS ORGANIC ANALYSES

Laboratory Sample ID	Matrix	Analytical Protocol	Extraction Method	Auxiliary Cleanup	Dil/Conc Factor
Q1559-01	Water	8260-Low	5030		
Q1559-02	Water	8260-Low	5030		
Q1559-03	Water	8260-Low	5030		
Q1559-04	Water	8260-Low	5030		
Q1559-05	Water	8260-Low	5030		
Q1559-06	Water	8260-Low	5030		
Q1559-07	Water	8260-Low	5030		
Q1559-08	Water	8260-Low	5030		
Q1559-09	Water	8260-Low	5030		
Q1559-10	Water	8260-Low	5030		
Q1559-11	Water	8260-Low	5030		
Q1559-12	Water	8260-Low	5030		
Q1559-13	Water	8260-Low	5030		
Q1559-14	Water	8260-Low	5030		
Q1559-15	Water	8260-Low	5030		
Q1559-16	Water	8260-Low	5030		
Q1559-17	Water	8260-Low	5030		
Q1559-18	Water	8260-Low	5030		
Q1559-19	Water	8260-Low	5030		
Q1559-20	Water	8260-Low	5030		
Q1559-21	Water	8260-Low	5030		
Q1559-22	Water	8260-Low	5030		

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

FORM S-III

SAMPLE PREPARATION AND ANALYSIS SUMMARY MISCELLANEOUS ORGANIC ANALYSES

Laboratory Sample ID	Matrix	Analytical Protocol	Extraction Method	Auxiliary Cleanup	Dil/Conc Factor
Q1559-01	Water	8270-Modified	3510C		
Q1559-02	Water	8270-Modified	3510C		
Q1559-03	Water	8270-Modified	3510C		
Q1559-04	Water	8270-Modified	3510C		
Q1559-05	Water	8270-Modified	3510C		
Q1559-06	Water	8270-Modified	3510C		
Q1559-07	Water	8270-Modified	3510C		
Q1559-08	Water	8270-Modified	3510C		
Q1559-09	Water	8270-Modified	3510C		
Q1559-10	Water	8270-Modified	3510C		
Q1559-11	Water	8270-Modified	3510C		
Q1559-12	Water	8270-Modified	3510C		
Q1559-13	Water	8270-Modified	3510C		
Q1559-14	Water	8270-Modified	3510C		
Q1559-15	Water	8270-Modified	3510C		
Q1559-16	Water	8270-Modified	3510C		
Q1559-17	Water	8270-Modified	3510C		
Q1559-19	Water	8270-Modified	3510C		
Q1559-20	Water	8270-Modified	3510C		
Q1559-21	Water	8270-Modified	3510C		
Q1559-22	Water	8270-Modified	3510C		

Cover Page

Order ID : Q1559

Project ID : NAVFAC NWIRP Bethpage, NY Site 1 OU-2 - 32258

Client : AECOM Technical Services, Inc.

Lab Sample Number

Q1559-01
Q1559-02
Q1559-03
Q1559-04
Q1559-05
Q1559-06
Q1559-07
Q1559-08
Q1559-09
Q1559-10
Q1559-11
Q1559-12
Q1559-13
Q1559-14
Q1559-15
Q1559-16
Q1559-17
Q1559-18
Q1559-19
Q1559-20
Q1559-21
Q1559-22

Client Sample Number

RE115D1-20250310
RE115D2-20250310
RE134D1-20250310
RE134D3-20250310
RE134D4-20250310
TT149S1-20250310
RE125D3-20250310
DUP02-20250310
DUP03-20250310
RW10-MW01D-20250311
RW10-MW01S-20250311
TT158S1-20250311
TT158I1-20250311
RW10A-MW01S-20250311
RW10A-MW01I-20250311
RW4-RE137-20250311
RE104D1-20250312
TB
DUP05-20250312
RE120D1-20250312
RE120D3-20250312
RE120D2-20250312

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 3/25/2025



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

AECOM Technical Services, Inc.

Project Name: NAVFAC NWIRP Bethpage, NY Site 1 OU-2 - 32258

Project # N/A

Chemtech Project # Q1559

Test Name: VOCMS Group1

A. Number of Samples and Date of Receipt:

22 Water samples were received on 03/12/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: SVOC-SIMGroup1 and VOCMS Group1. This data package contains results for VOCMS Group1.

C. Analytical Techniques:

The analysis performed on instrument MSVOA_X were done using GC column DB-624UI 20m 0.18mm 1.0 um. Cat#121-1324UI. The analysis of VOCMS Group1 was based on method 8260D.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria.

The Internal Standards Areas met the acceptable requirements.

The Retention Times were acceptable for all samples.

The RPD met criteria.

The Blank Spike met requirements for all samples.

The Blank Spike Duplicate met requirements for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements.

The Continuous Calibration File ID VX045312.D met the requirements except for Carbon Disulfide which is our target compound but failing marginally low, therefore no corrective action taken.

The Continuous Calibration File ID VX045347.D met the requirements except for Methyl Acetate and t-1,3-Dichloropropene are failing high but no positive hit in associate sample therefore no corrective action taken.

The Tuning criteria met requirements.

Samples RE115D2-20250310 was direct diluted due to past history of this sample containing high amounts of Trichloroethene.



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

Samples RE115D1-20250310, RE134D3-20250310, RE134D4-20250310, RE125D3-20250310, DUP03-20250310, RW4-RE137-20250311, RE120D3-20250312 and RE120D2-20250312 were diluted due to high concentrations.

E. Additional Comments:

Samples for MS/MSD for VOC analysis were not provided with this set of samples. The Blank Spike Duplicate is reported with the data.
The not QT review data is reported in the Miscellaneous.

The Sample #RE115D2-20250310 and RE134D1-20250310 have the concentration of target compound below Method detection limits, therefore it is not reported as Hit in Form1.

Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <20% for the Initial Calibration curve and use %D calculated based on Amount added and Calculated amount for all compounds using Linear Regression when the %RSD value for a compound is > 20% for the Initial Calibration curve for SW-846 analysis.

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

AECOM Technical Services, Inc.

Project Name: NAVFAC NWIRP Bethpage, NY Site 1 OU-2 - 32258

Project # N/A

Chemtech Project # Q1559

Test Name: SVOC-SIMGroup1

A. Number of Samples and Date of Receipt:

22 Water samples were received on 03/12/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: SVOC-SIMGroup1 and VOCMS Group1. This data package contains results for SVOC-SIMGroup1.

C. Analytical Techniques:

The samples were analyzed on instrument BNA_N using GC Column ZB-SemiVolatiles Guardian which is 30 meters, 0.25 mm ID, 0.5 um df, Catalog # 7HG-G027-17-GG. The analysis of SVOC-SIMGroup1 was based on method 8270-Modified and extraction was done based on method 3510.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria except for BPOW6-9-20250312MS [Terphenyl-d14 - 163%], BPOW6-9-20250312MSD [Terphenyl-d14 - 172%], RE115D1-20250310 [Terphenyl-d14 - 151%], RE115D1-20250310DL [2-Fluorobiphenyl - 126%, Terphenyl-d14 - 180%], RE115D2-20250310 [2-Fluorobiphenyl - 108%, Terphenyl-d14 - 140%], RE134D1-20250310 [2-Fluorobiphenyl - 114%], RE134D3-20250310 [2-Fluorobiphenyl - 111%, Terphenyl-d14 - 134%], RE134D4-20250310 [2-Fluorobiphenyl - 109%, Terphenyl-d14 - 138%] and RE120D3-20250312DL [Terphenyl-d14 - 139%]. Failure surrogates are not associated with the client list, as per criteria affected surrogates were passing, therefore no corrective action was taken also RE115D2-20250310DL [2-Fluorobiphenyl - 154%, 2-Methylnaphthalene-d10 - 159%, Fluoranthene-d10 - 200%, Nitrobenzene-d5 - 144%, Terphenyl-d14 - 210%], RE134D3-20250310DL [2-Fluorobiphenyl - 160%, Fluoranthene-d10 - 184%, Nitrobenzene-d5 - 135%, Terphenyl-d14 - 211%], but these samples were required dilution as well due to high concentration, therefore original and Dilution analysis were reported and no further corrective action taken.

The Internal Standards Areas met the acceptable requirements except for PB167131BL, failure Internal Standard is not associated with the client list, as per criteria affected Internal Standard were passing, therefore no corrective action was taken.



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

The Retention Times were acceptable for all samples.

The MS {Q1557-04MS} with File ID: BN036611.D recoveries met the requirements for all compounds except for 1,4-Dioxane[55%] due to matrix interference.

The MSD {Q1557-05MSD} with File ID: BN036612.D recoveries met the acceptable requirements except for 1,4-Dioxane[58%] due to matrix interference.

The RPD met criteria .

The Blank Spike met requirements for all samples .

The Blank Spike Duplicate met requirements for all samples .

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements .

The Continuous Calibration met the requirements .

The Tuning criteria met requirements.

Samples RE115D1-20250310, RE115D2-20250310, RE134D3-20250310, DUP03-20250310 and RE120D3-20250312 were diluted due to high concentrations.

E. Additional Comments:

The Form 6 is not included in the data package because the Initial Calibration was performed using 7 points.

The not QT review data is reported in the Miscellaneous.

Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <20% for the Initial Calibration curve and use %D calculated based on Amount added and Calculated amount for all compounds using Linear Regression when the %RSD value for a compound is > 20% for the Initial Calibration curve for SW-846 analysis.

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following “ Results Qualifiers” are used:

Value	If the result is a value greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. “10 U”. This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
ND	Indicates the analyte was analyzed for, but not detected
J	Indicates an estimated value. This flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others.
B	Indicates the analyte was found in the blank as well as the sample report as “12 B”.
E	Indicates the analyte ‘s concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a “P”.
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
A	This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.
Q	Indicates the LCS did not meet the control limits requirements

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q1559

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: Mohammad Ahmed

Date: 03/25/2025