

Report of Analysis

Client:	AECOM Technical Services, Inc.		Date Collected:	03/10/25
Project:	NAVFAC NWIRP Bethpage, NY Site 1 OU-2 - 32258		Date Received:	03/12/25
Client Sample ID:	RE115D2-20250310DL		SDG No.:	Q1559
Lab Sample ID:	Q1559-02DL		Matrix:	Water
Analytical Method:	SW8270ESIM		% Solid:	0
Sample Wt/Vol:	990	Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:		uL	Test:	SVOC-SIMGroup1
Extraction Type :		Decanted : N	Level :	LOW
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BN036658.D	5	03/14/25 08:35	03/17/25 14:14	PB167131

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
123-91-1	1,4-Dioxane	15.6	D	0.35	1.00	1.00	ug/L
SURROGATES							
7297-45-2	2-Methylnaphthalene-d10	0.64	*	30 - 150		159%	SPK: 0.4
93951-69-0	Fluoranthene-d10	0.80	*	30 - 150		200%	SPK: 0.4
4165-60-0	Nitrobenzene-d5	0.57	*	55 - 111		144%	SPK: 0.4
321-60-8	2-Fluorobiphenyl	0.62	*	53 - 106		154%	SPK: 0.4
1718-51-0	Terphenyl-d14	0.84	*	58 - 132		210%	SPK: 0.4
INTERNAL STANDARDS							
3855-82-1	1,4-Dichlorobenzene-d4	1760		7.717			
1146-65-2	Naphthalene-d8	4310		10.509			
15067-26-2	Acenaphthene-d10	2680		14.355			
1517-22-2	Phenanthrene-d10	5460		17.099			
1719-03-5	Chrysene-d12	3800		21.295			
1520-96-3	Perylene-d12	3270		23.548			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products