

Hit Summary Sheet
SW-846

SDG No.: Q1559
Client: AECOM Technical Services, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Client ID:	RE115D1-20250310								
Q1559-01	RE115D1-20250310	Water	Dichlorodifluoromethane	2.30		0.22	0.50	1.00	ug/L
Q1559-01	RE115D1-20250310	Water	1,1,2-Trichlorotrifluoroethane	33.2		0.25	0.50	1.00	ug/L
Q1559-01	RE115D1-20250310	Water	1,1-Dichloroethene	12.7		0.23	0.75	1.00	ug/L
Q1559-01	RE115D1-20250310	Water	Acetone	2.10	J	1.50	3.80	5.00	ug/L
Q1559-01	RE115D1-20250310	Water	1,1-Dichloroethane	1.70		0.23	0.50	1.00	ug/L
Q1559-01	RE115D1-20250310	Water	Carbon Tetrachloride	3.60		0.25	0.50	1.00	ug/L
Q1559-01	RE115D1-20250310	Water	cis-1,2-Dichloroethene	3.40		0.19	0.75	1.00	ug/L
Q1559-01	RE115D1-20250310	Water	Chloroform	2.10		0.25	0.50	1.00	ug/L
Q1559-01	RE115D1-20250310	Water	Trichloroethene	540	E	0.090	0.75	1.00	ug/L
Q1559-01	RE115D1-20250310	Water	1,1,2-Trichloroethane	1.20		0.21	0.50	1.00	ug/L
			Total Voc :	602					
			Total Concentration:	602					
Client ID:	RE115D1-20250310DL								
Q1559-01DL	RE115D1-20250310	Water	1,1,2-Trichlorotrifluoroethane	45.4	D	2.50	5.00	10.0	ug/L
Q1559-01DL	RE115D1-20250310	Water	1,1-Dichloroethene	12.0	D	2.30	7.50	10.0	ug/L
Q1559-01DL	RE115D1-20250310	Water	Trichloroethene	510	D	0.93	7.50	10.0	ug/L
			Total Voc :	567					
			Total Concentration:	567					
Client ID:	RE115D2-20250310								
Q1559-02	RE115D2-20250310	Water	1,1,2-Trichlorotrifluoroethane	90.4		10.0	20.0	40.0	ug/L
Q1559-02	RE115D2-20250310	Water	1,1-Dichloroethene	47.5		9.20	30.0	40.0	ug/L
Q1559-02	RE115D2-20250310	Water	Trichloroethene	1700		3.70	30.0	40.0	ug/L
			Total Voc :	1840					
			Total Concentration:	1840					
Client ID:	RE134D1-20250310								
Q1559-03	RE134D1-20250310	Water	Trichloroethene	3.40		0.090	0.75	1.00	ug/L
Q1559-03	RE134D1-20250310	Water	Tetrachloroethene	0.56	J	0.23	0.50	1.00	ug/L
			Total Voc :	3.96					
			Total Concentration:	3.96					
Client ID:	RE134D3-20250310								
Q1559-04	RE134D3-20250310	Water	Trichlorofluoromethane	0.34	J	0.33	0.50	1.00	ug/L
Q1559-04	RE134D3-20250310	Water	1,1,2-Trichlorotrifluoroethane	1100	E	0.25	0.50	1.00	ug/L
Q1559-04	RE134D3-20250310	Water	1,1-Dichloroethene	8.70		0.23	0.75	1.00	ug/L
Q1559-04	RE134D3-20250310	Water	cis-1,2-Dichloroethene	5.50		0.19	0.75	1.00	ug/L
Q1559-04	RE134D3-20250310	Water	Chloroform	0.51	J	0.25	0.50	1.00	ug/L
Q1559-04	RE134D3-20250310	Water	Trichloroethene	220	E	0.090	0.75	1.00	ug/L
Q1559-04	RE134D3-20250310	Water	1,2-Dichloropropane	1.90		0.20	0.50	1.00	ug/L

Hit Summary Sheet
SW-846

SDG No.: Q1559

Client: AECOM Technical Services, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Q1559-04	RE134D3-20250310	Water	Tetrachloroethene	350	E	0.23	0.50	1.00	ug/L
			Total Voc :	1690					
			Total Concentration:	1690					
Client ID:	RE134D3-20250310DL								
Q1559-04DL	RE134D3-20250310	Water	1,1,2-Trichlorotrifluoroethane	1100	D	5.00	10.0	20.0	ug/L
Q1559-04DL	RE134D3-20250310	Water	Trichloroethene	220	D	1.90	15.0	20.0	ug/L
Q1559-04DL	RE134D3-20250310	Water	Tetrachloroethene	350	D	4.60	10.0	20.0	ug/L
			Total Voc :	1670					
			Total Concentration:	1670					
Client ID:	RE134D4-20250310								
Q1559-05	RE134D4-20250310	Water	1,1,2-Trichlorotrifluoroethane	540	E	0.25	0.50	1.00	ug/L
Q1559-05	RE134D4-20250310	Water	1,1-Dichloroethene	3.10		0.23	0.75	1.00	ug/L
Q1559-05	RE134D4-20250310	Water	cis-1,2-Dichloroethene	1.30		0.19	0.75	1.00	ug/L
Q1559-05	RE134D4-20250310	Water	Trichloroethene	43.0		0.090	0.75	1.00	ug/L
Q1559-05	RE134D4-20250310	Water	1,2-Dichloropropane	1.30		0.20	0.50	1.00	ug/L
Q1559-05	RE134D4-20250310	Water	Tetrachloroethene	35.4		0.23	0.50	1.00	ug/L
			Total Voc :	624					
			Total Concentration:	624					
Client ID:	RE134D4-20250310DL								
Q1559-05DL	RE134D4-20250310	Water	1,1,2-Trichlorotrifluoroethane	460	D	2.50	5.00	10.0	ug/L
Q1559-05DL	RE134D4-20250310	Water	Trichloroethene	53.9	D	0.93	7.50	10.0	ug/L
Q1559-05DL	RE134D4-20250310	Water	Tetrachloroethene	33.7	D	2.30	5.00	10.0	ug/L
			Total Voc :	548					
			Total Concentration:	548					
Client ID:	TT149S1-20250310								
Q1559-06	TT149S1-20250310	Water	Acetone	2.60	J	1.50	3.80	5.00	ug/L
Q1559-06	TT149S1-20250310	Water	Methyl tert-butyl Ether	11.4		0.16	0.50	1.00	ug/L
Q1559-06	TT149S1-20250310	Water	Trichloroethene	4.50		0.090	0.75	1.00	ug/L
Q1559-06	TT149S1-20250310	Water	Tetrachloroethene	1.10		0.23	0.50	1.00	ug/L
			Total Voc :	19.6					
			Total Concentration:	19.6					
Client ID:	RE125D3-20250310								
Q1559-07	RE125D3-20250310	Water	1,1,2-Trichlorotrifluoroethane	180	E	0.25	0.50	1.00	ug/L
Q1559-07	RE125D3-20250310	Water	cis-1,2-Dichloroethene	1.50		0.19	0.75	1.00	ug/L
Q1559-07	RE125D3-20250310	Water	Trichloroethene	84.9		0.090	0.75	1.00	ug/L
Q1559-07	RE125D3-20250310	Water	Tetrachloroethene	11.6		0.23	0.50	1.00	ug/L
			Total Voc :	278					
			Total Concentration:	278					
Client ID:	RE125D3-20250310DL								

Hit Summary Sheet SW-846

SDG No.: Q1559

Client: AECOM Technical Services, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Q1559-07DL	RE125D3-20250310	Water	1,1,2-Trichlorotrifluoroethane	190	D	1.00	2.00	4.00	ug/L
Q1559-07DL	RE125D3-20250310	Water	Trichloroethene	94.1	D	0.37	3.00	4.00	ug/L
Q1559-07DL	RE125D3-20250310	Water	Tetrachloroethene	13.6	D	0.92	2.00	4.00	ug/L
			Total Voc :	298					
			Total Concentration:	298					
Client ID:	DUP02-20250310								
Q1559-08	DUP02-20250310	Water	Acetone	1.70	J	1.50	3.80	5.00	ug/L
Q1559-08	DUP02-20250310	Water	Trichloroethene	3.30		0.090	0.75	1.00	ug/L
Q1559-08	DUP02-20250310	Water	Tetrachloroethene	0.50	J	0.23	0.50	1.00	ug/L
			Total Voc :	5.50					
			Total Concentration:	5.50					
Client ID:	DUP03-20250310								
Q1559-09	DUP03-20250310	Water	Dichlorodifluoromethane	2.00		0.22	0.50	1.00	ug/L
Q1559-09	DUP03-20250310	Water	1,1,2-Trichlorotrifluoroethane	32.6		0.25	0.50	1.00	ug/L
Q1559-09	DUP03-20250310	Water	1,1-Dichloroethene	12.5		0.23	0.75	1.00	ug/L
Q1559-09	DUP03-20250310	Water	Acetone	2.30	J	1.50	3.80	5.00	ug/L
Q1559-09	DUP03-20250310	Water	Carbon Tetrachloride	3.60		0.25	0.50	1.00	ug/L
Q1559-09	DUP03-20250310	Water	cis-1,2-Dichloroethene	3.40		0.19	0.75	1.00	ug/L
Q1559-09	DUP03-20250310	Water	Chloroform	2.10		0.25	0.50	1.00	ug/L
Q1559-09	DUP03-20250310	Water	Trichloroethene	540	E	0.090	0.75	1.00	ug/L
Q1559-09	DUP03-20250310	Water	1,1,2-Trichloroethane	1.20		0.21	0.50	1.00	ug/L
			Total Voc :	600					
			Total Concentration:	600					
Client ID:	DUP03-20250310DL								
Q1559-09DL	DUP03-20250310D	Water	1,1,2-Trichlorotrifluoroethane	30.3	D	2.50	5.00	10.0	ug/L
Q1559-09DL	DUP03-20250310D	Water	1,1-Dichloroethene	14.0	D	2.30	7.50	10.0	ug/L
Q1559-09DL	DUP03-20250310D	Water	Trichloroethene	510	D	0.93	7.50	10.0	ug/L
			Total Voc :	554					
			Total Concentration:	554					
Client ID:	RW10-MW01D-20250311								
Q1559-10	RW10-MW01D-202	Water	Acetone	2.40	J	1.50	3.80	5.00	ug/L
			Total Voc :	2.40					
			Total Concentration:	2.40					
Client ID:	RW10-MW01S-20250311								
Q1559-11	RW10-MW01S-202	Water	Acetone	2.90	J	1.50	3.80	5.00	ug/L
Q1559-11	RW10-MW01S-202	Water	Methyl tert-butyl Ether	1.10		0.16	0.50	1.00	ug/L
Q1559-11	RW10-MW01S-202	Water	cis-1,2-Dichloroethene	0.84	J	0.19	0.75	1.00	ug/L
Q1559-11	RW10-MW01S-202	Water	Trichloroethene	0.95	J	0.090	0.75	1.00	ug/L
Q1559-11	RW10-MW01S-202	Water	Tetrachloroethene	5.80		0.23	0.50	1.00	ug/L

Hit Summary Sheet SW-846

SDG No.: Q1559

Client: AECOM Technical Services, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Total Voc :				11.6					
Total Concentration:				11.6					
Client ID:	TT158S1-20250311								
Q1559-12	TT158S1-20250311	Water	Acetone	1.70	J	1.50	3.80	5.00	ug/L
Q1559-12	TT158S1-20250311	Water	1,1-Dichloroethane	1.50		0.23	0.50	1.00	ug/L
Total Voc :				3.20					
Total Concentration:				3.20					
Client ID:	TT158I1-20250311								
Q1559-13	TT158I1-20250311	Water	Acetone	2.20	J	1.50	3.80	5.00	ug/L
Q1559-13	TT158I1-20250311	Water	Chloroform	0.28	J	0.25	0.50	1.00	ug/L
Total Voc :				2.48					
Total Concentration:				2.48					
Client ID:	RW10A-MW01I-20250311								
Q1559-15	RW10A-MW01I-20	Water	Acetone	2.40	J	1.50	3.80	5.00	ug/L
Total Voc :				2.40					
Total Concentration:				2.40					
Client ID:	RW4-RE137-20250311								
Q1559-16	RW4-RE137-20250	Water	1,1,2-Trichlorotrifluoroethane	10.0		0.25	0.50	1.00	ug/L
Q1559-16	RW4-RE137-20250	Water	1,1-Dichloroethene	1.30		0.23	0.75	1.00	ug/L
Q1559-16	RW4-RE137-20250	Water	Carbon Tetrachloride	0.86	J	0.25	0.50	1.00	ug/L
Q1559-16	RW4-RE137-20250	Water	cis-1,2-Dichloroethene	1.20		0.19	0.75	1.00	ug/L
Q1559-16	RW4-RE137-20250	Water	Trichloroethene	580	E	0.090	0.75	1.00	ug/L
Q1559-16	RW4-RE137-20250	Water	1,1,2-Trichloroethane	0.34	J	0.21	0.50	1.00	ug/L
Q1559-16	RW4-RE137-20250	Water	Tetrachloroethene	4.30		0.23	0.50	1.00	ug/L
Total Voc :				598					
Total Concentration:				598					
Client ID:	RW4-RE137-20250311DL								
Q1559-16DL	RW4-RE137-20250	Water	1,1,2-Trichlorotrifluoroethane	10.3	D	2.50	5.00	10.0	ug/L
Q1559-16DL	RW4-RE137-20250	Water	Trichloroethene	480	D	0.93	7.50	10.0	ug/L
Q1559-16DL	RW4-RE137-20250	Water	Tetrachloroethene	3.80	JD	2.30	5.00	10.0	ug/L
Total Voc :				494					
Total Concentration:				494					
Client ID:	RE104D1-20250312								
Q1559-17	RE104D1-20250312	Water	1,1,2-Trichlorotrifluoroethane	1.30		0.25	0.50	1.00	ug/L
Q1559-17	RE104D1-20250312	Water	Trichloroethene	43.6		0.090	0.75	1.00	ug/L
Q1559-17	RE104D1-20250312	Water	Tetrachloroethene	2.80		0.23	0.50	1.00	ug/L
Total Voc :				47.7					
Total Concentration:				47.7					
Client ID:	DUP05-20250312								
Q1559-19	DUP05-20250312	Water	1,1,2-Trichlorotrifluoroethane	1.60		0.25	0.50	1.00	ug/L

Hit Summary Sheet
SW-846

SDG No.: Q1559

Client: AECOM Technical Services, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Q1559-19	DUP05-20250312	Water	Acetone	2.30	J	1.50	3.80	5.00	ug/L
Q1559-19	DUP05-20250312	Water	Trichloroethene	12.7		0.090	0.75	1.00	ug/L
			Total Voc :	16.6					
			Total Concentration:	16.6					
Client ID:	RE120D1-20250312								
Q1559-20	RE120D1-20250312	Water	1,1,2-Trichlorotrifluoroethane	1.40		0.25	0.50	1.00	ug/L
Q1559-20	RE120D1-20250312	Water	Acetone	3.10	J	1.50	3.80	5.00	ug/L
Q1559-20	RE120D1-20250312	Water	Trichloroethene	12.4		0.090	0.75	1.00	ug/L
			Total Voc :	16.9					
			Total Concentration:	16.9					
Client ID:	RE120D3-20250312								
Q1559-21	RE120D3-20250312	Water	1,1,2-Trichlorotrifluoroethane	16.5		0.25	0.50	1.00	ug/L
Q1559-21	RE120D3-20250312	Water	1,1-Dichloroethene	7.60		0.23	0.75	1.00	ug/L
Q1559-21	RE120D3-20250312	Water	cis-1,2-Dichloroethene	3.50		0.19	0.75	1.00	ug/L
Q1559-21	RE120D3-20250312	Water	Trichloroethene	730	E	0.090	0.75	1.00	ug/L
Q1559-21	RE120D3-20250312	Water	Tetrachloroethene	8.40		0.23	0.50	1.00	ug/L
			Total Voc :	766					
			Total Concentration:	766					
Client ID:	RE120D3-20250312DL								
Q1559-21DL	RE120D3-20250312	Water	1,1,2-Trichlorotrifluoroethane	22.5	D	5.00	10.0	20.0	ug/L
Q1559-21DL	RE120D3-20250312	Water	1,1-Dichloroethene	8.80	JD	4.60	15.0	20.0	ug/L
Q1559-21DL	RE120D3-20250312	Water	Trichloroethene	780	D	1.90	15.0	20.0	ug/L
Q1559-21DL	RE120D3-20250312	Water	Tetrachloroethene	7.10	JD	4.60	10.0	20.0	ug/L
			Total Voc :	818					
			Total Concentration:	818					
Client ID:	RE120D2-20250312								
Q1559-22	RE120D2-20250312	Water	1,1,2-Trichlorotrifluoroethane	130		0.25	0.50	1.00	ug/L
Q1559-22	RE120D2-20250312	Water	cis-1,2-Dichloroethene	2.30		0.19	0.75	1.00	ug/L
Q1559-22	RE120D2-20250312	Water	Trichloroethene	350	E	0.090	0.75	1.00	ug/L
Q1559-22	RE120D2-20250312	Water	Tetrachloroethene	9.60		0.23	0.50	1.00	ug/L
			Total Voc :	492					
			Total Concentration:	492					
Client ID:	RE120D2-20250312DL								
Q1559-22DL	RE120D2-20250312	Water	1,1,2-Trichlorotrifluoroethane	130	D	2.50	5.00	10.0	ug/L
Q1559-22DL	RE120D2-20250312	Water	Trichloroethene	350	D	0.93	7.50	10.0	ug/L
Q1559-22DL	RE120D2-20250312	Water	Tetrachloroethene	9.40	JD	2.30	5.00	10.0	ug/L
			Total Voc :	489					
			Total Concentration:	489					



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet
SW-846

SDG No.: Q1559

Client: AECOM Technical Services, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
-----------	-----------	--------	-----------	---------------	---	-----	-----	-----	-------