

Analytical Sequence

Client: Weston Solutions	SDG No.: Q1569
Project: Fort Meade MD Tipton Airfield Parcel RI - 0	Instrument ID: ECD_S
GC Column: RTX-CLP	ID: 0.32 (mm) Inst. Calib. Date(s): 02/21/2025 02/21/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCAA RT #	RT #
IBLK	IBLK	02/21/2025	19:32	PS029233.D	7.16	0.00
HSTDICC200	HSTDICC200	02/21/2025	19:56	PS029234.D	7.16	0.00
HSTDICC500	HSTDICC500	02/21/2025	20:20	PS029235.D	7.16	0.00
HSTDICC750	HSTDICC750	02/21/2025	20:44	PS029236.D	7.16	0.00
HSTDICC1000	HSTDICC1000	02/21/2025	21:08	PS029237.D	7.16	0.00
HSTDICC1500	HSTDICC1500	02/21/2025	21:32	PS029238.D	7.16	0.00
IBLK	IBLK	03/19/2025	09:14	PS029452.D	7.17	0.00
HSTDCCC750	HSTDCCC750	03/19/2025	10:02	PS029453.D	7.16	0.00
PB167214BL	PB167214BL	03/19/2025	17:58	PS029454.D	7.17	0.00
PB167214BS	PB167214BS	03/19/2025	18:21	PS029455.D	7.17	0.00
PB167133TB	PB167133TB	03/19/2025	18:45	PS029456.D	7.17	0.00
IBLK	IBLK	03/19/2025	19:33	PS029458.D	7.16	0.00
HSTDCCC750	HSTDCCC750	03/19/2025	19:57	PS029459.D	7.16	0.00
TAP-IDW-SOIL-031325-01	Q1569-02	03/19/2025	21:10	PS029460.D	7.16	0.00
TAP-IDW-SOIL-031325-01MS	Q1569-02MS	03/19/2025	21:34	PS029461.D	7.16	0.00
TAP-IDW-SOIL-031325-01MSD	Q1569-02MSD	03/19/2025	21:57	PS029462.D	7.16	0.00
TAP-IDW-SOIL-031325-02	Q1569-05	03/19/2025	22:21	PS029463.D	7.16	0.00
IBLK	IBLK	03/19/2025	23:57	PS029467.D	7.16	0.00
HSTDCCC750	HSTDCCC750	03/20/2025	00:21	PS029468.D	7.16	0.00

Analytical Sequence

Client: Weston Solutions	SDG No.: Q1569
Project: Fort Meade MD Tipton Airfield Parcel RI - 0	Instrument ID: ECD_S
GC Column: RTX-CLP2	ID: 0.32 (mm) Inst. Calib. Date(s): 02/21/2025 02/21/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCAA RT #	RT #
IBLK	IBLK	02/21/2025	19:32	PS029233.D	7.63	0.00
HSTDICC200	HSTDICC200	02/21/2025	19:56	PS029234.D	7.63	0.00
HSTDICC500	HSTDICC500	02/21/2025	20:20	PS029235.D	7.63	0.00
HSTDICC750	HSTDICC750	02/21/2025	20:44	PS029236.D	7.63	0.00
HSTDICC1000	HSTDICC1000	02/21/2025	21:08	PS029237.D	7.63	0.00
HSTDICC1500	HSTDICC1500	02/21/2025	21:32	PS029238.D	7.63	0.00
IBLK	IBLK	03/19/2025	09:14	PS029452.D	7.62	0.00
HSTDCCC750	HSTDCCC750	03/19/2025	10:02	PS029453.D	7.62	0.00
PB167214BL	PB167214BL	03/19/2025	17:58	PS029454.D	7.62	0.00
PB167214BS	PB167214BS	03/19/2025	18:21	PS029455.D	7.62	0.00
PB167133TB	PB167133TB	03/19/2025	18:45	PS029456.D	7.62	0.00
IBLK	IBLK	03/19/2025	19:33	PS029458.D	7.61	0.00
HSTDCCC750	HSTDCCC750	03/19/2025	19:57	PS029459.D	7.60	0.00
TAP-IDW-SOIL-031325-01	Q1569-02	03/19/2025	21:10	PS029460.D	7.60	0.00
TAP-IDW-SOIL-031325-01MS	Q1569-02MS	03/19/2025	21:34	PS029461.D	7.60	0.00
TAP-IDW-SOIL-031325-01MSD	Q1569-02MSD	03/19/2025	21:57	PS029462.D	7.60	0.00
TAP-IDW-SOIL-031325-02	Q1569-05	03/19/2025	22:21	PS029463.D	7.60	0.00
IBLK	IBLK	03/19/2025	23:57	PS029467.D	7.61	0.00
HSTDCCC750	HSTDCCC750	03/20/2025	00:21	PS029468.D	7.60	0.00