

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL031925\
 Data File : PL094738.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 19 Mar 2025 15:02
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 20 02:04:12 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031125.M
 Quant Title : GC Extractables
 QLast Update : Tue Mar 11 17:42:21 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.536	2.770	142.9E6	197.9E6	50.487	55.449
28)	SA Decachlor...	9.050	7.903	99852250	158.0E6	47.380	39.127
Target Compounds							
2)	A alpha-BHC	3.992	3.272	208.1E6	301.3E6	50.125	55.880
3)	MA gamma-BHC...	4.324	3.602	199.5E6	281.2E6	50.003	54.707
4)	MA Heptachlor	4.912	3.939	178.5E6	261.3E6	45.974	49.598
5)	MB Aldrin	5.254	4.219	177.8E6	258.3E6	48.167	52.962
6)	B beta-BHC	4.524	3.902	91071115	122.3E6	49.355	55.061
7)	B delta-BHC	4.770	4.131	198.2E6	277.8E6	50.886	55.534
8)	B Heptachlo...	5.680	4.721	161.1E6	239.5E6	48.151	52.306
9)	A Endosulfan I	6.066	5.091	145.4E6	215.1E6	47.354	49.022
10)	B gamma-Chl...	5.937	4.971	163.6E6	253.2E6	48.544	52.439
11)	B alpha-Chl...	6.015	5.034	157.7E6	247.8E6	47.843	51.917
12)	B 4,4'-DDE	6.190	5.223	150.8E6	264.1E6	51.265	56.803
13)	MA Dieldrin	6.341	5.354	151.4E6	264.1E6	47.340	54.429
14)	MA Endrin	6.570	5.630	136.1E6	221.0E6	49.111	50.653
15)	B Endosulfa...	6.791	5.925	127.5E6	214.4E6	46.978	49.536
16)	A 4,4'-DDD	6.707	5.778	115.2E6	199.5E6	53.162	55.488
17)	MA 4,4'-DDT	7.020	6.028	106.1E6	187.4E6	44.614	46.477
18)	B Endrin al...	6.921	6.104	93165254	153.9E6	44.133	45.739
19)	B Endosulfa...	7.155	6.327	113.3E6	197.4E6	46.573	48.453
20)	A Methoxychlor	7.496	6.603	55144723	93491988	46.066	44.078
21)	B Endrin ke...	7.641	6.832	122.8E6	225.6E6	46.468	47.280
22)	Mirex	8.113	7.012	91548775	162.3E6	44.306	42.766
24)	Chlordane-2	5.254f	0.000	177.8E6	0	1175.390	N.D. #
25)	Chlordane-3	5.937	4.971	163.6E6	253.2E6	327.243	475.941 #
26)	Chlordane-4	6.015	5.034	157.7E6	247.8E6	267.749	476.003 #
27)	Chlordane-5	0.000	5.925	0	214.4E6	N.D.	1117.652 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL031925\
Data File : PL094738.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 19 Mar 2025 15:02
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 20 02:04:12 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031125.M
Quant Title : GC Extractables
QLast Update : Tue Mar 11 17:42:21 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.536 min
Delta R.T.: -0.002 min
Response: 142913311
Conc: 50.49 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.770 min
Delta R.T.: -0.002 min
Response: 197911946
Conc: 55.45 ng/ml




#2 alpha-BHC

R.T.: 3.992 min
Delta R.T.: -0.002 min
Response: 208135712
Conc: 50.12 ng/ml



#2 alpha-BHC


R.T.: 3.272 min
Delta R.T.: -0.002 min
Response: 301268101
Conc: 55.88 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.324 min
Delta R.T.: -0.002 min
Response: 199525769
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.602 min
Delta R.T.: -0.002 min
Response: 281164760
Conc: 54.71 ng/ml




#4 Heptachlor

R.T.: 4.912 min
Delta R.T.: -0.002 min
Response: 178452344
Conc: 45.97 ng/ml



#4 Heptachlor


R.T.: 3.939 min
Delta R.T.: -0.003 min
Response: 261311957
Conc: 49.60 ng/ml



#5 Aldrin


R.T.: 5.254 min
Delta R.T.: -0.003 min
Response: 177842595
Conc: 48.17 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.219 min
Delta R.T.: -0.003 min
Response: 258258736
Conc: 52.96 ng/ml




#6 beta-BHC

R.T.: 4.524 min
Delta R.T.: -0.002 min
Response: 91071115
Conc: 49.36 ng/ml



#6 beta-BHC


R.T.: 3.902 min
Delta R.T.: -0.003 min
Response: 122306573
Conc: 55.06 ng/ml



#7 delta-BHC


R.T.: 4.770 min
Delta R.T.: -0.003 min
Response: 198165272
Conc: 50.89 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.131 min
Delta R.T.: -0.003 min
Response: 277777692
Conc: 55.53 ng/ml




#8 Heptachlor epoxide

R.T.: 5.680 min
Delta R.T.: -0.003 min
Response: 161072980
Conc: 48.15 ng/ml



#8 Heptachlor epoxide


R.T.: 4.721 min
Delta R.T.: -0.003 min
Response: 239487038
Conc: 52.31 ng/ml



#9 Endosulfan I


R.T.: 6.066 min
Delta R.T.: -0.003 min
Response: 145385218
Conc: 47.35 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.091 min
Delta R.T.: -0.003 min
Response: 215143416
Conc: 49.02 ng/ml




#10 gamma-Chlordane

R.T.: 5.937 min
Delta R.T.: -0.003 min
Response: 163562918
Conc: 48.54 ng/ml



#10 gamma-Chlordane


R.T.: 4.971 min
Delta R.T.: -0.003 min
Response: 253199623
Conc: 52.44 ng/ml



#11 alpha-Chlordane


R.T.: 6.015 min
Delta R.T.: -0.003 min
Response: 157729274
Conc: 47.84 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.034 min
Delta R.T.: -0.003 min
Response: 247788437
Conc: 51.92 ng/ml




#12 4,4'-DDE

R.T.: 6.190 min
Delta R.T.: -0.003 min
Response: 150825991
Conc: 51.27 ng/ml



#12 4,4'-DDE


R.T.: 5.223 min
Delta R.T.: -0.004 min
Response: 264052387
Conc: 56.80 ng/ml



#13 Dieldrin


R.T.: 6.341 min
Delta R.T.: -0.003 min
Response: 151401037
Conc: 47.34 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.354 min
Delta R.T.: -0.004 min
Response: 264080798
Conc: 54.43 ng/ml




#14 Endrin

R.T.: 6.570 min
Delta R.T.: -0.003 min
Response: 136138077
Conc: 49.11 ng/ml



#14 Endrin


R.T.: 5.630 min
Delta R.T.: -0.003 min
Response: 221032134
Conc: 50.65 ng/ml



#15 Endosulfan II


R.T.: 6.791 min
Delta R.T.: -0.003 min
Response: 127533828
Conc: 46.98 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.925 min
Delta R.T.: -0.003 min
Response: 214405895
Conc: 49.54 ng/ml




#16 4,4'-DDD

R.T.: 6.707 min
Delta R.T.: -0.003 min
Response: 115152317
Conc: 53.16 ng/ml



#16 4,4'-DDD


R.T.: 5.778 min
Delta R.T.: -0.004 min
Response: 199528031
Conc: 55.49 ng/ml



#17 4,4'-DDT


R.T.: 7.020 min
Delta R.T.: -0.003 min
Response: 106115290
Conc: 44.61 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.028 min
Delta R.T.: -0.003 min
Response: 187399621
Conc: 46.48 ng/ml




#18 Endrin aldehyde

R.T.: 6.921 min
Delta R.T.: -0.003 min
Response: 93165254
Conc: 44.13 ng/ml



#18 Endrin aldehyde


R.T.: 6.104 min
Delta R.T.: -0.004 min
Response: 153927718
Conc: 45.74 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.155 min
Delta R.T.: -0.003 min
Response: 113266825
Conc: 46.57 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.327 min
Delta R.T.: -0.004 min
Response: 197371832
Conc: 48.45 ng/ml




#20 Methoxychlor

R.T.: 7.496 min
Delta R.T.: -0.004 min
Response: 55144723
Conc: 46.07 ng/ml



#20 Methoxychlor


R.T.: 6.603 min
Delta R.T.: -0.004 min
Response: 93491988
Conc: 44.08 ng/ml



#21 Endrin ketone


R.T.: 7.641 min
Delta R.T.: -0.003 min
Response: 122827227
Conc: 46.47 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.832 min
Delta R.T.: -0.003 min
Response: 225649485
Conc: 47.28 ng/ml




#22 Mirex

R.T.: 8.113 min
Delta R.T.: -0.004 min
Response: 91548775
Conc: 44.31 ng/ml



#22 Mirex


R.T.: 7.012 min
Delta R.T.: -0.004 min
Response: 162309148
Conc: 42.77 ng/ml



#24 Chlordane-2


R.T.: 5.254 min
Delta R.T.: 0.023 min
Response: 177842595
Conc: 1175.39 ng/m

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T. : 4.344 min
Response: 0
Conc: N.D.




#25 Chlordane-3

R.T.: 5.937 min
Delta R.T.: -0.003 min
Response: 163562918
Conc: 327.24 ng/ml



#25 Chlordane-3


R.T.: 4.971 min
Delta R.T.: -0.004 min
Response: 253199623
Conc: 475.94 ng/ml



#26 Chlordane-4


R.T.: 6.015 min
Delta R.T.: -0.006 min
Response: 157729274
Conc: 267.75 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 5.034 min
Delta R.T.: -0.003 min
Response: 247788437
Conc: 476.00 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.871 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.925 min
Delta R.T.: -0.008 min
Response: 214405895
Conc: 1117.65 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.050 min
Delta R.T.: -0.005 min
Response: 99852250
Conc: 47.38 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.903 min
Delta R.T.: -0.004 min
Response: 158046031
Conc: 39.13 ng/ml