

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF031825\
 Data File : BF141989.D
 Acq On : 18 Mar 2025 11:28
 Operator : RC/JU
 Sample : PB167133TB
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB167133TB

Quant Time: Mar 18 11:55:41 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF031025.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 10 15:46:22 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.881	152	154147	20.000	ng	0.00
21) Naphthalene-d8	8.157	136	600060	20.000	ng	0.00
39) Acenaphthene-d10	9.916	164	341484	20.000	ng	0.00
64) Phenanthrene-d10	11.398	188	613248	20.000	ng	0.00
76) Chrysene-d12	14.039	240	422319	20.000	ng	0.00
86) Perylene-d12	15.515	264	357882	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.504	112	1254647	135.841	ng	0.01
7) Phenol-d6	6.504	99	1541900	131.118	ng	0.00
23) Nitrobenzene-d5	7.439	82	1032327	96.816	ng	0.00
42) 2,4,6-Tribromophenol	10.704	330	633580	146.250	ng	0.00
45) 2-Fluorobiphenyl	9.233	172	2152833	95.877	ng	0.00
79) Terphenyl-d14	12.986	244	2832561	99.162	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF031825\
Data File : BF141989.D
Acq On : 18 Mar 2025 11:28
Operator : RC/JU
Sample : PB167133TB
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB167133TB


Quant Time: Mar 18 11:55:41 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF031025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 10 15:46:22 2025
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.881 min Scan# 814
Delta R.T. -0.000 min
Lab File: BF141989.D
Acq: 18 Mar 2025 11:28

Instrument :
BNA_F
ClientSampleId :
PB167133TB







Tgt Ion:152 Resp: 154147
Ion Ratio Lower Upper
152 100
150 154.0 127.4 191.2
115 62.1 51.9 77.9



#5
2-Fluorophenol
Concen: 135.841 ng
RT: 5.504 min Scan# 580
Delta R.T. 0.012 min
Lab File: BF141989.D
Acq: 18 Mar 2025 11:28

Tgt Ion:112 Resp: 1254647
Ion Ratio Lower Upper
112 100
64 57.5 46.5 69.7
63 31.8 25.4 38.2









#7
Phenol-d6
Concen: 131.118 ng
RT: 6.504 min Scan# 71
Delta R.T. 0.000 min
Lab File: BF141989.D
Acq: 18 Mar 2025 11:28




Instrument :
BNA_F
ClientSampleId :
PB167133TB


Tgt Ion: 99 Resp: 1541900
Ion Ratio Lower Upper
99 100
42 17.1 14.6 21.8
71 38.6 30.8 46.2



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.157 min Scan# 1031
Delta R.T. -0.006 min
Lab File: BF141989.D
Acq: 18 Mar 2025 11:28

Tgt Ion: 136 Resp: 600060
Ion Ratio Lower Upper
136 100
137 10.9 8.8 13.2
54 6.6 5.8 8.8
68 4.8 4.1 6.1





#23

Nitrobenzene-d5

Concen: 96.816 ng

RT: 7.439 min Scan# 90

Delta R.T. -0.006 min

Lab File: BF141989.D

Acq: 18 Mar 2025 11:28

Instrument :

BNA_F

ClientSampleId :

PB167133TB





Tgt Ion: 82 Resp: 1032327

Ion Ratio Lower Upper

82 100

128 45.8 36.0 54.0

54 48.0 39.6 59.4



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.916 min Scan# 1330

Delta R.T. -0.000 min

Lab File: BF141989.D

Acq: 18 Mar 2025 11:28




Tgt Ion:164 Resp: 341484


Ion Ratio Lower Upper

164 100

162 102.7 81.8 122.6

160 46.2 36.7 55.1









#42
2,4,6-Tribromophenol
Concen: 146.250 ng
RT: 10.704 min Scan# 1464
Delta R.T. 0.000 min
Lab File: BF141989.D
Acq: 18 Mar 2025 11:28




Instrument :
BNA_F
ClientSampleId :
PB167133TB


Tgt Ion:330 Resp: 633580
Ion Ratio Lower Upper
330 100
332 96.6 77.6 116.4
141 27.9 24.7 37.1



#45
2-Fluorobiphenyl
Concen: 95.877 ng
RT: 9.233 min Scan# 1214
Delta R.T. -0.006 min
Lab File: BF141989.D
Acq: 18 Mar 2025 11:28

Tgt Ion:172 Resp: 2152833
Ion Ratio Lower Upper
172 100
171 36.2 29.3 43.9
170 24.1 19.4 29.0









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.398 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF141989.D
Acq: 18 Mar 2025 11:28




Instrument :
BNA_F
ClientSampleId :
PB167133TB


Tgt Ion:188 Resp: 613248
Ion Ratio Lower Upper
188 100
94 8.7 6.8 10.2
80 9.5 7.6 11.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.039 min Scan# 2031
Delta R.T. 0.000 min
Lab File: BF141989.D
Acq: 18 Mar 2025 11:28

Tgt Ion:240 Resp: 422319
Ion Ratio Lower Upper
240 100
120 9.5 8.4 12.6
236 25.6 20.5 30.7









#79
 Terphenyl-d14
 Concen: 99.162 ng
 RT: 12.986 min Scan# 1852
 Delta R.T. 0.000 min
 Lab File: BF141989.D
 Acq: 18 Mar 2025 11:28

Instrument :
 BNA_F
 ClientSampleId :
 PB167133TB

Tgt Ion:244 Resp: 2832561
 Ion Ratio Lower Upper
 244 100
 212 7.0 6.0 9.0
 122 9.2 7.7 11.5



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.515 min Scan# 2282
 Delta R.T. 0.006 min
 Lab File: BF141989.D
 Acq: 18 Mar 2025 11:28

Tgt Ion:264 Resp: 357882
 Ion Ratio Lower Upper
 264 100
 260 23.2 19.1 28.7
 265 22.0 17.5 26.3

