

Report of Analysis

Client:	Tetra Tech, EMI		Date Collected:	03/12/25	
Project:	R36884 - PCB		Date Received:	03/14/25	
Client Sample ID:	C0AC7		SDG No.:	Q1573	
Lab Sample ID:	Q1573-12		Matrix:	WATER	
Analytical Method:	SW8082A		% Solid:	0	Decanted:
Sample Wt/Vol:	980	Units: mL	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB Group1	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	3510C				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP070629.D	1	03/17/25 09:35	03/18/25 01:55	PB167172

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
12674-11-2	Aroclor-1016	0.51	U	0.099	0.51	ug/L
11104-28-2	Aroclor-1221	0.51	U	0.13	0.51	ug/L
11141-16-5	Aroclor-1232	0.51	U	0.098	0.51	ug/L
53469-21-9	Aroclor-1242	0.51	U	0.12	0.51	ug/L
12672-29-6	Aroclor-1248	0.51	U	0.072	0.51	ug/L
11097-69-1	Aroclor-1254	0.51	U	0.096	0.51	ug/L
37324-23-5	Aroclor-1262	0.51	U	0.14	0.51	ug/L
11100-14-4	Aroclor-1268	0.51	U	0.11	0.51	ug/L
11096-82-5	Aroclor-1260	0.51	U	0.083	0.51	ug/L
Total PCBs	Total PCBs	0.51	U	0.14	0.51	ug/L
SURROGATES						
877-09-8	Tetrachloro-m-xylene	19.1		16 - 158	96%	SPK: 20
2051-24-3	Decachlorobiphenyl	6.10		10 - 173	31%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit