

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF031725\
 Data File : BF141984.D
 Acq On : 17 Mar 2025 17:00
 Operator : RC/JU
 Sample : Q1574-01DL 25X
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 WC1DL

Quant Time: Mar 17 17:40:01 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF031025.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 10 15:46:22 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.881	152	122353	20.000	ng	0.00
21) Naphthalene-d8	8.163	136	436760	20.000	ng	0.00
39) Acenaphthene-d10	9.916	164	216464	20.000	ng	0.00
64) Phenanthrene-d10	11.404	188	380298	20.000	ng	0.00
76) Chrysene-d12	14.039	240	298468	20.000	ng	0.00
86) Perylene-d12	15.527	264	224847	20.000	ng	0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.498	112	8560	1.168	ng	0.00
7) Phenol-d6	6.504	99	10016	1.073	ng	0.00
23) Nitrobenzene-d5	7.439	82	6872	0.885	ng	0.00
42) 2,4,6-Tribromophenol	10.704	330	2928	1.066	ng	0.00
45) 2-Fluorobiphenyl	9.233	172	14955	1.051	ng	0.00
79) Terphenyl-d14	12.986	244	20958	1.038	ng	0.00
Target Compounds						
84) Bis(2-ethylhexyl)phtha...	14.021	149	833555	59.827	ng	Qvalue 100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF031725\
Data File : BF141984.D
Acq On : 17 Mar 2025 17:00
Operator : RC/JU
Sample : Q1574-01DL 25X
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
WC1DL

Quant Time: Mar 17 17:40:01 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF031025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 10 15:46:22 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.881 min Scan# 814
Delta R.T. -0.000 min
Lab File: BF141984.D
Acq: 17 Mar 2025 17:00




Instrument :
BNA_F
ClientSampleId :
WC1DL


Tgt Ion:152 Resp: 122353
Ion Ratio Lower Upper
152 100
150 160.5 127.4 191.2
115 64.7 51.9 77.9



#5
2-Fluorophenol
Concen: 1.168 ng
RT: 5.498 min Scan# 579
Delta R.T. 0.006 min
Lab File: BF141984.D
Acq: 17 Mar 2025 17:00

Tgt Ion:112 Resp: 8560
Ion Ratio Lower Upper
112 100
64 55.7 46.5 69.7
63 33.3 25.4 38.2









#7
Phenol-d6
Concen: 1.073 ng
RT: 6.504 min Scan# 750
Delta R.T. 0.000 min
Lab File: BF141984.D
Acq: 17 Mar 2025 17:00




Instrument :
BNA_F
ClientSampleId :
WC1DL


Tgt Ion: 99 Resp: 10016
Ion Ratio Lower Upper
99 100
42 20.4 14.6 21.8
71 36.2 30.8 46.2



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.163 min Scan# 1032
Delta R.T. -0.000 min
Lab File: BF141984.D
Acq: 17 Mar 2025 17:00

Tgt Ion: 136 Resp: 436760
Ion Ratio Lower Upper
136 100
137 11.1 8.8 13.2
54 6.8 5.8 8.8
68 5.0 4.1 6.1





#23

Nitrobenzene-d5

Concen: 0.885 ng

RT: 7.439 min Scan# 909

Delta R.T. -0.006 min

Lab File: BF141984.D


Acq: 17 Mar 2025 17:00

Instrument :

BNA_F

ClientSampleId :

WC1DL






Tgt Ion: 82 Resp: 6872

Ion Ratio Lower Upper

82 100

128 39.9 36.0 54.0

54 46.3 39.6 59.4



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.916 min Scan# 1330

Delta R.T. -0.000 min

Lab File: BF141984.D

Acq: 17 Mar 2025 17:00




Tgt Ion:164 Resp: 216464


Ion Ratio Lower Upper

164 100

162 104.8 81.8 122.6

160 45.4 36.7 55.1





#42

2,4,6-Tribromophenol

Concen: 1.066 ng

RT: 10.704 min Scan# 1464

Delta R.T. 0.000 min

Lab File: BF141984.D

Acq: 17 Mar 2025 17:00

Instrument :

BNA_F

ClientSampleId :

WC1DL





Tgt Ion:330 Resp: 2928

Ion Ratio Lower Upper

330 100

332 100.2 77.6 116.4

141 35.3 24.7 37.1



#45

2-Fluorobiphenyl

Concen: 1.051 ng

RT: 9.233 min Scan# 1214

Delta R.T. -0.006 min

Lab File: BF141984.D

Acq: 17 Mar 2025 17:00




Tgt Ion:172 Resp: 14955


Ion Ratio Lower Upper

172 100

171 36.9 29.3 43.9

170 21.9 19.4 29.0









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.404 min Scan# 1583
Delta R.T. -0.000 min
Lab File: BF141984.D
Acq: 17 Mar 2025 17:00




Instrument :
BNA_F
ClientSampleId :
WC1DL


Tgt Ion:188 Resp: 380298
Ion Ratio Lower Upper
188 100
94 7.9 6.8 10.2
80 8.9 7.6 11.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.039 min Scan# 2031
Delta R.T. 0.000 min
Lab File: BF141984.D
Acq: 17 Mar 2025 17:00

Tgt Ion:240 Resp: 298468
Ion Ratio Lower Upper
240 100
120 9.7 8.4 12.6
236 25.9 20.5 30.7





#79

Terphenyl-d14

Concen: 1.038 ng

RT: 12.986 min Scan# 1852

Delta R.T. 0.000 min

Lab File: BF141984.D

Acq: 17 Mar 2025 17:00

Instrument :

BNA_F

ClientSampleId :

WC1DL





Tgt Ion:244 Resp: 20958

Ion Ratio Lower Upper

244 100

212 8.2 6.0 9.0

122 12.9 7.7 11.5#



#84

Bis(2-ethylhexyl)phthalate

Concen: 59.827 ng

RT: 14.021 min Scan# 2028

Delta R.T. 0.000 min

Lab File: BF141984.D

Acq: 17 Mar 2025 17:00




Tgt Ion:149 Resp: 833555


Ion Ratio Lower Upper

149 100

167 26.8 21.4 32.0

279 4.7 3.8 5.6





#86

Perylene-d12

Concen: 20.000 ng

RT: 15.527 min Scan# 21

Delta R.T. 0.018 min

Lab File: BF141984.D


Acq: 17 Mar 2025 17:00

Instrument :

BNA_F

ClientSampleId :

WC1DL



Tgt Ion:264 Resp: 224847

Ion Ratio Lower Upper

264 100

260 22.9 19.1 28.7

265 21.5 17.5 26.3

