

Hit Summary Sheet
SW-846

SDG No.: Q1582

Client: AECOM Technical Services, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Client ID: RE117D1-20250313									
Q1582-01	RE117D1-20250313	Water	1,1,2-Trichlorotrifluoroethane	1.80		0.25	0.50	1.00	ug/L
Q1582-01	RE117D1-20250313	Water	1,1-Dichloroethene	2.10		0.23	0.75	1.00	ug/L
Q1582-01	RE117D1-20250313	Water	Acetone	2.60	J	1.50	3.80	5.00	ug/L
Q1582-01	RE117D1-20250313	Water	Carbon Tetrachloride	1.60		0.25	0.50	1.00	ug/L
Q1582-01	RE117D1-20250313	Water	cis-1,2-Dichloroethene	1.30		0.19	0.75	1.00	ug/L
Q1582-01	RE117D1-20250313	Water	Trichloroethene	120		0.090	0.75	1.00	ug/L
Total Voc :				129					
Total Concentration:				129					
Client ID: TT180D1-20250313									
Q1582-02	TT180D1-20250313	Water	Dichlorodifluoromethane	1.10		0.22	0.50	1.00	ug/L
Q1582-02	TT180D1-20250313	Water	1,1,2-Trichlorotrifluoroethane	4.60		0.25	0.50	1.00	ug/L
Q1582-02	TT180D1-20250313	Water	1,1-Dichloroethene	2.40		0.23	0.75	1.00	ug/L
Q1582-02	TT180D1-20250313	Water	Acetone	2.50	J	1.50	3.80	5.00	ug/L
Q1582-02	TT180D1-20250313	Water	cis-1,2-Dichloroethene	1.10		0.19	0.75	1.00	ug/L
Q1582-02	TT180D1-20250313	Water	Chloroform	1.10		0.25	0.50	1.00	ug/L
Q1582-02	TT180D1-20250313	Water	Trichloroethene	180	E	0.090	0.75	1.00	ug/L
Q1582-02	TT180D1-20250313	Water	1,1,2-Trichloroethane	0.80	J	0.21	0.50	1.00	ug/L
Total Voc :				194					
Total Concentration:				194					
Client ID: TT180D1-20250313DL									
Q1582-02DL	TT180D1-20250313	Water	1,1,2-Trichlorotrifluoroethane	6.10	D	1.00	2.00	4.00	ug/L
Q1582-02DL	TT180D1-20250313	Water	1,1-Dichloroethene	2.90	JD	0.92	3.00	4.00	ug/L
Q1582-02DL	TT180D1-20250313	Water	Trichloroethene	220	D	0.37	3.00	4.00	ug/L
Total Voc :				229					
Total Concentration:				229					
Client ID: TT180D2-20250313									
Q1582-03	TT180D2-20250313	Water	Dichlorodifluoromethane	0.77	J	0.22	0.50	1.00	ug/L
Q1582-03	TT180D2-20250313	Water	1,1,2-Trichlorotrifluoroethane	43.4		0.25	0.50	1.00	ug/L
Q1582-03	TT180D2-20250313	Water	1,1-Dichloroethene	19.9		0.23	0.75	1.00	ug/L
Q1582-03	TT180D2-20250313	Water	Acetone	1.90	J	1.50	3.80	5.00	ug/L
Q1582-03	TT180D2-20250313	Water	Carbon Tetrachloride	2.20		0.25	0.50	1.00	ug/L
Q1582-03	TT180D2-20250313	Water	cis-1,2-Dichloroethene	3.50		0.19	0.75	1.00	ug/L
Q1582-03	TT180D2-20250313	Water	Chloroform	0.90	J	0.25	0.50	1.00	ug/L
Q1582-03	TT180D2-20250313	Water	Trichloroethene	430	E	0.090	0.75	1.00	ug/L
Q1582-03	TT180D2-20250313	Water	1,1,2-Trichloroethane	0.90	J	0.21	0.50	1.00	ug/L
Q1582-03	TT180D2-20250313	Water	Tetrachloroethene	0.30	J	0.23	0.50	1.00	ug/L
Total Voc :				504					

Hit Summary Sheet
SW-846

SDG No.: Q1582

Client: AECOM Technical Services, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Total Concentration:				504					
Client ID:	TT180D2-20250313DL								
Q1582-03DL	TT180D2-20250313	Water	1,1,2-Trichlorotrifluoroethane	43.9	D	2.50	5.00	10.0	ug/L
Q1582-03DL	TT180D2-20250313	Water	1,1-Dichloroethene	20.8	D	2.30	7.50	10.0	ug/L
Q1582-03DL	TT180D2-20250313	Water	Trichloroethene	450	D	0.93	7.50	10.0	ug/L
Total Voc :				515					
Total Concentration:				515					
Client ID:	TT180D-20250313								
Q1582-04	TT180D-20250313	Water	Trichloroethene	2.50		0.090	0.75	1.00	ug/L
Total Voc :				2.50					
Total Concentration:				2.50					
Client ID:	FB02-20250313								
Q1582-05	FB02-20250313	Water	Acetone	5.70		1.50	3.80	5.00	ug/L
Total Voc :				5.70					
Total Concentration:				5.70					
Client ID:	RE131D1-20250313								
Q1582-06	RE131D1-20250313	Water	1,1,2-Trichlorotrifluoroethane	3.90		0.25	0.50	1.00	ug/L
Q1582-06	RE131D1-20250313	Water	1,1-Dichloroethene	1.10		0.23	0.75	1.00	ug/L
Q1582-06	RE131D1-20250313	Water	Acetone	2.50	J	1.50	3.80	5.00	ug/L
Q1582-06	RE131D1-20250313	Water	Methyl tert-butyl Ether	1.20		0.16	0.50	1.00	ug/L
Q1582-06	RE131D1-20250313	Water	cis-1,2-Dichloroethene	4.20		0.19	0.75	1.00	ug/L
Q1582-06	RE131D1-20250313	Water	Chloroform	1.80		0.25	0.50	1.00	ug/L
Q1582-06	RE131D1-20250313	Water	Trichloroethene	260	E	0.090	0.75	1.00	ug/L
Q1582-06	RE131D1-20250313	Water	Tetrachloroethene	19.5		0.23	0.50	1.00	ug/L
Total Voc :				294					
Total Concentration:				294					
Client ID:	RE131D1-20250313DL								
Q1582-06DL	RE131D1-20250313	Water	Trichloroethene	210	D	0.47	3.80	5.00	ug/L
Q1582-06DL	RE131D1-20250313	Water	Tetrachloroethene	15.3	D	1.20	2.50	5.00	ug/L
Total Voc :				225					
Total Concentration:				225					
Client ID:	RE131D2-20250313								
Q1582-07	RE131D2-20250313	Water	1,1,2-Trichlorotrifluoroethane	200	E	0.25	0.50	1.00	ug/L
Q1582-07	RE131D2-20250313	Water	1,1-Dichloroethene	2.00		0.23	0.75	1.00	ug/L
Q1582-07	RE131D2-20250313	Water	Acetone	1.60	J	1.50	3.80	5.00	ug/L
Q1582-07	RE131D2-20250313	Water	cis-1,2-Dichloroethene	5.70		0.19	0.75	1.00	ug/L
Q1582-07	RE131D2-20250313	Water	Trichloroethene	230	E	0.090	0.75	1.00	ug/L
Q1582-07	RE131D2-20250313	Water	Tetrachloroethene	22.2		0.23	0.50	1.00	ug/L
Total Voc :				462					
Total Concentration:				462					



SDG No.: Q1582

Client: AECOM Technical Services, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Client ID:	RE131D2-20250313DL								
Q1582-07DL	RE131D2-20250313	Water	1,1,2-Trichlorotrifluoroethane	200	D	1.30	2.50	5.00	ug/L
Q1582-07DL	RE131D2-20250313	Water	Trichloroethene	230	D	0.47	3.80	5.00	ug/L
Q1582-07DL	RE131D2-20250313	Water	Tetrachloroethene	21.0	D	1.20	2.50	5.00	ug/L
			Total Voc :	451					
			Total Concentration:	451					
Client ID:	RE131D3-20250313								
Q1582-08	RE131D3-20250313	Water	1,1,2-Trichlorotrifluoroethane	720	E	0.25	0.50	1.00	ug/L
Q1582-08	RE131D3-20250313	Water	cis-1,2-Dichloroethene	1.40		0.19	0.75	1.00	ug/L
Q1582-08	RE131D3-20250313	Water	Trichloroethene	58.1		0.090	0.75	1.00	ug/L
Q1582-08	RE131D3-20250313	Water	1,2-Dichloropropane	2.20		0.20	0.50	1.00	ug/L
Q1582-08	RE131D3-20250313	Water	Tetrachloroethene	64.9		0.23	0.50	1.00	ug/L
			Total Voc :	847					
			Total Concentration:	847					
Client ID:	RE131D3-20250313DL								
Q1582-08DL	RE131D3-20250313	Water	1,1,2-Trichlorotrifluoroethane	630	D	5.00	10.0	20.0	ug/L
Q1582-08DL	RE131D3-20250313	Water	Trichloroethene	59.3	D	1.90	15.0	20.0	ug/L
Q1582-08DL	RE131D3-20250313	Water	Tetrachloroethene	57.9	D	4.60	10.0	20.0	ug/L
			Total Voc :	747					
			Total Concentration:	747					
Client ID:	TT119S1-20250313								
Q1582-09	TT119S1-20250313	Water	Acetone	1.90	J	1.50	3.80	5.00	ug/L
Q1582-09	TT119S1-20250313	Water	Trichloroethene	2.00		0.090	0.75	1.00	ug/L
Q1582-09	TT119S1-20250313	Water	Tetrachloroethene	0.53	J	0.23	0.50	1.00	ug/L
			Total Voc :	4.43					
			Total Concentration:	4.43					
Client ID:	RE114D1-20250313								
Q1582-10	RE114D1-20250313	Water	Dichlorodifluoromethane	1.10		0.22	0.50	1.00	ug/L
Q1582-10	RE114D1-20250313	Water	1,1,2-Trichlorotrifluoroethane	25.6		0.25	0.50	1.00	ug/L
Q1582-10	RE114D1-20250313	Water	1,1-Dichloroethene	3.50		0.23	0.75	1.00	ug/L
Q1582-10	RE114D1-20250313	Water	Acetone	2.80	J	1.50	3.80	5.00	ug/L
Q1582-10	RE114D1-20250313	Water	Carbon Tetrachloride	2.20		0.25	0.50	1.00	ug/L
Q1582-10	RE114D1-20250313	Water	cis-1,2-Dichloroethene	4.70		0.19	0.75	1.00	ug/L
Q1582-10	RE114D1-20250313	Water	Chloroform	2.70		0.25	0.50	1.00	ug/L
Q1582-10	RE114D1-20250313	Water	Trichloroethene	390	E	0.090	0.75	1.00	ug/L
Q1582-10	RE114D1-20250313	Water	1,1,2-Trichloroethane	1.20		0.21	0.50	1.00	ug/L
			Total Voc :	434					
			Total Concentration:	434					
Client ID:	RE114D1-20250313DL								

Hit Summary Sheet
SW-846

SDG No.: Q1582

Client: AECOM Technical Services, Inc.

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Q1582-10DL	RE114D1-20250314	Water	1,1,2-Trichlorotrifluoroethane	25.7	D	2.50	5.00	10.0	ug/L
Q1582-10DL	RE114D1-20250314	Water	Trichloroethene	370	D	0.93	7.50	10.0	ug/L
			Total Voc :	396					
			Total Concentration:	396					
Client ID:	BPOW1-7-20250314								
Q1582-11	BPOW1-7-20250314	Water	Acetone	2.20	J	1.50	3.80	5.00	ug/L
			Total Voc :	2.20					
			Total Concentration:	2.20					
Client ID:	BPOW1-8-20250314								
Q1582-12	BPOW1-8-20250314	Water	Acetone	1.60	J	1.50	3.80	5.00	ug/L
Q1582-12	BPOW1-8-20250314	Water	Trichloroethene	0.51	J	0.090	0.75	1.00	ug/L
			Total Voc :	2.11					
			Total Concentration:	2.11					
Client ID:	TT191D1-20250314								
Q1582-13	TT191D1-20250314	Water	Dichlorodifluoromethane	1.20		0.22	0.50	1.00	ug/L
Q1582-13	TT191D1-20250314	Water	1,1,2-Trichlorotrifluoroethane	3.00		0.25	0.50	1.00	ug/L
Q1582-13	TT191D1-20250314	Water	1,1-Dichloroethene	0.90	J	0.23	0.75	1.00	ug/L
Q1582-13	TT191D1-20250314	Water	Acetone	2.20	J	1.50	3.80	5.00	ug/L
Q1582-13	TT191D1-20250314	Water	Trichloroethene	13.1		0.090	0.75	1.00	ug/L
			Total Voc :	20.4					
			Total Concentration:	20.4					
Client ID:	TT191D2-20250314								
Q1582-14	TT191D2-20250314	Water	1,1,2-Trichlorotrifluoroethane	4.80		0.25	0.50	1.00	ug/L
Q1582-14	TT191D2-20250314	Water	1,1-Dichloroethene	0.98	J	0.23	0.75	1.00	ug/L
Q1582-14	TT191D2-20250314	Water	Acetone	2.30	J	1.50	3.80	5.00	ug/L
Q1582-14	TT191D2-20250314	Water	Trichloroethene	80.7		0.090	0.75	1.00	ug/L
			Total Voc :	88.8					
			Total Concentration:	88.8					
Client ID:	DUP06-20250314								
Q1582-15	DUP06-20250314	Water	Acetone	1.90	J	1.50	3.80	5.00	ug/L
			Total Voc :	1.90					
			Total Concentration:	1.90					