

DATA PACKAGE

VOLATILE ORGANICS
GENERAL CHEMISTRY
METALS
SEMI-VOLATILE ORGANICS

PROJECT NAME : PVSC MONTHLY 2025

ARDMORE CHEMICAL

29 Riverside Avenue

Newark, NJ - 07104-

Phone No: 973-481-2406

ORDER ID : Q1583

ATTENTION : Michael Sharphouse



Laboratory Certification ID # 20012



1) Signature Page	3
2) Case Narrative	4
2.1) VOC-PP- Case Narrative	4
2.2) SVOCMS Group1- Case Narrative	6
2.3) Metals-AES- Case Narrative	8
2.4) Genchem- Case Narrative	9
3) Qualifier Page	10
4) QA Checklist	12
5) VOC-PP Data	13
6) SVOCMS Group1 Data	18
7) Metals-AES Data	24
8) Genchem Data	28
9) Shipping Document	32
9.1) CHAIN OF CUSTODY	33
9.2) Lab Certificate	34
9.3) Internal COC	35

1
2
3
4
5
6
7
8
9

Cover Page

Order ID : Q1583

Project ID : PVSC Monthly 2025

Client : Ardmore Chemical

Lab Sample Number

Q1583-01
Q1583-02

Client Sample Number

EFF-WASTE WATER
EFF-WASTE WATER

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature :

APPROVED

By Nimisha Pandya, QA/QC Supervisor at 2:35 pm, Mar 27, 2025

Date: 3/26/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

CASE NARRATIVE

Ardmore Chemical

Project Name: PVSC Monthly 2025

Project # N/A

Chemtech Project # Q1583

Test Name: VOC-PP

A. Number of Samples and Date of Receipt:

2 Water samples were received on 03/14/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: BOD5, Cyanide, Mercury, Metals Group2, Metals ICP-Group, SVOCMS Group1, TSS and VOC-PP. This data package contains results for VOC-PP.

C. Analytical Techniques:

The analysis performed on instrument MSVOA_X were done using GC column DB-624UI 20m 0.18mm 1.0 um. Cat#121-1324UI The analysis of VOC-PP was based on method 624.1.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria.

The Internal Standards Areas met the acceptable requirements.

The Retention Times were acceptable for all samples.

The RPD met criteria.

The Blank Spike met requirements for all samples.

The Blank Spike Duplicate met requirements for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements.

The Continuous Calibration met the requirements.

The Tuning criteria met requirements.

Samples EFF-WASTE WATER was diluted due to foamy nature of the sample.

E. Additional Comments:

As per method, MS/MSD is required to be performed with the sample analysis. However, Lab did not receive sufficient volume to perform the MS/MSD therefore MS/MSD were not performed for this project. However, Lab has performed LCS/LCSD instead.”

Trip Blank was not provided with this set of samples.

Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <35% for the Initial Calibration curve and use %D calculated based on Amount added and Calculated amount for all compounds using Linear Regression when the %RSD value for a compound is > 35% for the Initial Calibration curve for SW-846 analysis.

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

APPROVED

By Nimisha Pandya, QA/QC Supervisor at 2:35 pm, Mar 27, 2025

CASE NARRATIVE

Ardmore Chemical

Project Name: PVSC Monthly 2025

Project # N/A

Chemtech Project # Q1583

Test Name: SVOCMS Group1

A. Number of Samples and Date of Receipt:

2 Water samples were received on 03/14/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: BOD5, Cyanide, Mercury, Metals Group2, Metals ICP-Group, SVOCMS Group1, TSS and VOC-PP. This data package contains results for SVOCMS Group1.

C. Analytical Techniques:

The samples were analyzed on instrument BNA_P using GC Column ZB-SemiVolatiles Guardian which is 30 meters, 0.25 mm ID, 0.5 um df, Catalog # 7HG-G027-17-GGAThe analysis of SVOCMS Group1 was based on method 625.1 and extraction was done based on method 3510.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria except for EFF-WASTE WATER [2-Fluorophenol - 49%, Phenol-d6 - 0%], due to matrix interference.

The Internal Standards Areas met the acceptable requirements.

The Retention Times were acceptable for all samples.

The RPD met criteria .

The Blank Spike for {PB167171BS} with File ID: BP024182.D met requirements for all samples except for 2,4-Dimethylphenol[131%], Hexachlorocyclopentadiene[170%] but no positive hits in associated sample therefore no corrective action taken.

The Blank Spike Duplicate for {PB167171BSD} with File ID: BP024183.D met requirements for all samples except for Hexachlorocyclopentadiene[160%] but no positive hit in associated sample therefore no corrective action taken.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements .

The Continuous Calibration File ID BP024179.D met the requirements except for Benzidine but no positive hit in associated sample therefore no corrective action taken.

The Tuning criteria met requirements.

E. Additional Comments:

As per method, MS/MSD is required to be performed with sample analysis. However, Lab did not receive sufficient volume to perform the MS/MSD therefore MS/MSD were not performed for this project. However, Lab has performed LCS/LCSD instead.

Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <20% for the Initial Calibration curve and use %D calculated based on Amount added and Calculated amount for all compounds using Linear Regression when the %RSD value for a compound is > 20% for the Initial Calibration curve for SW-846 analysis.

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

APPROVED

By Nimisha Pandya, QA/QC Supervisor at 2:36 pm, Mar 27, 2025



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

Ardmore Chemical

Project Name: PVSC Monthly 2025

Project # N/A

Chemtech Project # Q1583

Test Name: Metals ICP-Group,Mercury

A. Number of Samples and Date of Receipt:

2 Water samples were received on 03/14/2025.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: BOD5, Cyanide, Mercury, Metals Group2, Metals ICP-Group, SVOCMS Group1, TSS and VOC-PP. This data package contains results for Metals ICP-Group,Mercury.

C. Analytical Techniques:

The analysis and digestion of Metals ICP-Group was based on 200.7 and The analysis and digestion of Mercury was based on 245.1.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Blank Spike met requirements for all samples.

The Duplicate analysis met criteria for all samples.

The Matrix Spike analysis met criteria for all samples.

The Matrix Spike Duplicate analysis met criteria for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

The Serial Dilution met the acceptable requirements.

E. Additional Comments:

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

APPROVED

By Nimisha Pandya, QA/QC Supervisor at 2:36 pm, Mar 27, 2025



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

Ardmore Chemical

Project Name: PVSC Monthly 2025

Project # N/A

Chemtech Project # Q1583

Test Name: Cyanide,BOD5,TSS

A. Number of Samples and Date of Receipt:

2 Water samples were received on 03/14/2025.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: BOD5, Cyanide, Mercury, Metals Group2, Metals ICP-Group, SVOCMS Group1, TSS and VOC-PP. This data package contains results for Cyanide,BOD5,TSS.

C. Analytical Techniques:

The analysis of TSS was based on method SM2540 D, The analysis of Cyanide was based on method SM4500-CN C,E and The analysis of BOD5 was based on method SM5210 B.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Blank Spike met requirements for all samples.

The Duplicate analysis met criteria for all samples.

The Matrix Spike analysis met criteria for all samples.

The Matrix Spike Duplicate analysis met criteria for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

E. Additional Comments:

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

APPROVED

By Nimisha Pandya, QA/QC Supervisor at 2:36 pm, Mar 27, 2025

DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following “ Results Qualifiers” are used:

J	Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
U	Indicates the analyte was analyzed for, but not detected.
ND	Indicates the analyte was analyzed for, but not detected
E	Indicates the reported value is estimated because of the presence of interference
M	Indicates Duplicate injection precision not met.
N	Indicates the spiked sample recovery is not within control limits.
S	Indicates the reported value was determined by the Method of Standard Addition (MSA).
*	Indicates that the duplicate analysis is not within control limits.
+	Indicates the correlation coefficient for the MSA is less than 0.995.
D	Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
M	Method qualifiers “P” for ICP instrument “PM” for ICP when Microwave Digestion is used “CV” for Manual Cold Vapor AA “AV” for automated Cold Vapor AA “CA” for MIDI-Distillation Spectrophotometric “AS” for Semi -Automated Spectrophotometric “C” for Manual Spectrophotometric “T” for Titrimetric “NR” for analyte not required to be analyzed
OR	Indicates the analyte’s concentration exceeds the calibrated range of the instrument for that specific analysis.
Q	Indicates the LCS did not meet the control limits requirements
H	Sample Analysis Out Of Hold Time

DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following “Results Qualifiers” are used:

Value	If the result is a value greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. “10 U”. This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
ND	Indicates the analyte was analyzed for, but not detected
J	Indicates an estimated value. This flag is used: <ul style="list-style-type: none"> (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others.
B	Indicates the analyte was found in the blank as well as the sample report as “12 B”.
E	Indicates the analyte ‘s concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a “P”.
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
A	This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.
Q	Indicates the LCS did not meet the control limits requirements

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q1583

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: MOHAMMAD AHMED

Date: 03/26/2025

Hit Summary Sheet
SW-846

SDG No.: Q1583
Client: Ardmore Chemical

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID:	EFF-WASTE WATER							
Q1583-01	EFF-WASTE WATER	Water	Chloroform	13.1	J	2.80	25.0	ug/L
			Total Voc :	13.1				
			Total Concentration:	13.1				

A

B

C

D



SAMPLE DATA

Report of Analysis

Client:	Ardmore Chemical	Date Collected:	03/14/25
Project:	PVSC Monthly 2025	Date Received:	03/14/25
Client Sample ID:	EFF-WASTE WATER	SDG No.:	Q1583
Lab Sample ID:	Q1583-01	Matrix:	Water
Analytical Method:	E624.1	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-PP
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX045294.D	5		03/14/25 16:18	VX031425

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
74-87-3	Chloromethane	3.20	U	3.20	25.0	ug/L
75-01-4	Vinyl Chloride	4.20	U	4.20	25.0	ug/L
74-83-9	Bromomethane	4.00	U	4.00	25.0	ug/L
75-00-3	Chloroethane	11.6	U	11.6	25.0	ug/L
75-69-4	Trichlorofluoromethane	4.00	U	4.00	25.0	ug/L
75-35-4	1,1-Dichloroethene	3.80	U	3.80	25.0	ug/L
107-02-8	Acrolein	33.1	U	33.1	130	ug/L
107-13-1	Acrylonitrile	14.0	U	14.0	130	ug/L
75-09-2	Methylene Chloride	4.30	U	4.30	25.0	ug/L
156-60-5	trans-1,2-Dichloroethene	4.10	U	4.10	25.0	ug/L
75-34-3	1,1-Dichloroethane	3.40	U	3.40	25.0	ug/L
56-23-5	Carbon Tetrachloride	3.70	U	3.70	25.0	ug/L
67-66-3	Chloroform	13.1	J	2.80	25.0	ug/L
71-55-6	1,1,1-Trichloroethane	3.20	U	3.20	25.0	ug/L
71-43-2	Benzene	2.30	U	2.30	25.0	ug/L
107-06-2	1,2-Dichloroethane	2.50	U	2.50	25.0	ug/L
79-01-6	Trichloroethene	2.50	U	2.50	25.0	ug/L
78-87-5	1,2-Dichloropropane	2.30	U	2.30	25.0	ug/L
75-27-4	Bromodichloromethane	3.20	U	3.20	25.0	ug/L
108-88-3	Toluene	2.30	U	2.30	25.0	ug/L
10061-02-6	t-1,3-Dichloropropene	3.60	U	3.60	25.0	ug/L
10061-01-5	cis-1,3-Dichloropropene	3.40	U	3.40	25.0	ug/L
79-00-5	1,1,2-Trichloroethane	2.30	U	2.30	25.0	ug/L
110-75-8	2-Chloroethyl vinyl ether	23.2	U	23.2	130	ug/L
124-48-1	Dibromochloromethane	3.30	U	3.30	25.0	ug/L
127-18-4	Tetrachloroethene	4.20	U	4.20	25.0	ug/L
108-90-7	Chlorobenzene	2.40	U	2.40	25.0	ug/L
100-41-4	Ethyl Benzene	2.80	U	2.80	25.0	ug/L
179601-23-1	m/p-Xylenes	6.50	U	6.50	50.0	ug/L
95-47-6	o-Xylene	3.40	U	3.40	25.0	ug/L

Report of Analysis

Client:	Ardmore Chemical		Date Collected:	03/14/25	
Project:	PVSC Monthly 2025		Date Received:	03/14/25	
Client Sample ID:	EFF-WASTE WATER		SDG No.:	Q1583	
Lab Sample ID:	Q1583-01		Matrix:	Water	
Analytical Method:	E624.1		% Solid:	0	
Sample Wt/Vol:	5	Units: mL	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-PP	
GC Column:	DB-624UI	ID : 0.18	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX045294.D	5		03/14/25 16:18	VX031425

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
75-25-2	Bromoform	4.70	U	4.70	25.0	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	2.20	U	2.20	25.0	ug/L
541-73-1	1,3-Dichlorobenzene	3.40	U	3.40	25.0	ug/L
106-46-7	1,4-Dichlorobenzene	4.10	U	4.10	25.0	ug/L
95-50-1	1,2-Dichlorobenzene	3.40	U	3.40	25.0	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	32.0		91 - 110	107%	SPK: 30
2037-26-5	Toluene-d8	28.9		91 - 112	96%	SPK: 30
460-00-4	4-Bromofluorobenzene	31.8		63 - 112	106%	SPK: 30
INTERNAL STANDARDS						
74-97-5	Bromochloromethane	15000	4.897			
540-36-3	1,4-Difluorobenzene	76700	6.757			
3114-55-4	Chlorobenzene-d5	71700	10.055			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID:	Q1583	OrderDate:	3/14/2025 1:50:00 PM
Client:	Ardmore Chemical	Project:	PVSC Monthly 2025
Contact:	Michael Sharphouse	Location:	F11,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1583-01	EFF-WASTE WATER	Water	VOC-PP	624.1	03/14/25		03/14/25	03/14/25



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet
SW-846

SDG No.: Q1583
Client: Ardmore Chemical

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID :								
				0.000				
			Total Svoc :			0.00		
			Total Concentration:			0.00		



SAMPLE DATA

Report of Analysis

Client:	Ardmore Chemical		Date Collected:	03/14/25	
Project:	PVSC Monthly 2025		Date Received:	03/14/25	
Client Sample ID:	EFF-WASTE WATER		SDG No.:	Q1583	
Lab Sample ID:	Q1583-02		Matrix:	Water	
Analytical Method:	625.1		% Solid:	0	
Sample Wt/Vol:	890	Units: mL	Final Vol:	1000	uL
Soil Aliquot Vol:		uL	Test:	SVOCMS Group1	
Extraction Type :		Decanted : N	Level :	LOW	
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N	PH :
Prep Method :	3510C				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP024185.D	1	03/17/25 09:15	03/18/25 13:57	PB167171

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
62-75-9	n-Nitrosodimethylamine	0.97	U	0.97	11.2	ug/L
108-95-2	Phenol	1.00	U	1.00	5.60	ug/L
111-44-4	bis(2-Chloroethyl)ether	0.91	U	0.91	5.60	ug/L
95-57-8	2-Chlorophenol	0.65	U	0.65	5.60	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	1.40	U	1.40	5.60	ug/L
621-64-7	n-Nitroso-di-n-propylamine	1.60	U	1.60	5.60	ug/L
67-72-1	Hexachloroethane	0.73	U	0.73	5.60	ug/L
98-95-3	Nitrobenzene	0.85	U	0.85	5.60	ug/L
78-59-1	Isophorone	0.84	U	0.84	5.60	ug/L
88-75-5	2-Nitrophenol	2.00	U	2.00	5.60	ug/L
105-67-9	2,4-Dimethylphenol	2.10	UQ	2.10	5.60	ug/L
111-91-1	bis(2-Chloroethoxy)methane	0.76	U	0.76	5.60	ug/L
120-83-2	2,4-Dichlorophenol	0.58	U	0.58	5.60	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.61	U	0.61	5.60	ug/L
91-20-3	Naphthalene	0.56	U	0.56	5.60	ug/L
87-68-3	Hexachlorobutadiene	0.61	U	0.61	5.60	ug/L
59-50-7	4-Chloro-3-methylphenol	0.66	U	0.66	5.60	ug/L
77-47-4	Hexachlorocyclopentadiene	4.10	UQ	4.10	11.2	ug/L
88-06-2	2,4,6-Trichlorophenol	0.57	U	0.57	5.60	ug/L
91-58-7	2-Chloronaphthalene	0.69	U	0.69	5.60	ug/L
131-11-3	Dimethylphthalate	0.69	U	0.69	5.60	ug/L
208-96-8	Acenaphthylene	0.84	U	0.84	5.60	ug/L
606-20-2	2,6-Dinitrotoluene	1.00	U	1.00	5.60	ug/L
83-32-9	Acenaphthene	0.62	U	0.62	5.60	ug/L
51-28-5	2,4-Dinitrophenol	6.70	U	6.70	11.2	ug/L
100-02-7	4-Nitrophenol	2.70	U	2.70	11.2	ug/L
121-14-2	2,4-Dinitrotoluene	1.40	U	1.40	5.60	ug/L
84-66-2	Diethylphthalate	0.78	U	0.78	5.60	ug/L
7005-72-3	4-Chlorophenyl-phenylether	0.76	U	0.76	5.60	ug/L

Report of Analysis

Client:	Ardmore Chemical	Date Collected:	03/14/25
Project:	PVSC Monthly 2025	Date Received:	03/14/25
Client Sample ID:	EFF-WASTE WATER	SDG No.:	Q1583
Lab Sample ID:	Q1583-02	Matrix:	Water
Analytical Method:	625.1	% Solid:	0
Sample Wt/Vol:	890 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOCMS Group1
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	3510C		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP024185.D	1	03/17/25 09:15	03/18/25 13:57	PB167171

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
86-73-7	Fluorene	0.71	U	0.71	5.60	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	3.20	U	3.20	11.2	ug/L
86-30-6	n-Nitrosodiphenylamine	0.65	U	0.65	5.60	ug/L
103-33-3	Azobenzene	0.91	U	0.91	5.60	ug/L
101-55-3	4-Bromophenyl-phenylether	0.45	U	0.45	5.60	ug/L
118-74-1	Hexachlorobenzene	0.58	U	0.58	5.60	ug/L
87-86-5	Pentachlorophenol	1.80	U	1.80	11.2	ug/L
85-01-8	Phenanthrene	0.56	U	0.56	5.60	ug/L
120-12-7	Anthracene	0.69	U	0.69	5.60	ug/L
84-74-2	Di-n-butylphthalate	1.40	U	1.40	5.60	ug/L
206-44-0	Fluoranthene	0.92	U	0.92	5.60	ug/L
92-87-5	Benzidine	4.80	U	4.80	11.2	ug/L
129-00-0	Pyrene	0.56	U	0.56	5.60	ug/L
85-68-7	Butylbenzylphthalate	2.20	U	2.20	5.60	ug/L
91-94-1	3,3-Dichlorobenzidine	1.00	U	1.00	11.2	ug/L
56-55-3	Benzo(a)anthracene	0.51	U	0.51	5.60	ug/L
218-01-9	Chrysene	0.49	U	0.49	5.60	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	1.80	U	1.80	5.60	ug/L
117-84-0	Di-n-octyl phthalate	2.60	U	2.60	11.2	ug/L
205-99-2	Benzo(b)fluoranthene	0.55	U	0.55	5.60	ug/L
207-08-9	Benzo(k)fluoranthene	0.54	U	0.54	5.60	ug/L
50-32-8	Benzo(a)pyrene	0.62	U	0.62	5.60	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	0.66	U	0.66	5.60	ug/L
53-70-3	Dibenzo(a,h)anthracene	0.75	U	0.75	5.60	ug/L
191-24-2	Benzo(g,h,i)perylene	0.78	U	0.78	5.60	ug/L

SURROGATES

367-12-4	2-Fluorophenol	49.1	*	60 - 140	49%	SPK: 100
13127-88-3	Phenol-d6	0	*	60 - 140	0%	SPK: 100
4165-60-0	Nitrobenzene-d5	87.5		60 - 140	88%	SPK: 100
321-60-8	2-Fluorobiphenyl	76.5		60 - 140	77%	SPK: 100

Report of Analysis

Client:	Ardmore Chemical	Date Collected:	03/14/25
Project:	PVSC Monthly 2025	Date Received:	03/14/25
Client Sample ID:	EFF-WASTE WATER	SDG No.:	Q1583
Lab Sample ID:	Q1583-02	Matrix:	Water
Analytical Method:	625.1	% Solid:	0
Sample Wt/Vol:	890	Units:	mL
Soil Aliquot Vol:			uL
Extraction Type :		Decanted :	N
Injection Volume :		GPC Factor :	1.0
Prep Method :	3510C	Level :	LOW
		Test:	SVOCMS Group1
		Final Vol:	1000
		GPC Cleanup :	N
		PH :	

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BP024185.D	1	03/17/25 09:15	03/18/25 13:57	PB167171

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
118-79-6	2,4,6-Tribromophenol	92.2		60 - 140	92%	SPK: 100
1718-51-0	Terphenyl-d14	95.8		60 - 140	96%	SPK: 100

INTERNAL STANDARDS

3855-82-1	1,4-Dichlorobenzene-d4	457000	7.758
1146-65-2	Naphthalene-d8	1830000	10.546
15067-26-2	Acenaphthene-d10	1100000	14.393
1517-22-2	Phenanthrene-d10	1990000	17.192
1719-03-5	Chrysene-d12	1940000	21.645
1520-96-3	Perylene-d12	2200000	25.039

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID:	Q1583	OrderDate:	3/14/2025 1:50:00 PM
Client:	Ardmore Chemical	Project:	PVSC Monthly 2025
Contact:	Michael Sharphouse	Location:	F11,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1583-02	EFF-WASTE WATER	Water	SVOCMS Group1	625.1	03/14/25	03/17/25	03/18/25	03/14/25

Hit Summary Sheet
SW-846

SDG No.: Q1583

Order ID: Q1583

Client: Ardmore Chemical

Project ID: PVSC Monthly 2025

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID : EFF-WASTE WATER								
Q1583-02	EFF-WASTE WATER	Water	Copper	145		1.52	10.0	ug/L
Q1583-02	EFF-WASTE WATER	Water	Lead	9.10		1.57	6.00	ug/L
Q1583-02	EFF-WASTE WATER	Water	Mercury	0.077	J	0.027	0.20	ug/L
Q1583-02	EFF-WASTE WATER	Water	Nickel	1.53	J	1.28	20.0	ug/L
Q1583-02	EFF-WASTE WATER	Water	Zinc	457		1.44	20.0	ug/L



SAMPLE DATA

Report of Analysis

Client:	Ardmore Chemical	Date Collected:	03/14/25
Project:	PVSC Monthly 2025	Date Received:	03/14/25
Client Sample ID:	EFF-WASTE WATER	SDG No.:	Q1583
Lab Sample ID:	Q1583-02	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-43-9	Cadmium	0.21	U	1	0.21	3.00	ug/L	03/18/25 09:55	03/24/25 11:43	EPA 200.7	
7440-50-8	Copper	145		1	1.52	10.0	ug/L	03/18/25 09:55	03/24/25 11:43	EPA 200.7	
7439-92-1	Lead	9.10		1	1.57	6.00	ug/L	03/18/25 09:55	03/24/25 11:43	EPA 200.7	
7439-97-6	Mercury	0.077	J	1	0.027	0.20	ug/L	03/25/25 11:54	03/25/25 12:05	E245.1	
7440-02-0	Nickel	1.53	J	1	1.28	20.0	ug/L	03/18/25 09:55	03/24/25 11:43	EPA 200.7	
7440-66-6	Zinc	457		1	1.44	20.0	ug/L	03/18/25 09:55	03/24/25 11:43	EPA 200.7	

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group2			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q1583	OrderDate:	3/14/2025 1:50:00 PM
Client:	Ardmore Chemical	Project:	PVSC Monthly 2025
Contact:	Michael Sharphouse	Location:	F11,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1583-02	EFF-WASTE WATER	Water			03/14/25			03/14/25
			Mercury	245.1		03/25/25	03/25/25	
			Metals ICP-Group	200.7		03/18/25	03/24/25	



SAMPLE DATA

Report of Analysis

Client:	Ardmore Chemical	Date Collected:	03/14/25 09:45
Project:	PVSC Monthly 2025	Date Received:	03/14/25
Client Sample ID:	EFF-WASTE WATER	SDG No.:	Q1583
Lab Sample ID:	Q1583-01	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Cyanide	0.0012	U	1	0.0012	0.0050	mg/L	03/18/25 08:30	03/18/25 14:22	SM 4500-CN C-16 plus E-16

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Ardmore Chemical	Date Collected:	03/14/25 09:00
Project:	PVSC Monthly 2025	Date Received:	03/14/25
Client Sample ID:	EFF-WASTE WATER	SDG No.:	Q1583
Lab Sample ID:	Q1583-02	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
BOD5	242		1	0.20	2.00	mg/L		03/14/25 15:00	SM 5210 B-16
TSS	14.7		1	1.00	4.00	mg/L		03/17/25 09:30	SM 2540 D-15

Comments: _____

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements
 H = Sample Analysis Out Of Hold Time

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q1583	OrderDate:	3/14/2025 1:50:00 PM
Client:	Ardmore Chemical	Project:	PVSC Monthly 2025
Contact:	Michael Sharphouse	Location:	F11,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1583-01	EFF-WASTE WATER	WATER			03/14/25 09:45			03/14/25
			Cyanide	SM4500-CN C,E		03/18/25	03/18/25 14:22	
Q1583-02	EFF-WASTE WATER	WATER			03/14/25 09:00			03/14/25
			BOD5	SM5210 B			03/14/25 15:00	
			TSS	SM2540 D			03/17/25 09:30	



SHIPPING DOCUMENTS

CHEMTECH

CHAIN OF CUSTODY RECORD

284 Sheffield Street, Mountainside, NJ 07092
(908) 789-8900 • Fax (908) 789-8922
www.chemtech.net

CHEMTECH PROJECT NO. **Q1583**
QUOTE NO.
COC Number **2041674**

9
9.1

CLIENT INFORMATION

REPORT TO BE SENT TO:

COMPANY: **FIRDMORE INC**
ADDRESS: **29 RIVERSIDE Ave Bldg #14**
CITY **Newark NJ** STATE: **ZIP: 07104**
ATTENTION: **MICHAEL Sharphouse**
PHONE: **973 481 2406** FAX:

CLIENT PROJECT INFORMATION

PROJECT NAME: **PKSC Monthly 2025**
PROJECT NO.: LOCATION:
PROJECT MANAGER:
e-mail:
PHONE: FAX:

CLIENT BILLING INFORMATION

BILL TO: PO#: ADDRESS:
CITY STATE: ZIP:
ATTENTION: PHONE:

ANALYSIS

DATA TURNAROUND INFORMATION

FAX (RUSH) DAYS*
HARDCOPY (DATA PACKAGE): **STANDARD** DAYS*
EDD: DAYS*
*TO BE APPROVED BY CHEMTECH
STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS DAYS

DATA DELIVERABLE INFORMATION

☐ Level 1 (Results Only) ☐ Level 4 (QC + Full Raw Data)
☐ Level 2 (Results + QC) ☐ NJ Reduced ☐ US EPA CLP
☐ Level 3 (Results + QC) ☐ NYS ASP A ☐ NYS ASP B
+ Raw Data) ☐ Other
☐ EDD FORMAT

VOA CN 6V0A BOD/ISS METALS

CHEMTECH SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# OF BOTTLES	PRESERVATIVES									COMMENTS
			COMP	GRAB	DATE	TIME		1	2	3	4	5	6	7	8	9	
1.	EFF WASTE WATER	WW		X	3/19/25	9:45 AM		X	X								pH 12
2.	EFF WASTE WATER	WW	X		3/19/25	9:00 AM				X	X	X					pH 1.9
3.																	
4.																	
5.																	
6.																	
7.																	
8.																	
9.																	
10.																	

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER: 	DATE/TIME: 3/19/25 10 AM	RECEIVED BY: Albert Sharphouse	Conditions of bottles or coolers at receipt: <input type="checkbox"/> COMPLIANT <input type="checkbox"/> NON COMPLIANT <input type="checkbox"/> COOLER TEMP 2.1 °C
RELINQUISHED BY SAMPLER: 	DATE/TIME: 1345	RECEIVED BY: CR	Comments: METALS ZINC LEAD COPPER, Mercury Nickel Ed
RELINQUISHED BY SAMPLER: 	DATE/TIME: 3-14-25	RECEIVED BY: CR	
RELINQUISHED BY SAMPLER: 	DATE/TIME:	RECEIVED BY:	

Page ____ of ____ CLIENT: ☐ Hand Delivered ☐ Other _____
CHEMTECH: ☐ Picked Up ☐ Field Sampling Shipment Complete ☐ YES ☐ NO

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488

LOGIN REPORT/SAMPLE TRANSFER

Order ID : Q1583	ARDM01	Order Date : 3/14/2025 1:50:00 PM	Project Mgr :
Client Name : Ardmore Chemical		Project Name : PVSC Monthly 2025	Report Type : Level 1
Client Contact : Michael Sharphouse		Receive DateTime : 3/14/2025 1:45:00 PM	EDD Type : NONE
Invoice Name : Ardmore Chemical		Purchase Order :	Hard Copy Date :
Invoice Contact : Michael Sharphouse			Date Signoff :

LAB ID	CLIENT ID	MATRIX	SAMPLE DATE	SAMPLE TIME	TEST	TEST GROUP	METHOD	FAX DATE	DUE DATES
Q1583-01	EFF-WASTE WATER	Water	03/14/2025	09:45	VOC-PP		624.1	10 Bus. Days	

Relinquished By : OP

Date / Time : 3-14-25 14:05

Received By : [Signature]

Date / Time : 3-14-25 14:05

Storage Area : VOA Refridgerator Room