




SHIPPING DOCUMENTS

Client Contact Information				Bottle Order ID : B2502031				Courier :				1 of 3 COCs							
Client ID : RTPE01 Project ID : Air				Sampler Name(s) : 06				Analysis				Matrix							
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :				Project Manager : DAVID GABEL				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified											
				Phone Number : 732-968-9600															
				Fax Number :															
				Site Details: Yellow Cab															
Analysis Turnaround Time				Standard : 10 business days OR				Data Package Type : F-11 deliverable											
Rush (Specify): Days				EDD Type : Per NJ Hazmat															
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15			Indoor/Ambient Air	Soil Gas
565-56-1	2/14/25	1130	1230	-30	-7	50	50	-30	-7.5	10774	10448	6 L	100	VL041853.D	X				X
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <i>[Signature]</i>									
		Ambient	Maximum	Minimum															
Start																			
Stop																			
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.									
		Ambient	Maximum	Minimum															
Start																			
Stop																			
Special Instructions/QC Requirements & Comments :																			
Suspected Contamination: High Medium Low PID Readings:																			
Sampling site (State):																			
Quick Connector required : NO																			
Canisters Shipped by: <i>[Signature]</i>				Date/Time: 3/12/26				Canisters Received by: <i>[Signature]</i>				Date/Time:				B2502031 - 1			
Samples Relinquished by: <i>[Signature]</i>				Date/Time: 3/11/25 1600				Received by: <i>[Signature]</i>				Date/Time: 3-14-25 16:00							
Relinquished by:				Date/Time:				Received by:				Date/Time:							

Client Contact Information						Bottle Order ID : B2502031				Courier : <i>Dee</i>				<u>2</u> of <u>3</u> COCs																	
Client ID : RTPE01 Project ID : Air						Sampler Name(s) : <i>DC</i>				Analysis				Matrix																	
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :						Project Manager : DAVID GABEL				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																					
						Phone Number : 732-968-9600																									
						Fax Number :																									
						Site Details: <i>Yellow Cab</i>																									
Analysis Turnaround Time						Standard : <u>10 business days</u> OR				Data Package Type : <i>Full deliverable</i>																					
Rush (Specify): <u>Days</u>						EDD Type : <i>NJ Hazsite</i>																									
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15			Indoor/Ambient Air	Soil Gas												
<i>557-36-1</i>	<i>3/14/25</i>	<i>1341</i>	<i>1441</i>	<i>-30</i>	<i>-10</i>	<i>65</i>	<i>65</i>	<i>-30</i>	<i>-8.0</i>	<i>10633</i>	<i>10609</i>	<i>6 L</i>	<i>100</i>	<i>VL041853.D</i>	<i>X</i>			<i>X</i>													
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) <i>Sault</i>									
	Ambient	Maximum	Minimum																												
Start																															
Stop																															
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.									
	Ambient	Maximum	Minimum																												
Start																															
Stop																															
Special Instructions/QC Requirements & Comments :																															
Suspected Contamination: High Medium Low PID Readings:																															
Sampling site (State):																															
Quick Connector required : <i>NO</i>																															
Canisters Shipped by: <i>Sam</i>					Date/Time: <i>03/12/25</i>					Canisters Received by:					Date/Time:																
Samples Relinquished by: <i>David Gabel</i>					Date/Time: <i>2/14/25 1600</i>					Received by: <i>CG</i>					Date/Time: <i>3-14-25 10:00</i>																
Relinquished by:					Date/Time:					Received by:					Date/Time:																
B2502031 - 3																															

Client Contact Information				Bottle Order ID : B2502031				Courier :				3 of 3 COCs					
Client ID : RTPE01 Project ID : Air				Sampler Name(s) : DG				Analysis				Matrix					
Customer Name : RTP Environmental Address : 239 US Highway 22 East City : Green Brook State : NJ Zip Code : 08812 Country :				Project Manager : DAVID GABEL				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified									
				Phone Number : 732-968-9600													
				Fax Number :													
				Site Details: Yellow Cab													
Analysis Turnaround Time				Standard : 10 business days OR				Data Package Type : Full deliverable									
Rush (Specify): Days				EDD Type : NJ Hazmat													
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
557-56-2	3/14/25	1340	1440	-30	-5	65	65	-30	-5.1	10188	10605	6 L	100	VL041853.D	X		X
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) 							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium Low PID Readings:																	
Sampling site (State):																	
Quick Connector required : NO																	
Canisters Shipped by: Sam				Date/Time: 03/12/25				Canisters Received by:				Date/Time:					
Samples Relinquished by: 3/14/25 1600				Date/Time: 3/14/25				Received by: DR				Date/Time: 3/14-25 16:00					
Relinquished by:				Date/Time:				Received by:				Date/Time:					

AIR SAMPLE PRESSURE & DILUTION LOGBOOKAnalyst Signature: Supervisor Signature: 

METHOD: TO-15

Pressure Gauge ID: A255971

Date	Sample Number	Canister #	Initial Pressure psia	Initial Pressure Hg	Final Pressure psia	Final Pressure Hg	Dilution Factor	Comment
03/15/25	Q1482-04	10721	1.0		30		30x	sy
03/06/25	Q1506-01	10054	12.6	-4.3				sy
"	Q1506-02	10329	12.2	-5.1				sy
03/07/25	Q1532-01	10303	12.4	-4.7				↓
↓	Q1532-02	10590	13.4	-2.7				
↓	Q1532-03	10279	12.6	-4.3				
↓	Q1532-04	10295	12.4	-4.7				
03/14/25	Q1533-01	10296	11.6	-6.3				sy
↓	Q1533-02	10321	11.2	-7.1				↓
↓	Q1533-03	10410	12.2	-5.1				
↓	Q1533-04	10266	12.4	-4.7				
↓	Q1533-05	10153	12.8	-3.9				
03/14/25	Q1586-01	10448	11.0	-7.5				sy
↓	Q1586-02	10609	10.8	-8.0				↓
↓	Q1586-03	10605	12.2	-5.1				

10448

V-2

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8922

CHEMTECH

DL 565-56-1

Client Sample ID #: 565-56-1
Client Name: RTP
Project Name: Yellow Cab
Date: 3/14/25 Time: 1230
Analysis: TU-15
Comments: _____
CHEMTECH'S SAMPLE ID: _____
Date Received: _____ Expiration Date: _____ Date of _____

Storage Location: F11
Sample: Q1586-01
Cust #: 565-56-1

B250203/

60901

C-8

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8922

CHEMTECH

Client Sample ID #: 557-56-1
Client Name: RTP
Project Name: Yellow Cab
Date: 3/14/25 Time: 1441
Analysis: TU-15
Comments: _____
CHEMTECH'S SAMPLE ID: _____
Date Received: _____ Expiration Date: _____ Date of _____

Storage Location: F11
Sample: Q1586-02
Cust #: 557-56-1

B250203/

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8922

Client Sample ID #: 557-56-2
Client Name: RTP
Project Name: Yellow Cab
Date: 3/14/25 Time: 1440
Analysis: TU-15
Comments: _____

CHEMTECH'S SAMPLE ID: _____
Date Received: _____ Expiration Date: _____ Date of _____

Storage Location: F11
Sample: Q1586-03
Cust #: 557-56-2

8922

B250203/

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488

Internal Chain of Custody

Instructions: Use 1 form for each 20 samples of aliquot

Laboratory: Chemtech		Location: 284 Sheffield Street, Mountainside, NJ 7092	
Field Sample Seal No.: Q1586		Title: Sample Custodian	
Case No.: Yellow Cab - TO-15		Date Broken: 3/14/2025	
		Military Time Seal Broken: 16:00:00	
		Analytical Parameter/Fraction: TO-15	

Sample No.	Aliquot/Extract No.	Sample No.	Aliquot/Extract No.
Q1586-01	565-56-1		
Q1586-02	557-56-1		
Q1586-03	557-56-2		
	59		

Date	Time	Relinquished By		Received By		Purpose of Change of Custody
3/17	1015	Signature		Signature		
		Printed Name	George N.	Printed Name	Samuel G. Taylor	
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		
		Signature		Signature		
		Printed Name		Printed Name		

Distribution: White - Original (Sent With Report) Yellow - Contractor Archive Pink - Sample Custodian - Interim Copy