

SOP ID : M3010A-Digestion-17

SDG No : N/A

Matrix : WATER

Pipette ID : ICP A

Balance ID : N/A

Filter paper ID : N/A

pH Strip ID : M6069

Hood ID : #3

Block ID: 1. HOT BLOCK #1 2. N/A

Start Digest Date: 03/17/2025 Time : 18:05 Temp : 96 °C

End Digest Date: 03/17/2025 Time : 20:10 Temp : 96 °C

Digestion tube ID: M5595

Block thermometer ID: MET-DIG. #1

Dig Technician Signature: *S/S*

Supervisor Signature: *[Signature]*

Temp : 1. 96°C 2. N/A

Standardized Name	MLS USED	STD REF. # FROM LOG
Spike Sol 1	0.50	MP84706
Spike Sol 2	1.00	MP84719
Spike Sol 3	1.00	MP84716
Spike Sol 4	1.00	MP84717
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
CONC: HNO3	3.00	M6158
1:1 HCL	5.00	MP84720
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

HOT BLOCK #1 CELL #50: 96 C

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
03/17/25 21:10	<i>skw.met-dig</i>	<i>[Signature] (met lab)</i>
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	pH	Initial Vol (ml)	Final Vol (ml)	Color Before	Color After	Clarity Before	Clarity After	Comment	Prep Pos
PB167152BL	PBW152	<2	50	50	Colorless	Colorless	Clear	Clear	N/A	12
PB167152BS	LCS152	<2	50	50	Colorless	Colorless	Clear	Clear	MP84706,MP84719,MP84716,N	13
Q1563-01	437	<2	50	50	Brown	Yellow	Clear	Clear	N/A	14
Q1563-02	FERNOT-WATER	<2	50	50	Colorless	Colorless	Clear	Clear	N/A	15
Q1577-03	MOO-25-0072	<2	50	50	Pink	Colorless	Clear	Clear	N/A	19
Q1588-01MS	TAPFTA-MW01D-031425-00-T1MS	<2	50	50	Brown	Colorless	Cloudy	Clear	MP84706,MP84719,MP84716,N	17
Q1588-01MSD	TAPFTA-MW01D-031425-00-T1MSD	<2	50	50	Brown	Colorless	Cloudy	Clear	MP84706,MP84719,MP84716,N	18
Q1588-01DUP	TAPFTA-MW01D-031425-00-T1DUP	<2	50	50	Brown	Colorless	Cloudy	Clear	N/A	16
Q1588-01	TAPFTA-MW01D-031425-00-T1	<2	50	50	Brown	Colorless	Cloudy	Clear	N/A	20
Q1590-04	3799	<2	50	50	Pink	Light Pink	Clear	Clear	N/A	21