

SOP ID : M200.7-Trace Elements-22

SDG No : N/A

Matrix : WATER

Pipette ID: ICP A

Balance ID : N/A

Filter paper ID : N/A

pH Strip ID : M6069

Hood ID : #3

Block ID: 1. HOT BLOCK #1 2. N/A

Start Digest Date: 03/21/2025 Time : 15:25 Temp : 96 °C

End Digest Date: 03/21/2025 Time : 18:30 Temp : 96 °C

Digestion tube ID: M5595

Block thermometer ID: MET-DIG. #1

Dig Technician Signature: *SKB*

Supervisor Signature: *SKB*

Temp : 1. 96°C 2. N/A

Standardized Name	MLS USED	STD REF. # FROM LOG
LFS-1	0.25	M6003
LFS-2	0.25	M6012
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
1:1 HNO3	1.00	MP84041
1:1 HCL	0.50	MP84720
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

HOT BLOCK #1 CELL # 55 : 96 C

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
03/27/25 18:50	<i>SKB met. dig</i>	<i>SKB</i>
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	pH	Initial Vol (ml)	Final Vol (ml)	Color Before	Color After	Clarity Before	Clarity After	Comment	Prep Pos
PB167266BL	PBW266	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	1
PB167266BS	LCS266	<2	50	25	Colorless	Colorless	Clear	Clear	M6002,M6012	2
Q1595-02MS	SPRING-2025MS	<2	50	25	Colorless	Colorless	Clear	Clear	M6002,M6012	5
Q1595-02MSD	SPRING-2025MSD	<2	50	25	Colorless	Colorless	Clear	Clear	M6002,M6012	6
Q1595-02DUP	SPRING-2025DUP	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	4
Q1595-02	SPRING-2025	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	3
Q1628-01	001-WILLETS-PT-BLVD(MAR)	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	7
Q1628-02	002-35TH-AVE(MAR)	<2	50	25	Colorless	Colorless	Clear	Clear	N/A	8