

## **DATA PACKAGE**

GC SEMI-VOLATILES

**PROJECT NAME : PS 178K BROOKLYN**

**ATC GROUP SERVICES LLC**

**104 East 25th Street**

**New York, NY - 10010**

**Phone No: 212-353-8280**

**ORDER ID : Q1599**

**ATTENTION : Olga Seldinas**



**Laboratory Certification ID # 20012**



1) Signature Page	3
2) Case Narrative	4
2.1) PCB Group1- Case Narrative	4
3) Qualifier Page	6
4) QA Checklist	7
5) PCB Group1 Data	8
6) Shipping Document	17
6.1) CHAIN OF CUSTODY	18
6.2) Lab Certificate	21

1
2
3
4
5
6

## Cover Page

**Order ID :** Q1599

**Project ID :** PS 178K Brooklyn

**Client :** ATC Group Services LLC

### Lab Sample Number

Q1599-01  
Q1599-02  
Q1599-03  
Q1599-04  
Q1599-05  
Q1599-06

### Client Sample Number

1A-1B-1C  
2A-2B-2C  
3A-3B-3C  
4A-4B-4C  
5A-5B-5C  
6A-6B-6C

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : \_\_\_\_\_

**APPROVED**

*By Nimisha Pandya, QA/QC Supervisor at 8:50 am, Mar 31, 2025*

Date: 3/24/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

## **CASE NARRATIVE**

### **ATC Group Services LLC**

**Project Name: PS 178K Brooklyn**

**Project # N/A**

**Chemtech Project # Q1599**

**Test Name: PCB Group1**

### **A. Number of Samples and Date of Receipt:**

6 Solid samples were received on 03/18/2025.

### **B. Parameters**

According to the Chain of Custody document, the following analyses were requested: PCB Group1. This data package contains results for PCB Group1.

### **C. Analytical Techniques:**

The analyses were performed on instrument GCECD\_P. The front column is ZB-MR1 which is 30 meters, 0.32 mm ID, 0.5 um df, Catalogue # 7HM-G016-17. The rear column is ZB-MR2 which is 30 meters, 0.32 mm ID, 0.25 µm; Catalogue # 7HM-G017-11. The analysis of PCB Group1s was based on method 8082A and extraction was done based on method 3541.

### **D. QA/ QC Samples:**

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria.

The Retention Times were acceptable for all samples.

The Blank Spike met requirements for all samples .

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements .

The Continuous Calibration met the requirements .

### **E. Additional Comments:**

Samples were received on 03/18/2025, 12:54 and composited in the Lab on 03/18/2025, 13:25, 03/18/2025, 13:28, 03/18/2025, 13:31, 03/18/2025, 13:34, 03/18/2025, 13:38, 03/18/2025, 13:42.

The temperature of the samples at the time of receipt was 10.3°C.

No MSMSD performed as samples are caulk matrix.

The soil samples results are based on a dry weight basis.

### **F. Manual Integration Comments:**

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.



284 Sheffield Street, Mountainside, NJ 07092  
Phone: 908 789 8900 Fax: 908 789 8922

---

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature\_\_\_\_\_

**APPROVED**

*By Nimisha Pandya, QA/QC Supervisor at 8:53 am, Mar 31, 2025*

## DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following “Results Qualifiers” are used:

Value	If the result is a value greater than or equal to the detection limit, report the value
<b>U</b>	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. “10 U”. This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
<b>ND</b>	Indicates the analyte was analyzed for, but not detected
<b>J</b>	Indicates an estimated value. This flag is used: <ul style="list-style-type: none"> <li>(1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.)</li> <li>(2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others.</li> </ul>
<b>B</b>	Indicates the analyte was found in the blank as well as the sample report as “12 B”.
<b>E</b>	Indicates the analyte ‘s concentration exceeds the calibrated range of the instrument for that specific analysis.
<b>D</b>	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
<b>P</b>	This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a “P”.
<b>N</b>	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
<b>A</b>	This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.
<b>Q</b>	Indicates the LCS did not meet the control limits requirements

## APPENDIX A

### QA REVIEW GENERAL DOCUMENTATION

Project #: Q1599

Completed

For thorough review, the report must have the following:

#### GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

#### COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

#### CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

#### ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: MOHAMMAD AHMED

Date: 03/24/2025

# Hit Summary Sheet SW-846

SDG No.: Q1599

Order ID: Q1599

Client: ATC Group Services LLC

Project ID: PS 178K Brooklyn

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
-----------	-----------	--------	-----------	---------------	---	-----	-----	-------

Client ID :

Total Concentration: 0.000

A

B

C

D





# SAMPLE DATA

## Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	03/18/25	
Project:	PS 178K Brooklyn		Date Received:	03/18/25	
Client Sample ID:	1A-1B-1C		SDG No.:	Q1599	
Lab Sample ID:	Q1599-01		Matrix:	CAULK	
Analytical Method:	SW8082A		% Solid:	100	Decanted:
Sample Wt/Vol:	4.96	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB Group1	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP070690.D	1	03/19/25 08:30	03/19/25 12:38	PB167201

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b>						
12674-11-2	Aroclor-1016	23.9	U	23.9	103	ug/kg
11104-28-2	Aroclor-1221	24.4	U	24.4	103	ug/kg
11141-16-5	Aroclor-1232	22.5	U	22.5	103	ug/kg
53469-21-9	Aroclor-1242	24.3	U	24.3	103	ug/kg
12672-29-6	Aroclor-1248	35.8	U	35.8	103	ug/kg
11097-69-1	Aroclor-1254	19.4	U	19.4	103	ug/kg
37324-23-5	Aroclor-1262	30.4	U	30.4	103	ug/kg
11100-14-4	Aroclor-1268	21.8	U	21.8	103	ug/kg
11096-82-5	Aroclor-1260	19.5	U	19.5	103	ug/kg
Total PCBs	Total PCBs	35.8	U	35.8	103	ug/kg
<b>SURROGATES</b>						
877-09-8	Tetrachloro-m-xylene	22.5		32 - 144	113%	SPK: 20
2051-24-3	Decachlorobiphenyl	22.7		32 - 175	114%	SPK: 20

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates &gt;25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	03/18/25	
Project:	PS 178K Brooklyn		Date Received:	03/18/25	
Client Sample ID:	2A-2B-2C		SDG No.:	Q1599	
Lab Sample ID:	Q1599-02		Matrix:	CAULK	
Analytical Method:	SW8082A		% Solid:	100	Decanted:
Sample Wt/Vol:	20.94	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB Group1	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP070691.D	1	03/19/25 08:30	03/19/25 12:54	PB167201

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b>						
12674-11-2	Aroclor-1016	5.70	U	5.70	24.4	ug/kg
11104-28-2	Aroclor-1221	5.80	U	5.80	24.4	ug/kg
11141-16-5	Aroclor-1232	5.30	U	5.30	24.4	ug/kg
53469-21-9	Aroclor-1242	5.70	U	5.70	24.4	ug/kg
12672-29-6	Aroclor-1248	8.50	U	8.50	24.4	ug/kg
11097-69-1	Aroclor-1254	4.60	U	4.60	24.4	ug/kg
37324-23-5	Aroclor-1262	7.20	U	7.20	24.4	ug/kg
11100-14-4	Aroclor-1268	5.20	U	5.20	24.4	ug/kg
11096-82-5	Aroclor-1260	4.60	U	4.60	24.4	ug/kg
Total PCBs	Total PCBs	8.50	U	8.50	24.4	ug/kg
<b>SURROGATES</b>						
877-09-8	Tetrachloro-m-xylene	22.3		32 - 144	111%	SPK: 20
2051-24-3	Decachlorobiphenyl	23.0		32 - 175	115%	SPK: 20

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates &gt;25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	03/18/25	
Project:	PS 178K Brooklyn		Date Received:	03/18/25	
Client Sample ID:	3A-3B-3C		SDG No.:	Q1599	
Lab Sample ID:	Q1599-03		Matrix:	CAULK	
Analytical Method:	SW8082A		% Solid:	100	Decanted:
Sample Wt/Vol:	9.8	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB Group1	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP070692.D	1	03/19/25 08:30	03/19/25 13:10	PB167201

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b>						
12674-11-2	Aroclor-1016	12.1	U	12.1	52.0	ug/kg
11104-28-2	Aroclor-1221	12.3	U	12.3	52.0	ug/kg
11141-16-5	Aroclor-1232	11.4	U	11.4	52.0	ug/kg
53469-21-9	Aroclor-1242	12.3	U	12.3	52.0	ug/kg
12672-29-6	Aroclor-1248	18.1	U	18.1	52.0	ug/kg
11097-69-1	Aroclor-1254	9.80	U	9.80	52.0	ug/kg
37324-23-5	Aroclor-1262	15.4	U	15.4	52.0	ug/kg
11100-14-4	Aroclor-1268	11.0	U	11.0	52.0	ug/kg
11096-82-5	Aroclor-1260	9.90	U	9.90	52.0	ug/kg
Total PCBs	Total PCBs	18.1	U	18.1	52.0	ug/kg
<b>SURROGATES</b>						
877-09-8	Tetrachloro-m-xylene	24.1		32 - 144	120%	SPK: 20
2051-24-3	Decachlorobiphenyl	23.1		32 - 175	115%	SPK: 20

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates &gt;25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	03/18/25	
Project:	PS 178K Brooklyn		Date Received:	03/18/25	
Client Sample ID:	4A-4B-4C		SDG No.:	Q1599	
Lab Sample ID:	Q1599-04		Matrix:	CAULK	
Analytical Method:	SW8082A		% Solid:	100	Decanted:
Sample Wt/Vol:	6.21	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB Group1	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP070693.D	1	03/19/25 08:30	03/19/25 13:26	PB167201

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b>						
12674-11-2	Aroclor-1016	19.1	U	19.1	82.1	ug/kg
11104-28-2	Aroclor-1221	19.5	U	19.5	82.1	ug/kg
11141-16-5	Aroclor-1232	18.0	U	18.0	82.1	ug/kg
53469-21-9	Aroclor-1242	19.4	U	19.4	82.1	ug/kg
12672-29-6	Aroclor-1248	28.6	U	28.6	82.1	ug/kg
11097-69-1	Aroclor-1254	15.5	U	15.5	82.1	ug/kg
37324-23-5	Aroclor-1262	24.3	U	24.3	82.1	ug/kg
11100-14-4	Aroclor-1268	17.4	U	17.4	82.1	ug/kg
11096-82-5	Aroclor-1260	15.6	U	15.6	82.1	ug/kg
Total PCBs	Total PCBs	28.6	U	28.6	82.1	ug/kg
<b>SURROGATES</b>						
877-09-8	Tetrachloro-m-xylene	25.3		32 - 144	126%	SPK: 20
2051-24-3	Decachlorobiphenyl	23.8		32 - 175	119%	SPK: 20

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates &gt;25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	03/18/25	
Project:	PS 178K Brooklyn		Date Received:	03/18/25	
Client Sample ID:	5A-5B-5C		SDG No.:	Q1599	
Lab Sample ID:	Q1599-05		Matrix:	CAULK	
Analytical Method:	SW8082A		% Solid:	100	Decanted:
Sample Wt/Vol:	5.88	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB Group1	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP070694.D	1	03/19/25 08:30	03/19/25 13:43	PB167201

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b>						
12674-11-2	Aroclor-1016	20.2	U	20.2	86.7	ug/kg
11104-28-2	Aroclor-1221	20.6	U	20.6	86.7	ug/kg
11141-16-5	Aroclor-1232	19.0	U	19.0	86.7	ug/kg
53469-21-9	Aroclor-1242	20.5	U	20.5	86.7	ug/kg
12672-29-6	Aroclor-1248	30.2	U	30.2	86.7	ug/kg
11097-69-1	Aroclor-1254	16.4	U	16.4	86.7	ug/kg
37324-23-5	Aroclor-1262	25.6	U	25.6	86.7	ug/kg
11100-14-4	Aroclor-1268	18.4	U	18.4	86.7	ug/kg
11096-82-5	Aroclor-1260	16.5	U	16.5	86.7	ug/kg
Total PCBs	Total PCBs	30.2	U	30.2	86.7	ug/kg
<b>SURROGATES</b>						
877-09-8	Tetrachloro-m-xylene	22.1		32 - 144	110%	SPK: 20
2051-24-3	Decachlorobiphenyl	21.1		32 - 175	106%	SPK: 20

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates &gt;25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	03/18/25	
Project:	PS 178K Brooklyn		Date Received:	03/18/25	
Client Sample ID:	6A-6B-6C		SDG No.:	Q1599	
Lab Sample ID:	Q1599-06		Matrix:	CAULK	
Analytical Method:	SW8082A		% Solid:	100	Decanted:
Sample Wt/Vol:	6.64	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB Group1	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP070695.D	1	03/19/25 08:30	03/19/25 13:59	PB167201

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b>						
12674-11-2	Aroclor-1016	17.8	U	17.8	76.8	ug/kg
11104-28-2	Aroclor-1221	18.2	U	18.2	76.8	ug/kg
11141-16-5	Aroclor-1232	16.8	U	16.8	76.8	ug/kg
53469-21-9	Aroclor-1242	18.1	U	18.1	76.8	ug/kg
12672-29-6	Aroclor-1248	26.7	U	26.7	76.8	ug/kg
11097-69-1	Aroclor-1254	14.5	U	14.5	76.8	ug/kg
37324-23-5	Aroclor-1262	22.7	U	22.7	76.8	ug/kg
11100-14-4	Aroclor-1268	16.3	U	16.3	76.8	ug/kg
11096-82-5	Aroclor-1260	14.6	U	14.6	76.8	ug/kg
Total PCBs	Total PCBs	26.7	U	26.7	76.8	ug/kg
<b>SURROGATES</b>						
877-09-8	Tetrachloro-m-xylene	22.9		32 - 144	114%	SPK: 20
2051-24-3	Decachlorobiphenyl	23.4		32 - 175	117%	SPK: 20

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates &gt;25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## LAB CHRONICLE

<b>OrderID:</b>	Q1599	<b>OrderDate:</b>	3/18/2025 1:17:00 PM
<b>Client:</b>	ATC Group Services LLC	<b>Project:</b>	PS 178K Brooklyn
<b>Contact:</b>	Olga Seldinas	<b>Location:</b>	F11

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
<b>Q1599-01</b>	<b>1A-1B-1C</b>	<b>CAULK</b>	PCB Group1	8082A	<b>03/18/25</b>	03/19/25	03/19/25	<b>03/18/25</b>
<b>Q1599-02</b>	<b>2A-2B-2C</b>	<b>CAULK</b>	PCB Group1	8082A	<b>03/18/25</b>	03/19/25	03/19/25	<b>03/18/25</b>
<b>Q1599-03</b>	<b>3A-3B-3C</b>	<b>CAULK</b>	PCB Group1	8082A	<b>03/18/25</b>	03/19/25	03/19/25	<b>03/18/25</b>
<b>Q1599-04</b>	<b>4A-4B-4C</b>	<b>CAULK</b>	PCB Group1	8082A	<b>03/18/25</b>	03/19/25	03/19/25	<b>03/18/25</b>
<b>Q1599-05</b>	<b>5A-5B-5C</b>	<b>CAULK</b>	PCB Group1	8082A	<b>03/18/25</b>	03/19/25	03/19/25	<b>03/18/25</b>
<b>Q1599-06</b>	<b>6A-6B-6C</b>	<b>CAULK</b>	PCB Group1	8082A	<b>03/18/25</b>	03/19/25	03/19/25	<b>03/18/25</b>





# SHIPPING DOCUMENTS

# CHEMTECH

## CHAIN OF CUSTODY RECORD

284 Sheffield Street, Mountainside, NJ 07092  
(908) 789-8900 Fax (908) 789-8922  
www.chemtech.net

Chemtech Project Number Q1599  
COC Number

CLIENT INFORMATION			PROJECT INFORMATION				BILLING INFORMATION												
Report to be sent to:			PROJECT NAME: <u>PS 178 - BROOKLYN</u>				BILL TO:						PO#						
COMPANY: <u>UTC Group Services</u>			PROJECT #: <u>2022PCA43</u>				LOCATION: <u>BROOKLYN</u>						ADDRESS:						
ADDRESS: <u>104 East 25th Street</u>			PROJECT MANAGER: <u>Olga Selclina</u>				CITY:						STATE: ZIP:						
CITY: <u>NY</u> STATE: <u>NY</u> ZIP: <u>10010</u>			E-MAIL: <u>olga.selclina@education</u>				ATTENTION:												
ATTENTION: <u>Olga Selclina</u>			PHONE: <u>646-812-8352</u> FAX: <u>com</u>				PHONE:												
PHONE: <u>646-812-8352</u> FAX:																			
DATA TURNAROUND INFORMATION			DATA DELIVERABLE INFORMATION				ANALYSIS												
FAX (RUSH) <u>3 days</u> DAYS*			<input type="checkbox"/> Level 1 (Results Only) <input type="checkbox"/> Level 4 (QC + Full Raw Data) <input type="checkbox"/> Level 2 (Results + QC) <input type="checkbox"/> NJ Reduced <input type="checkbox"/> US EPA CLP <input type="checkbox"/> Level 3 (Results + QC + Raw Data) <input type="checkbox"/> NYS ASP A <input type="checkbox"/> NYS ASP B <input type="checkbox"/> EDD FORMAT _____ <input type="checkbox"/> Other _____				<div style="text-align: center; font-size: 2em; font-weight: bold;">TOTAL PCB</div>												
HARDCOPY (DATA PACKAGE): _____ DAYS*																			
EDD: _____ DAYS*																			
TO BE APPROVED BY CHEMTECH																			
STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS DAYS																			
CHEMTECH SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# of Bottles	PRESERVATIVES									COMMENTS		
			COMP	GPAB	DATE	TIME		1	2	3	4	5	6	7	8	9	A-HCl B-HNO3 C-H2SO4	D-NaOH E-ICE F-OTHER	
1. <u>1A1B1C - window sill cable</u>	<u>cable</u>	<u>✓</u>			<u>3/15</u>	<u>9 AM</u>	<u>1</u>												
2. <u>2A2B2C - concealer window</u>	<u>cable</u>	<u>✓</u>			<u>3/15</u>	<u>9 AM</u>	<u>1</u>												
3. <u>3A3B3C - 2nd floor cable</u>	<u>cable</u>	<u>✓</u>			<u>3/15</u>	<u>10 AM</u>	<u>1</u>												
4. <u>4A4B4C - 2nd floor cable</u>	<u>cable</u>	<u>✓</u>			<u>3/15</u>	<u>11 AM</u>	<u>1</u>												
5. <u>5A5B5C - 2nd floor cable</u>	<u>cable</u>	<u>✓</u>			<u>3/15</u>	<u>11 AM</u>	<u>1</u>												
6. <u>6A6B6C - light gray - roof</u>	<u>cable</u>	<u>✓</u>			<u>3/15</u>	<u>12 PM</u>	<u>1</u>												
7.																			
8.																			
9.																			
10.																			

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER <u>K. Dolin</u>	DATE/TIME <u>3/15/25</u>	RECEIVED BY _____	Conditions of bottles or collars at receipt: <input type="checkbox"/> COMPLIANT <input type="checkbox"/> NON COMPLIANT <input type="checkbox"/> COOLER TEMP <u>10.3</u> Comments: <u>32.6um #</u>
RELINQUISHED BY <u>O. Selclina</u>	DATE/TIME <u>3/15/25</u>	RECEIVED BY _____	
RELINQUISHED BY _____	DATE/TIME <u>3-15-25</u>	RECEIVED FOR LAB BY <u>CP</u>	

10/2021

WHITE - CHEMTECH COPY FOR RETURN TO CLIENT

YELLOW - CHEMTECH COPY

PINK - SAMPLER COPY

## Laboratory Composite Sample log

Lab Project number: Q1599Date: 3-18-25Client Name: A.T.C Group ServicesClient Project Name: P.S 170K - BrooklynInstructions: Composite Samples (3:1)Sample Custodian: C. Pena

Client Sample ID	Weigh / Volume used	New ID	Sample Description	Sample Composite time	Comments
1A	1.69g	1A-1B-1C	CAULK	13:25	Total weight (5.09g)
1B	1.68g	<del>1A-1B-1C</del>		↓	↓
1C	1.72g	↓		↓	↓
2A	6.99g	2A-2B-2C		13:28	Total weight (20.98g)
2B	7.01g	↓		↓	↓
2C	6.98g	↓		↓	↓
3A	3.27g	3A-3B-3C		13:31	Total weight (9.82g)
3B	3.30g	↓		↓	↓
3C	3.25g	↓		↓	↓
4A	2.05g	4A-4B-4C		13:34	Total weight (6.16g)
4B	2.07g	↓		↓	↓
4C		↓		↓	↓

## Laboratory Composite Sample log

Lab Project number: Q1599Date: 3-18-25Client Name: A.T.C Group ServicesClient Project Name: PS 178K - BrooklynInstructions: Composite Samples (3:1)Sample Custodian: C. Pena

Client Sample ID	Weigh /Volume used	New ID	Sample Description	Sample Composite time	Comments
4C	2.04g	4A-4B-4C	CAULK	13:34	Total weight (6.16g)
5A	1.97g	5A-5B-5C		13:38	Total weight (5.91g)
5B	1.98g	I		I	I
5C	1.96g	I		I	I
6A	2.21g	6A-6B-6C		13:42	Total weight (6.64g)
6B	2.23g	I		I	I
6C	2.20g	I		I	I

### Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488