

Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	03/18/25	
Project:	PS 178K Brooklyn		Date Received:	03/18/25	
Client Sample ID:	3A-3B-3C		SDG No.:	Q1599	
Lab Sample ID:	Q1599-03		Matrix:	CAULK	
Analytical Method:	SW8082A		% Solid:	100	Decanted:
Sample Wt/Vol:	9.8	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB Group1	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP070692.D	1	03/19/25 08:30	03/19/25 13:10	PB167201

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
12674-11-2	Aroclor-1016	12.1	U	12.1	52.0	ug/kg
11104-28-2	Aroclor-1221	12.3	U	12.3	52.0	ug/kg
11141-16-5	Aroclor-1232	11.4	U	11.4	52.0	ug/kg
53469-21-9	Aroclor-1242	12.3	U	12.3	52.0	ug/kg
12672-29-6	Aroclor-1248	18.1	U	18.1	52.0	ug/kg
11097-69-1	Aroclor-1254	9.80	U	9.80	52.0	ug/kg
37324-23-5	Aroclor-1262	15.4	U	15.4	52.0	ug/kg
11100-14-4	Aroclor-1268	11.0	U	11.0	52.0	ug/kg
11096-82-5	Aroclor-1260	9.90	U	9.90	52.0	ug/kg
Total PCBs	Total PCBs	18.1	U	18.1	52.0	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	24.1		32 - 144	120%	SPK: 20
2051-24-3	Decachlorobiphenyl	23.1		32 - 175	115%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit