

Report of Analysis

Client:	PSEG	Date Collected:	03/19/25
Project:	414 Grand Street Gas Pipe Repair	Date Received:	03/19/25
Client Sample ID:	RT3025	SDG No.:	Q1606
Lab Sample ID:	Q1606-07	Matrix:	SOIL
Analytical Method:	SW8270	% Solid:	90.5
Sample Wt/Vol:	50.02 Units: g	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142017.D	1	03/20/25 09:25	03/20/25 18:05	PB167228

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
100-52-7	Benzaldehyde	0.22	U	0.10	0.22	mg/Kg
108-95-2	Phenol	0.11	U	0.015	0.11	mg/Kg
111-44-4	bis(2-Chloroethyl)ether	0.11	U	0.016	0.11	mg/Kg
95-57-8	2-Chlorophenol	0.11	U	0.016	0.11	mg/Kg
95-48-7	2-Methylphenol	0.11	U	0.020	0.11	mg/Kg
108-60-1	2,2-oxybis(1-Chloropropane)	0.11	U	0.025	0.11	mg/Kg
98-86-2	Acetophenone	0.11	U	0.020	0.11	mg/Kg
65794-96-9	3+4-Methylphenols	0.22	U	0.027	0.22	mg/Kg
621-64-7	n-Nitroso-di-n-propylamine	0.053	U	0.031	0.053	mg/Kg
67-72-1	Hexachloroethane	0.11	U	0.012	0.11	mg/Kg
98-95-3	Nitrobenzene	0.11	U	0.012	0.11	mg/Kg
78-59-1	Isophorone	0.11	U	0.022	0.11	mg/Kg
88-75-5	2-Nitrophenol	0.11	U	0.039	0.11	mg/Kg
105-67-9	2,4-Dimethylphenol	0.11	U	0.043	0.11	mg/Kg
111-91-1	bis(2-Chloroethoxy)methane	0.11	U	0.020	0.11	mg/Kg
120-83-2	2,4-Dichlorophenol	0.11	U	0.019	0.11	mg/Kg
91-20-3	Naphthalene	0.16		0.015	0.11	mg/Kg
106-47-8	4-Chloroaniline	0.11	U	0.024	0.11	mg/Kg
87-68-3	Hexachlorobutadiene	0.11	U	0.017	0.11	mg/Kg
105-60-2	Caprolactam	0.22	U	0.035	0.22	mg/Kg
59-50-7	4-Chloro-3-methylphenol	0.11	U	0.019	0.11	mg/Kg
91-57-6	2-Methylnaphthalene	0.11	U	0.017	0.11	mg/Kg
77-47-4	Hexachlorocyclopentadiene	0.22	U	0.077	0.22	mg/Kg
88-06-2	2,4,6-Trichlorophenol	0.11	U	0.013	0.11	mg/Kg
95-95-4	2,4,5-Trichlorophenol	0.11	U	0.019	0.11	mg/Kg
92-52-4	1,1-Biphenyl	0.11	U	0.014	0.11	mg/Kg
91-58-7	2-Chloronaphthalene	0.11	U	0.015	0.11	mg/Kg
88-74-4	2-Nitroaniline	0.11	U	0.032	0.11	mg/Kg
131-11-3	Dimethylphthalate	0.11	U	0.018	0.11	mg/Kg

Report of Analysis

Client:	PSEG	Date Collected:	03/19/25
Project:	414 Grand Street Gas Pipe Repair	Date Received:	03/19/25
Client Sample ID:	RT3025	SDG No.:	Q1606
Lab Sample ID:	Q1606-07	Matrix:	SOIL
Analytical Method:	SW8270	% Solid:	90.5
Sample Wt/Vol:	50.02 Units: g	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142017.D	1	03/20/25 09:25	03/20/25 18:05	PB167228

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
208-96-8	Acenaphthylene	0.11	U	0.019	0.11	mg/Kg
606-20-2	2,6-Dinitrotoluene	0.11	U	0.022	0.11	mg/Kg
99-09-2	3-Nitroaniline	0.11	U	0.031	0.11	mg/Kg
83-32-9	Acenaphthene	0.046	J	0.014	0.11	mg/Kg
51-28-5	2,4-Dinitrophenol	0.22	U	0.15	0.22	mg/Kg
100-02-7	4-Nitrophenol	0.22	U	0.071	0.22	mg/Kg
132-64-9	Dibenzofuran	0.11	U	0.015	0.11	mg/Kg
121-14-2	2,4-Dinitrotoluene	0.11	U	0.033	0.11	mg/Kg
84-66-2	Diethylphthalate	0.11	U	0.019	0.11	mg/Kg
7005-72-3	4-Chlorophenyl-phenylether	0.11	U	0.018	0.11	mg/Kg
86-73-7	Fluorene	0.069	J	0.017	0.11	mg/Kg
100-01-6	4-Nitroaniline	0.11	U	0.043	0.11	mg/Kg
534-52-1	4,6-Dinitro-2-methylphenol	0.22	U	0.068	0.22	mg/Kg
86-30-6	n-Nitrosodiphenylamine	0.11	U	0.022	0.11	mg/Kg
101-55-3	4-Bromophenyl-phenylether	0.11	U	0.018	0.11	mg/Kg
118-74-1	Hexachlorobenzene	0.11	U	0.017	0.11	mg/Kg
1912-24-9	Atrazine	0.11	U	0.023	0.11	mg/Kg
87-86-5	Pentachlorophenol	0.22	U	0.034	0.22	mg/Kg
85-01-8	Phenanthrene	0.46		0.014	0.11	mg/Kg
120-12-7	Anthracene	0.17		0.022	0.11	mg/Kg
86-74-8	Carbazole	0.11	U	0.021	0.11	mg/Kg
84-74-2	Di-n-butylphthalate	0.11	U	0.032	0.11	mg/Kg
206-44-0	Fluoranthene	0.88		0.020	0.11	mg/Kg
129-00-0	Pyrene	0.54		0.024	0.11	mg/Kg
85-68-7	Butylbenzylphthalate	0.11	U	0.047	0.11	mg/Kg
91-94-1	3,3-Dichlorobenzidine	0.22	U	0.024	0.22	mg/Kg
56-55-3	Benzo(a)anthracene	0.49		0.015	0.11	mg/Kg
218-01-9	Chrysene	0.37		0.013	0.11	mg/Kg
117-81-7	Bis(2-ethylhexyl)phthalate	0.11	U	0.039	0.11	mg/Kg
117-84-0	Di-n-octyl phthalate	0.22	U	0.058	0.22	mg/Kg
205-99-2	Benzo(b)fluoranthene	0.46		0.013	0.11	mg/Kg

Report of Analysis

Client:	PSEG	Date Collected:	03/19/25
Project:	414 Grand Street Gas Pipe Repair	Date Received:	03/19/25
Client Sample ID:	RT3025	SDG No.:	Q1606
Lab Sample ID:	Q1606-07	Matrix:	SOIL
Analytical Method:	SW8270	% Solid:	90.5
Sample Wt/Vol:	50.02 Units: g	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142017.D	1	03/20/25 09:25	03/20/25 18:05	PB167228

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
207-08-9	Benzo(k)fluoranthene	0.16		0.015	0.11	mg/Kg
50-32-8	Benzo(a)pyrene	0.43		0.020	0.11	mg/Kg
193-39-5	Indeno(1,2,3-cd)pyrene	0.15		0.019	0.11	mg/Kg
53-70-3	Dibenzo(a,h)anthracene	0.057	J	0.018	0.11	mg/Kg
191-24-2	Benzo(g,h,i)perylene	0.17		0.017	0.11	mg/Kg
95-94-3	1,2,4,5-Tetrachlorobenzene	0.11	U	0.017	0.11	mg/Kg
123-91-1	1,4-Dioxane	0.11	U	0.030	0.11	mg/Kg
58-90-2	2,3,4,6-Tetrachlorophenol	0.11	U	0.018	0.11	mg/Kg

SURROGATES

367-12-4	2-Fluorophenol	91.5		18 - 112	61%	SPK: 150
13127-88-3	Phenol-d6	84.3		15 - 107	56%	SPK: 150
4165-60-0	Nitrobenzene-d5	66.6		18 - 107	67%	SPK: 100
321-60-8	2-Fluorobiphenyl	65.3		20 - 109	65%	SPK: 100
118-79-6	2,4,6-Tribromophenol	75.8		10 - 116	51%	SPK: 150
1718-51-0	Terphenyl-d14	41.1		10 - 105	41%	SPK: 100

INTERNAL STANDARDS

3855-82-1	1,4-Dichlorobenzene-d4	135000	6.875
1146-65-2	Naphthalene-d8	469000	8.157
15067-26-2	Acenaphthene-d10	208000	9.91
1517-22-2	Phenanthrene-d10	310000	11.392
1719-03-5	Chrysene-d12	318000	14.033
1520-96-3	Perylene-d12	242000	15.51

TENTATIVE IDENTIFIED COMPOUNDS

000994-05-8	Butane, 2-methoxy-2-methyl-	670	J	2.15	ug/Kg
000526-73-8	Benzene, 1,2,3-trimethyl-	74.9	J	6.70	ug/Kg
000496-11-7	Indane	410	J	7.05	ug/Kg
000673-32-5	Benzene, 1-propynyl-	55.0	J	7.13	ug/Kg
000259-79-0	Biphenylene	51.7	J	9.77	ug/Kg
Total PAH	Total PAH	4600	J	9.94	ug/Kg
000119-61-9	Benzophenone	160	J	10.6	ug/Kg

Report of Analysis

Client:	PSEG	Date Collected:	03/19/25
Project:	414 Grand Street Gas Pipe Repair	Date Received:	03/19/25
Client Sample ID:	RT3025	SDG No.:	Q1606
Lab Sample ID:	Q1606-07	Matrix:	SOIL
Analytical Method:	SW8270	% Solid:	90.5
Sample Wt/Vol:	50.02 Units: g	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142017.D	1	03/20/25 09:25	03/20/25 18:05	PB167228

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
	unknown10.822	47.7	J		10.8	ug/Kg
000057-10-3	n-Hexadecanoic acid	500	J		11.9	ug/Kg
002531-84-2	Phenanthrene, 2-methyl-	69.4	J		12.0	ug/Kg
000203-64-5	4H-Cyclopenta[def]phenanthrene	250	J		12.0	ug/Kg
006572-60-7	Tricyclo[8.2.2.2(4,7)]hexadeca-2,4	60.1	J		12.2	ug/Kg
1000197-14-1	4b,8-Dimethyl-2-isopropylphenanthr	44.6	J		12.3	ug/Kg
	unknown12.480	59.4	J		12.5	ug/Kg
000057-11-4	Octadecanoic acid	97.6	J		12.7	ug/Kg
000243-17-4	11H-Benzo[b]fluorene	69.8	J		13.2	ug/Kg
000238-84-6	11H-Benzo[a]fluorene	56.6	J		13.2	ug/Kg

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products