

SOP ID : M9012B-Total, Amenable and Reactive Cyanide-20
SDG No : N/A
Matrix : SOIL
Pipette ID : N/A
Balance ID : WC SC-7
Hood ID : HOOD#1
Block ID : MC-1, MC-2
Weigh By : NF

Start Digest Date: 03/20/2025 **Time :** 14:10 **Temp :** N/A
End Digest Date: 03/20/2025 **Time :** 15:40 **Temp :** N/A

Digestion tube ID : M5595
Filter paper ID : N/A
pH Meter ID : N/A

Block Thermometer ID : N/A
Prep Technician Signature: NF
Supervisor Signature: 12

Standardized Name	MLS USED	STD REF. # FROM LOG
PBS003	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.25N NaOH	50.0ML	WP111294
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

LAB SAMPLE ID	CLIENT SAMPLE ID	Comment

Extraction Conformance/Non-Conformance Comments:

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
03.20.2025, 15:55	NF/WC	NF/WC
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
PB167241BL	PBS241	5.00	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1590-01DUP	3794DUP	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1590-01	3794	5.05	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1592-02	OILY-DEBRIS-COMP	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1597-02	1-CONCRETE-SLAB	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1597-04	2-CONCRETE-SLAB	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1597-06	3-CONCRETE-SLAB	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1605-02	DRUM-SOIL-CUTTING	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1606-02	CHRT24743	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1606-04	RBR251346	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1606-06	RT4534	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1606-08	RT3025	5.05	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1606-10	CHRT28607	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1609-03	WC-SCRN-01-C	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1610-03	SOIL-PILE	5.05	50	N/A	N/A	N/A	N/A	N/A	N/A