

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF032525\
 Data File : BF142073.D
 Acq On : 25 Mar 2025 12:38
 Operator : RC/JU
 Sample : PB167193TB
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB167193TB

Quant Time: Mar 25 13:03:50 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF031025.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 10 15:46:22 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.875	152	132302	20.000	ng	0.00
21) Naphthalene-d8	8.151	136	523137	20.000	ng	-0.01
39) Acenaphthene-d10	9.910	164	302807	20.000	ng	0.00
64) Phenanthrene-d10	11.392	188	564152	20.000	ng	-0.01
76) Chrysene-d12	14.033	240	302921	20.000	ng	0.00
86) Perylene-d12	15.509	264	204899	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.498	112	1154480	145.635	ng	0.00
7) Phenol-d6	6.498	99	1393393	138.054	ng	0.00
23) Nitrobenzene-d5	7.434	82	949108	102.099	ng	-0.01
42) 2,4,6-Tribromophenol	10.698	330	616230	160.414	ng	0.00
45) 2-Fluorobiphenyl	9.227	172	1980704	99.478	ng	-0.01
79) Terphenyl-d14	12.980	244	2714167	132.469	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF032525\
Data File : BF142073.D
Acq On : 25 Mar 2025 12:38
Operator : RC/JU
Sample : PB167193TB
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB167193TB

Quant Time: Mar 25 13:03:50 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF031025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 10 15:46:22 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.875 min Scan# 814
Delta R.T. -0.006 min
Lab File: BF142073.D
Acq: 25 Mar 2025 12:38




Instrument :
BNA_F
ClientSampleId :
PB167193TB


Tgt Ion:152 Resp: 132302
Ion Ratio Lower Upper
152 100
150 155.2 127.4 191.2
115 63.3 51.9 77.9



#5
2-Fluorophenol
Concen: 145.635 ng
RT: 5.498 min Scan# 579
Delta R.T. 0.006 min
Lab File: BF142073.D
Acq: 25 Mar 2025 12:38

Tgt Ion:112 Resp: 1154480
Ion Ratio Lower Upper
112 100
64 56.0 46.5 69.7
63 31.1 25.4 38.2









#7
Phenol-d6
Concen: 138.054 ng
RT: 6.498 min Scan# 74
Delta R.T. -0.006 min
Lab File: BF142073.D
Acq: 25 Mar 2025 12:38




Instrument :
BNA_F
ClientSampleId :
PB167193TB


Tgt Ion: 99 Resp: 1393393
Ion Ratio Lower Upper
99 100
42 17.4 14.6 21.8
71 39.3 30.8 46.2



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.151 min Scan# 1030
Delta R.T. -0.012 min
Lab File: BF142073.D
Acq: 25 Mar 2025 12:38

Tgt Ion:136 Resp: 523137
Ion Ratio Lower Upper
136 100
137 10.8 8.8 13.2
54 6.5 5.8 8.8
68 4.7 4.1 6.1









#23
Nitrobenzene-d5
Concen: 102.099 ng
RT: 7.434 min Scan# 90
Delta R.T. -0.012 min
Lab File: BF142073.D
Acq: 25 Mar 2025 12:38




Instrument :
BNA_F
ClientSampleId :
PB167193TB


Tgt Ion: 82 Resp: 949108
Ion Ratio Lower Upper
82 100
128 46.0 36.0 54.0
54 47.7 39.6 59.4



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.910 min Scan# 1329
Delta R.T. -0.006 min
Lab File: BF142073.D
Acq: 25 Mar 2025 12:38

Tgt Ion:164 Resp: 302807
Ion Ratio Lower Upper
164 100
162 103.2 81.8 122.6
160 46.0 36.7 55.1









#42
 2,4,6-Tribromophenol
 Concen: 160.414 ng
 RT: 10.698 min Scan# 1463
 Delta R.T. -0.006 min
 Lab File: BF142073.D
 Acq: 25 Mar 2025 12:38




Instrument :
 BNA_F
 ClientSampleId :
 PB167193TB


Tgt Ion:330 Resp: 616230
 Ion Ratio Lower Upper
 330 100
 332 96.6 77.6 116.4
 141 27.3 24.7 37.1



#45
 2-Fluorobiphenyl
 Concen: 99.478 ng
 RT: 9.227 min Scan# 1213
 Delta R.T. -0.012 min
 Lab File: BF142073.D
 Acq: 25 Mar 2025 12:38

Tgt Ion:172 Resp: 1980704
 Ion Ratio Lower Upper
 172 100
 171 36.0 29.3 43.9
 170 23.8 19.4 29.0









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.392 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF142073.D
Acq: 25 Mar 2025 12:38




Instrument :
BNA_F
ClientSampleId :
PB167193TB


Tgt Ion:188 Resp: 564152
Ion Ratio Lower Upper
188 100
94 8.4 6.8 10.2
80 9.3 7.6 11.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.033 min Scan# 2030
Delta R.T. -0.006 min
Lab File: BF142073.D
Acq: 25 Mar 2025 12:38

Tgt Ion:240 Resp: 302921
Ion Ratio Lower Upper
240 100
120 9.4 8.4 12.6
236 25.3 20.5 30.7









#79
 Terphenyl-d14
 Concen: 132.469 ng
 RT: 12.980 min Scan# 1851
 Delta R.T. -0.006 min
 Lab File: BF142073.D
 Acq: 25 Mar 2025 12:38

Instrument :
 BNA_F
 ClientSampleId :
 PB167193TB

Tgt Ion:244 Resp: 2714167
 Ion Ratio Lower Upper
 244 100
 212 7.1 6.0 9.0
 122 9.2 7.7 11.5



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.509 min Scan# 2281
 Delta R.T. 0.000 min
 Lab File: BF142073.D
 Acq: 25 Mar 2025 12:38

Tgt Ion:264 Resp: 204899
 Ion Ratio Lower Upper
 264 100
 260 23.2 19.1 28.7
 265 21.9 17.5 26.3

