

Report of Analysis

Client:	PSEG	Date Collected:	03/21/25
Project:	Oakland Gas and Appliance Service MA00006789	Date Received:	03/21/25
Client Sample ID:	OK-01-03212025	SDG No.:	Q1624
Lab Sample ID:	Q1624-01	Matrix:	SOIL
Analytical Method:	SW8270	% Solid:	86.8
Sample Wt/Vol:	50.05 Units: g	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142063.D	1	03/24/25 08:15	03/24/25 19:23	PB167274

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
100-52-7	Benzaldehyde	0.11	U	0.11	0.23	mg/Kg
108-95-2	Phenol	0.015	U	0.015	0.12	mg/Kg
111-44-4	bis(2-Chloroethyl)ether	0.017	U	0.017	0.12	mg/Kg
95-57-8	2-Chlorophenol	0.017	U	0.017	0.12	mg/Kg
95-48-7	2-Methylphenol	0.021	U	0.021	0.12	mg/Kg
108-60-1	2,2-oxybis(1-Chloropropane)	0.026	U	0.026	0.12	mg/Kg
98-86-2	Acetophenone	0.020	U	0.020	0.12	mg/Kg
65794-96-9	3+4-Methylphenols	0.028	U	0.028	0.23	mg/Kg
621-64-7	n-Nitroso-di-n-propylamine	0.033	U	0.033	0.055	mg/Kg
67-72-1	Hexachloroethane	0.012	U	0.012	0.12	mg/Kg
98-95-3	Nitrobenzene	0.013	U	0.013	0.12	mg/Kg
78-59-1	Isophorone	0.023	U	0.023	0.12	mg/Kg
88-75-5	2-Nitrophenol	0.040	U	0.040	0.12	mg/Kg
105-67-9	2,4-Dimethylphenol	0.045	U	0.045	0.12	mg/Kg
111-91-1	bis(2-Chloroethoxy)methane	0.021	U	0.021	0.12	mg/Kg
120-83-2	2,4-Dichlorophenol	0.020	U	0.020	0.12	mg/Kg
91-20-3	Naphthalene	0.016	U	0.016	0.12	mg/Kg
106-47-8	4-Chloroaniline	0.024	U	0.024	0.12	mg/Kg
87-68-3	Hexachlorobutadiene	0.018	U	0.018	0.12	mg/Kg
105-60-2	Caprolactam	0.036	U	0.036	0.23	mg/Kg
59-50-7	4-Chloro-3-methylphenol	0.020	U	0.020	0.12	mg/Kg
91-57-6	2-Methylnaphthalene	0.018	U	0.018	0.12	mg/Kg
77-47-4	Hexachlorocyclopentadiene	0.080	U	0.080	0.23	mg/Kg
88-06-2	2,4,6-Trichlorophenol	0.014	U	0.014	0.12	mg/Kg
95-95-4	2,4,5-Trichlorophenol	0.020	U	0.020	0.12	mg/Kg
92-52-4	1,1-Biphenyl	0.015	U	0.015	0.12	mg/Kg
91-58-7	2-Chloronaphthalene	0.016	U	0.016	0.12	mg/Kg
88-74-4	2-Nitroaniline	0.033	U	0.033	0.12	mg/Kg
131-11-3	Dimethylphthalate	0.019	U	0.019	0.12	mg/Kg

Report of Analysis

Client:	PSEG	Date Collected:	03/21/25
Project:	Oakland Gas and Appliance Service MA00006789	Date Received:	03/21/25
Client Sample ID:	OK-01-03212025	SDG No.:	Q1624
Lab Sample ID:	Q1624-01	Matrix:	SOIL
Analytical Method:	SW8270	% Solid:	86.8
Sample Wt/Vol:	50.05 Units: g	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142063.D	1	03/24/25 08:15	03/24/25 19:23	PB167274

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
208-96-8	Acenaphthylene	0.020	U	0.020	0.12	mg/Kg
606-20-2	2,6-Dinitrotoluene	0.023	U	0.023	0.12	mg/Kg
99-09-2	3-Nitroaniline	0.032	U	0.032	0.12	mg/Kg
83-32-9	Acenaphthene	0.015	U	0.015	0.12	mg/Kg
51-28-5	2,4-Dinitrophenol	0.16	U	0.16	0.23	mg/Kg
100-02-7	4-Nitrophenol	0.074	U	0.074	0.23	mg/Kg
132-64-9	Dibenzofuran	0.016	U	0.016	0.12	mg/Kg
121-14-2	2,4-Dinitrotoluene	0.035	U	0.035	0.12	mg/Kg
84-66-2	Diethylphthalate	0.020	U	0.020	0.12	mg/Kg
7005-72-3	4-Chlorophenyl-phenylether	0.018	U	0.018	0.12	mg/Kg
86-73-7	Fluorene	0.018	U	0.018	0.12	mg/Kg
100-01-6	4-Nitroaniline	0.044	U	0.044	0.12	mg/Kg
534-52-1	4,6-Dinitro-2-methylphenol	0.071	U	0.071	0.23	mg/Kg
86-30-6	n-Nitrosodiphenylamine	0.023	U	0.023	0.12	mg/Kg
101-55-3	4-Bromophenyl-phenylether	0.019	U	0.019	0.12	mg/Kg
118-74-1	Hexachlorobenzene	0.018	U	0.018	0.12	mg/Kg
1912-24-9	Atrazine	0.024	U	0.024	0.12	mg/Kg
87-86-5	Pentachlorophenol	0.035	U	0.035	0.23	mg/Kg
85-01-8	Phenanthrene	0.014	U	0.014	0.12	mg/Kg
120-12-7	Anthracene	0.023	U	0.023	0.12	mg/Kg
86-74-8	Carbazole	0.022	U	0.022	0.12	mg/Kg
84-74-2	Di-n-butylphthalate	0.033	U	0.033	0.12	mg/Kg
206-44-0	Fluoranthene	0.059	J	0.021	0.12	mg/Kg
129-00-0	Pyrene	0.051	J	0.025	0.12	mg/Kg
85-68-7	Butylbenzylphthalate	0.049	U	0.049	0.12	mg/Kg
91-94-1	3,3-Dichlorobenzidine	0.025	U	0.025	0.23	mg/Kg
56-55-3	Benzo(a)anthracene	0.051	J	0.016	0.12	mg/Kg
218-01-9	Chrysene	0.050	J	0.014	0.12	mg/Kg
117-81-7	Bis(2-ethylhexyl)phthalate	0.041	U	0.041	0.12	mg/Kg
117-84-0	Di-n-octyl phthalate	0.060	U	0.060	0.23	mg/Kg
205-99-2	Benzo(b)fluoranthene	0.066	J	0.013	0.12	mg/Kg

Report of Analysis

Client:	PSEG	Date Collected:	03/21/25
Project:	Oakland Gas and Appliance Service MA00006789	Date Received:	03/21/25
Client Sample ID:	OK-01-03212025	SDG No.:	Q1624
Lab Sample ID:	Q1624-01	Matrix:	SOIL
Analytical Method:	SW8270	% Solid:	86.8
Sample Wt/Vol:	50.05 Units: g	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142063.D	1	03/24/25 08:15	03/24/25 19:23	PB167274

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
207-08-9	Benzo(k)fluoranthene	0.016	U	0.016	0.12	mg/Kg
50-32-8	Benzo(a)pyrene	0.057	J	0.020	0.12	mg/Kg
193-39-5	Indeno(1,2,3-cd)pyrene	0.020	U	0.020	0.12	mg/Kg
53-70-3	Dibenzo(a,h)anthracene	0.019	U	0.019	0.12	mg/Kg
191-24-2	Benzo(g,h,i)perylene	0.018	U	0.018	0.12	mg/Kg
95-94-3	1,2,4,5-Tetrachlorobenzene	0.018	U	0.018	0.12	mg/Kg
123-91-1	1,4-Dioxane	0.031	U	0.031	0.12	mg/Kg
58-90-2	2,3,4,6-Tetrachlorophenol	0.019	U	0.019	0.12	mg/Kg

SURROGATES

367-12-4	2-Fluorophenol	90.5		18 - 112	60%	SPK: 150
13127-88-3	Phenol-d6	82.4		15 - 107	55%	SPK: 150
4165-60-0	Nitrobenzene-d5	66.3		18 - 107	66%	SPK: 100
321-60-8	2-Fluorobiphenyl	73.0		20 - 109	73%	SPK: 100
118-79-6	2,4,6-Tribromophenol	77.1		10 - 116	51%	SPK: 150
1718-51-0	Terphenyl-d14	44.0		10 - 105	44%	SPK: 100

INTERNAL STANDARDS

3855-82-1	1,4-Dichlorobenzene-d4	140000	6.875
1146-65-2	Naphthalene-d8	489000	8.157
15067-26-2	Acenaphthene-d10	215000	9.91
1517-22-2	Phenanthrene-d10	305000	11.392
1719-03-5	Chrysene-d12	290000	14.033
1520-96-3	Perylene-d12	230000	15.51

TENTATIVE IDENTIFIED COMPOUNDS

000994-05-8	Butane, 2-methoxy-2-methyl-	760	J	2.15	ug/Kg
000080-56-8	.alpha.-Pinene	52.3	J	6.16	ug/Kg
000079-92-5	Camphene	77.8	J	6.33	ug/Kg
005655-61-8	Bicyclo[2.2.1]heptan-2-ol, 1,7,7-t	50.4	J	8.73	ug/Kg
000119-61-9	Benzophenone	99.2	J	10.6	ug/Kg
000057-10-3	n-Hexadecanoic acid	230	J	11.9	ug/Kg
000057-11-4	Octadecanoic acid	82.6	J	12.7	ug/Kg

Report of Analysis

Client:	PSEG	Date Collected:	03/21/25
Project:	Oakland Gas and Appliance Service MA00006789	Date Received:	03/21/25
Client Sample ID:	OK-01-03212025	SDG No.:	Q1624
Lab Sample ID:	Q1624-01	Matrix:	SOIL
Analytical Method:	SW8270	% Solid:	86.8
Sample Wt/Vol:	50.05 Units: g	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SVOC-TCL BNA -20
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142063.D	1	03/24/25 08:15	03/24/25 19:23	PB167274

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
------------	-----------	-------	-----------	-----	------------	-------------------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products