

## Analytical Sequence

|                                            |                                                                 |
|--------------------------------------------|-----------------------------------------------------------------|
| Client: Walsh Construction Company II, LLC | SDG No.: Q1626                                                  |
| Project: Walsh CO-032 Sampling             | Instrument ID: ECD_S                                            |
| GC Column: RTX-CLP                         | ID: 0.32 (mm)    Inst. Calib. Date(s): 03/26/2025    03/26/2025 |

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,  
AND STANDARDS IS GIVEN BELOW:

| CLIENT ID   | LAB<br>SAMPLE ID | DATE<br>ANALYZED | TIME<br>ANALYZED | DATAFILE   | DCAA<br>RT # | RT # |
|-------------|------------------|------------------|------------------|------------|--------------|------|
| IBLK        | IBLK             | 03/26/2025       | 12:12            | PS029543.D | 7.13         | 0.00 |
| HSTDICC200  | HSTDICC200       | 03/26/2025       | 12:36            | PS029544.D | 7.13         | 0.00 |
| HSTDICC500  | HSTDICC500       | 03/26/2025       | 13:04            | PS029545.D | 7.13         | 0.00 |
| HSTDICC750  | HSTDICC750       | 03/26/2025       | 13:28            | PS029546.D | 7.12         | 0.00 |
| HSTDICC1000 | HSTDICC1000      | 03/26/2025       | 13:52            | PS029547.D | 7.12         | 0.00 |
| HSTDICC1500 | HSTDICC1500      | 03/26/2025       | 14:16            | PS029548.D | 7.12         | 0.00 |
| HSTDICC200  | HSTDICC200       | 03/26/2025       | 15:28            | PS029549.D | 7.13         | 0.00 |
| IBLK        | IBLK             | 03/26/2025       | 16:30            | PS029551.D | 7.13         | 0.00 |
| HSTDCCC750  | HSTDCCC750       | 03/26/2025       | 16:54            | PS029552.D | 7.12         | 0.00 |
| CO-32-1     | Q1626-01         | 03/26/2025       | 17:42            | PS029554.D | 7.12         | 0.00 |
| IBLK        | IBLK             | 03/27/2025       | 09:49            | PS029557.D | 7.12         | 0.00 |
| HSTDICC200  | HSTDICC200       | 03/27/2025       | 10:13            | PS029558.D | 7.12         | 0.00 |
| HSTDICC500  | HSTDICC500       | 03/27/2025       | 10:37            | PS029559.D | 7.12         | 0.00 |
| HSTDICC750  | HSTDICC750       | 03/27/2025       | 11:01            | PS029560.D | 7.12         | 0.00 |
| HSTDICC1000 | HSTDICC1000      | 03/27/2025       | 11:25            | PS029561.D | 7.11         | 0.00 |
| HSTDICC1500 | HSTDICC1500      | 03/27/2025       | 11:49            | PS029562.D | 7.11         | 0.00 |
| IBLK        | IBLK             | 03/27/2025       | 22:26            | PS029587.D | 7.11         | 0.00 |
| HSTDCCC750  | HSTDCCC750       | 03/27/2025       | 22:51            | PS029588.D | 7.11         | 0.00 |
| CO-32-1     | Q1626-01         | 03/28/2025       | 01:15            | PS029593.D | 7.11         | 0.00 |
| CO-32-1MS   | Q1626-01MS       | 03/28/2025       | 01:39            | PS029594.D | 7.11         | 0.00 |
| CO-32-1MSD  | Q1626-01MSD      | 03/28/2025       | 02:03            | PS029595.D | 7.11         | 0.00 |
| IBLK        | IBLK             | 03/28/2025       | 03:39            | PS029599.D | 7.12         | 0.00 |
| HSTDCCC750  | HSTDCCC750       | 03/28/2025       | 04:27            | PS029600.D | 7.12         | 0.00 |
| PB167293BL  | PB167293BL       | 03/28/2025       | 05:39            | PS029603.D | 7.11         | 0.00 |
| IBLK        | IBLK             | 03/28/2025       | 08:51            | PS029611.D | 7.12         | 0.00 |
| HSTDCCC750  | HSTDCCC750       | 03/28/2025       | 09:15            | PS029612.D | 7.11         | 0.00 |
| IBLK        | IBLK             | 04/02/2025       | 16:44            | PS029656.D | 6.96         | 0.00 |
| HSTDICC200  | HSTDICC200       | 04/02/2025       | 17:32            | PS029657.D | 6.96         | 0.00 |
| HSTDICC500  | HSTDICC500       | 04/02/2025       | 17:56            | PS029658.D | 6.96         | 0.00 |
| HSTDICC750  | HSTDICC750       | 04/02/2025       | 18:44            | PS029659.D | 6.96         | 0.00 |
| HSTDICC1000 | HSTDICC1000      | 04/02/2025       | 19:32            | PS029660.D | 6.96         | 0.00 |
| HSTDICC1500 | HSTDICC1500      | 04/02/2025       | 20:44            | PS029661.D | 6.96         | 0.00 |
| IBLK        | IBLK             | 04/03/2025       | 12:08            | PS029672.D | 6.96         | 0.00 |
| HSTDCCC750  | HSTDCCC750       | 04/03/2025       | 12:32            | PS029673.D | 6.96         | 0.00 |
| PB167293BS  | PB167293BS       | 04/03/2025       | 16:06            | PS029681.D | 6.96         | 0.00 |
| IBLK        | IBLK             | 04/03/2025       | 16:40            | PS029682.D | 6.96         | 0.00 |
| HSTDCCC750  | HSTDCCC750       | 04/03/2025       | 17:59            | PS029683.D | 6.96         | 0.00 |

## Analytical Sequence

|                                            |                                                                 |
|--------------------------------------------|-----------------------------------------------------------------|
| Client: Walsh Construction Company II, LLC | SDG No.: Q1626                                                  |
| Project: Walsh CO-032 Sampling             | Instrument ID: ECD_S                                            |
| GC Column: RTX-CLP2                        | ID: 0.32 (mm)    Inst. Calib. Date(s): 03/26/2025    03/26/2025 |

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,  
AND STANDARDS IS GIVEN BELOW:

| CLIENT ID   | LAB<br>SAMPLE ID | DATE<br>ANALYZED | TIME<br>ANALYZED | DATAFILE   | DCAA<br>RT # | RT # |
|-------------|------------------|------------------|------------------|------------|--------------|------|
| IBLK        | IBLK             | 03/26/2025       | 12:12            | PS029543.D | 7.54         | 0.00 |
| HSTDICC200  | HSTDICC200       | 03/26/2025       | 12:36            | PS029544.D | 7.55         | 0.00 |
| HSTDICC500  | HSTDICC500       | 03/26/2025       | 13:04            | PS029545.D | 7.54         | 0.00 |
| HSTDICC750  | HSTDICC750       | 03/26/2025       | 13:28            | PS029546.D | 7.54         | 0.00 |
| HSTDICC1000 | HSTDICC1000      | 03/26/2025       | 13:52            | PS029547.D | 7.54         | 0.00 |
| HSTDICC1500 | HSTDICC1500      | 03/26/2025       | 14:16            | PS029548.D | 7.54         | 0.00 |
| HSTDICC200  | HSTDICC200       | 03/26/2025       | 15:28            | PS029549.D | 7.54         | 0.00 |
| IBLK        | IBLK             | 03/26/2025       | 16:30            | PS029551.D | 7.54         | 0.00 |
| HSTDCCC750  | HSTDCCC750       | 03/26/2025       | 16:54            | PS029552.D | 7.54         | 0.00 |
| CO-32-1     | Q1626-01         | 03/26/2025       | 17:42            | PS029554.D | 7.54         | 0.00 |
| IBLK        | IBLK             | 03/27/2025       | 09:49            | PS029557.D | 7.54         | 0.00 |
| HSTDICC200  | HSTDICC200       | 03/27/2025       | 10:13            | PS029558.D | 7.54         | 0.00 |
| HSTDICC500  | HSTDICC500       | 03/27/2025       | 10:37            | PS029559.D | 7.54         | 0.00 |
| HSTDICC750  | HSTDICC750       | 03/27/2025       | 11:01            | PS029560.D | 7.54         | 0.00 |
| HSTDICC1000 | HSTDICC1000      | 03/27/2025       | 11:25            | PS029561.D | 7.54         | 0.00 |
| HSTDICC1500 | HSTDICC1500      | 03/27/2025       | 11:49            | PS029562.D | 7.54         | 0.00 |
| IBLK        | IBLK             | 03/27/2025       | 22:26            | PS029587.D | 7.54         | 0.00 |
| HSTDCCC750  | HSTDCCC750       | 03/27/2025       | 22:51            | PS029588.D | 7.53         | 0.00 |
| CO-32-1     | Q1626-01         | 03/28/2025       | 01:15            | PS029593.D | 7.53         | 0.00 |
| CO-32-1MS   | Q1626-01MS       | 03/28/2025       | 01:39            | PS029594.D | 7.53         | 0.00 |
| CO-32-1MSD  | Q1626-01MSD      | 03/28/2025       | 02:03            | PS029595.D | 7.53         | 0.00 |
| IBLK        | IBLK             | 03/28/2025       | 03:39            | PS029599.D | 7.54         | 0.00 |
| HSTDCCC750  | HSTDCCC750       | 03/28/2025       | 04:27            | PS029600.D | 7.54         | 0.00 |
| PB167293BL  | PB167293BL       | 03/28/2025       | 05:39            | PS029603.D | 7.53         | 0.00 |
| IBLK        | IBLK             | 03/28/2025       | 08:51            | PS029611.D | 7.53         | 0.00 |
| HSTDCCC750  | HSTDCCC750       | 03/28/2025       | 09:15            | PS029612.D | 7.53         | 0.00 |
| IBLK        | IBLK             | 04/02/2025       | 16:44            | PS029656.D | 7.48         | 0.00 |
| HSTDICC200  | HSTDICC200       | 04/02/2025       | 17:32            | PS029657.D | 7.48         | 0.00 |
| HSTDICC500  | HSTDICC500       | 04/02/2025       | 17:56            | PS029658.D | 7.48         | 0.00 |
| HSTDICC750  | HSTDICC750       | 04/02/2025       | 18:44            | PS029659.D | 7.48         | 0.00 |
| HSTDICC1000 | HSTDICC1000      | 04/02/2025       | 19:32            | PS029660.D | 7.48         | 0.00 |
| HSTDICC1500 | HSTDICC1500      | 04/02/2025       | 20:44            | PS029661.D | 7.48         | 0.00 |
| IBLK        | IBLK             | 04/03/2025       | 12:08            | PS029672.D | 7.47         | 0.00 |
| HSTDCCC750  | HSTDCCC750       | 04/03/2025       | 12:32            | PS029673.D | 7.48         | 0.00 |
| PB167293BS  | PB167293BS       | 04/03/2025       | 16:06            | PS029681.D | 7.48         | 0.00 |
| IBLK        | IBLK             | 04/03/2025       | 16:40            | PS029682.D | 7.47         | 0.00 |
| HSTDCCC750  | HSTDCCC750       | 04/03/2025       | 17:59            | PS029683.D | 7.47         | 0.00 |