

284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900,

Fax: 908 789 8922

Report of Analysis

Client: Walsh Construction Company II, LLC

Project: Walsh CO-032 Sampling

Client Sample ID: PB167293BS Lab Sample ID: PB167293BS Analytical Method: 8151A

Sample Wt/Vol: 30.01 g Final Vol: 10000 uL

Prep Method: 8151A Prep Date: 03/25/25

Date	Collected:
Date	Received:

SDG No.: Q1626 **SOIL** Matrix: 100 % Solid:

Test: Herbicide

CAS Number	Parameter	Conc.	Qua. DF	MDL	LOQ / CRQL	Units	Date Ana.	BatchID		
TARGETS										
1918-00-9	DICAMBA	187	1	7.70	67.0	ug/Kg	04/03/25 16:06	PB167293		
120-36-5	DICHLORPROP	184	1	12.8	67.0	ug/Kg	04/03/25 16:06	PB167293		
94-75-7	2,4-D	186	1	9.00	67.0	ug/Kg	04/03/25 16:06	PB167293		
93-72-1	2,4,5-TP (Silvex)	192	1	9.10	67.0	ug/Kg	04/03/25 16:06	PB167293		
93-76-5	2,4,5-T	194	1	8.70	67.0	ug/Kg	04/03/25 16:06	PB167293		
94-82-6	2,4-DB	188	1	24.2	67.0	ug/Kg	04/03/25 16:06	PB167293		
88-85-7	DINOSEB	188	1	10.8	67.0	ug/Kg	04/03/25 16:06	PB167293		
SURROGATES										
19719-28-9	2,4-DCAA	599		10 - 141	120%	SPK: 500)			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit