

Cover Page

Order ID : Q1626

Project ID : Walsh CO-032 Sampling

Client : Walsh Construction Company II, LLC

Lab Sample Number

Q1626-01
Q1626-02
Q1626-03

Client Sample Number

CO-32-1
CO-32-1
CO-32-1

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 3/28/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

Walsh Construction Company II, LLC
Project Name: Walsh CO-032 Sampling
Project # N/A
Chemtech Project # Q1626
Test Name: Gasoline Range Organics

A. Number of Samples and Date of Receipt:

3 Solid samples were received on 03/21/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: Ammonia, COD, Corrosivity, Cyanide, EPH_NF, Gasoline Range Organics, Herbicide, Hexavalent Chromium, Ignitability, Mercury, Metals ICP-TAL, METALS TAL+CN, METALS-TAL, Oil and Grease, Paint Filter, PCB, Pesticide-TCL, RCRA CHARACTERISTICS, Reactive Cyanide, Reactive Sulfide, SPLP BNA, SPLP Extraction, SPLP Herbicide, SPLP ICP Metals, SPLP Mercury, SPLP Pesticide, SPLP VOA, SPLP ZHE Ext, SVOC-TCL BNA -20, TCLP BNA, TCLP Extraction, TCLP Herbicide, TCLP ICP Metals, TCLP Mercury, TCLP METALS, TCLP Pesticide, TCLP VOA, TCLP ZHE Extraction, TCLP-FULL, TPH GC, TS, TVS and VOC-TCLVOA-10. This data package contains results for Gasoline Range Organics.

C. Analytical Techniques:

The analysis performed on instrument FID_B were done using GC column RTX502.2 which is 60 meters, 0.53mm ID, 3.0 um df, cat#10909. The analysis of Gasoline Range Organics was based on method 8015D.

D. QA/ QC Samples:

The Holding Times were met for all analysis.
The Surrogate recoveries met the acceptable criteria.
The Retention Times were acceptable for all samples.
The RPD met criteria .
The Blank Spike met requirements for all samples .
The Blank Spike Duplicate met requirements for all samples .
The Blank analysis did not indicate the presence of lab contamination.
The Initial Calibration met the requirements .
The Continuous Calibration met the requirements .

E. Additional Comments:

The soil samples results are based on a dry weight basis.

F. Manual Integration Comments:



284 Sheffield Street, Mountainside, NJ 07092
Phone: 908 789 8900 Fax: 908 789 8922

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following “ Results Qualifiers” are used:

Value	If the result is a value greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. “10 U”. This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
ND	Indicates the analyte was analyzed for, but not detected
J	Indicates an estimated value. This flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others.
B	Indicates the analyte was found in the blank as well as the sample report as “12 B”.
E	Indicates the analyte ‘s concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide/PCB target analyte when there is >25% difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a “P”.
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
A	This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.
Q	Indicates the LCS did not meet the control limits requirements

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q1626

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: PRADIP PRAJAPATI

Date: 03/28/2025

LAB CHRONICLE

OrderID:	Q1626	OrderDate:	3/21/2025 12:59:00 PM
Client:	Walsh Construction Company II, LLC	Project:	Walsh CO-032 Sampling
Contact:	Evelyne Benie Dion Gokan	Location:	F11,VOA Ref. #2 Soil

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1626-01	CO-32-1	SOIL			03/21/25			03/21/25
			Gasoline Range Organics	8015D			03/24/25	
			TPH GC	8015D		03/25/25	03/25/25	
			EPH_NF	NJEPH		03/24/25	03/24/25	



QC SUMMARY



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

SOIL GASOLINE RANGE ORGANICS SURROGATE RECOVERY

Lab Name: Chemtech Client: Walsh Construction Company II, LLC

Lab Code: CHEM Case No.: Q1626 SAS No.: Q1626 SDG No.: Q1626

EPA SAMPLE NO.	S1 AAA-TFT	S2	S3	S4	TOT OUT
VB0324S1	76				0
BS0324S1	98				0
CO-32-1	69				0
BS0324S2	112				0

QC LIMITS

AAA-TFT

For Water : 50-150
For Soil : 50-150

Column to be used to flag recovery values
* Values outside of contract required QC limits
D Surrogate Diluted Out

SOIL GASOLINE RANGE ORGANICS LABORATORY CONTROL SPIKE/LABORATORY CONTROL SPIKE DUPLICATION

Lab Name: Chemtech **Client:** Walsh Construction Company II, LLC
Lab Code: CHEM **Cas No:** Q1626 **SAS No :** Q1626 **SDG No:** Q1626
Matrix Spike - EPA Sample No : BSF0324S1 **Datafile:** FB031611.D

COMPOUND	SPIKE ADDED ug/kg	CONCENTRATION ug/kg	LCS/LCSD CONCENTRATION ug/kg	% REC	QC LIMITS
GRO	180	0	201	112	50-150

SOIL GASOLINE RANGE ORGANICS LABORATORY CONTROL SPIKE/LABORATORY CONTROL SPIKE DUPLICATION

Lab Name: Chemtech **Client:** Walsh Construction Company II, LLC
Lab Code: CHEM **Cas No:** Q1626 **SAS No :** Q1626 **SDG No:** Q1626
Matrix Spike - EPA Sample No : BSF0324S2 **Datafile:** FB031613.D

COMPOUND	SPIKE ADDED ug/kg	CONCENTRATION ug/kg	LCS/LCSD CONCENTRATION ug/kg	% REC	QC LIMITS
GRO	180	0	203	113	50-150

LCS/LCSD % Recovery RPD : 1.0

METHOD BLANK SUMMARY

EPA SAMPLE NO.

VBF0324S1

Lab Name: CHEMTECH

Contract: WALS01

Lab Code: CHEM Case No.: Q1626

SAS No.: Q1626 SDG NO.: Q1626

Lab File ID: FB031609.D

Lab Sample ID: VBF0324S1

Date Analyzed: 03/24/25

Time Analyzed: 14:39

GC Column: RTX-502.2 ID: 0.53 (mm)

Heated Purge: (Y/N) Y

Instrument ID: FB

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED
BSF0324S1	BSF0324S1	FB031611.D	03/24/25
CO-32-1	Q1626-01	FB031612.D	03/24/25
BSF0324S2	BSF0324S2	FB031613.D	03/24/25

COMMENTS: _____



SAMPLE DATA

Report of Analysis

Client:	Walsh Construction Company II, LLC	Date Collected:	03/21/25
Project:	Walsh CO-032 Sampling	Date Received:	03/21/25
Client Sample ID:	CO-32-1	SDG No.:	Q1626
Lab Sample ID:	Q1626-01	Matrix:	SOIL
Analytical Method:	8015D GRO	% Solid:	94.8
Sample Wt/Vol:	5	Units:	g
Soil Aliquot Vol:			uL
Extraction Type:		Final Vol:	5
GPC Factor :		PH :	
Prep Method :		Decanted:	
		Test:	Gasoline Range Organics
		Injection Volume :	

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
FB031612.D	1	03/24/25 17:08	FB032425

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
GRO	GRO	9.00	U	9.00	47.0	ug/kg
SURROGATES						
98-08-8	Alpha,Alpha,Alpha-Trifluoroto	13.7		50 - 150	69%	SPK: 20

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 P = Indicates >25% difference for detected concentrations between the two GC columns
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.
 () = Laboratory InHouse Limit

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB032425\
Data File : FB031612.D
Signal(s) : FID2B.CH
Acq On : 24 Mar 2025 17:08
Operator : YP/AJ
Sample : Q1626-01
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
FID_B
ClientSampleId :
CO-32-1

Integration File: Calibration.e
Quant Time: Mar 25 07:57:37 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB030625.M
Quant Title :
QLast Update : Mon Mar 17 08:39:01 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 5 g/ml
Signal Phase : RTX-502.2
Signal Info : 60mx0.53mmx3.00um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
5) s AAA-TFT	8.795	311099	13.738 ng/ml
Target Compounds			

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB032425\
Data File : FB031612.D
Signal(s) : FID2B.CH
Acq On : 24 Mar 2025 17:08
Operator : YP/AJ
Sample : Q1626-01
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
FID_B
ClientSampleId :
CO-32-1

Integration File: Calibration.e
Quant Time: Mar 25 07:57:37 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB030625.M
Quant Title :
QLast Update : Mon Mar 17 08:39:01 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 5 g/ml
Signal Phase : RTX-502.2
Signal Info : 60mx0.53mmx3.00um





#5 AAA-TFT

R.T.: 8.795 min
Delta R.T.: -0.001 min
Response: 311099
Conc: 13.74 ng/ml

Instrument :
FID_B
ClientSampleId :
CO-32-1

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB032425\
 Data File : FB031612.D
 Signal(s) : FID2B.CH
 Acq On : 24 Mar 2025 17:08
 Sample : Q1626-01
 Misc : 5.00G/5.00 ML DI WATER
 ALS Vial : 5 Sample Multiplier: 1

Integration File: SAMPLE.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB030625.M
 Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.698	4.637	4.761	BV	27	567	0.18%	0.097%
2	4.777	4.761	4.824	PV	20	288	0.09%	0.049%
3	5.573	5.559	5.581	VV	24	225	0.07%	0.038%
4	5.590	5.581	5.599	VV	24	190	0.06%	0.032%
5	5.607	5.599	5.617	VV	14	129	0.04%	0.022%
6	5.631	5.617	5.653	VV	16	284	0.09%	0.049%
7	5.660	5.653	5.667	VV	18	103	0.03%	0.018%
8	5.683	5.667	5.695	VV	23	288	0.09%	0.049%
9	5.717	5.695	5.728	VV	28	444	0.14%	0.076%
10	5.737	5.728	5.755	VV	27	369	0.11%	0.063%
11	5.769	5.755	5.786	VV	30	365	0.11%	0.062%
12	5.810	5.786	5.832	PV	21	372	0.11%	0.063%
13	5.859	5.832	5.889	VV	20	457	0.14%	0.078%
14	5.925	5.889	5.934	VV	24	387	0.12%	0.066%
15	5.946	5.934	5.958	VV	30	264	0.08%	0.045%
16	5.966	5.958	6.001	VV	17	297	0.09%	0.051%
17	6.010	6.001	6.016	VV	14	90	0.03%	0.015%
18	6.024	6.016	6.036	VV	21	182	0.06%	0.031%
19	6.043	6.036	6.054	VV	18	142	0.04%	0.024%
20	6.083	6.054	6.093	VV	21	297	0.09%	0.051%
21	6.104	6.093	6.119	VV	14	186	0.06%	0.032%
22	6.130	6.119	6.146	VV	20	170	0.05%	0.029%
23	6.156	6.146	6.172	PV	14	143	0.04%	0.024%
24	6.189	6.172	6.224	VV	25	531	0.16%	0.091%
25	6.249	6.224	6.259	VV	18	231	0.07%	0.039%
26	6.389	6.259	6.531	VV	622	45029	13.90%	7.692%
27	6.542	6.531	6.560	VV	20	255	0.08%	0.044%
28	6.570	6.560	6.589	VV	25	271	0.08%	0.046%
29	6.627	6.589	6.636	PV	20	395	0.12%	0.068%
30	6.649	6.636	6.676	VV	23	269	0.08%	0.046%
31	6.706	6.676	6.728	VV	21	388	0.12%	0.066%
32	6.748	6.728	6.754	VV	21	240	0.07%	0.041%
33	6.761	6.754	6.773	VV	27	172	0.05%	0.029%
34	6.791	6.773	6.808	VV	30	264	0.08%	0.045%
35	6.858	6.846	6.872	VV	20	233	0.07%	0.040%
36	6.903	6.872	6.945	PV	13	374	0.12%	0.064%

					rters			
37	6.969	6.945	6.979	VV	13	201	0.06%	0.034%
38	7.009	6.979	7.016	VV	23	317	0.10%	0.054%
39	7.033	7.016	7.047	VV	30	388	0.12%	0.066%
40	7.071	7.047	7.098	VV	37	677	0.21%	0.116%
41	7.114	7.098	7.132	VV	36	546	0.17%	0.093%
42	7.139	7.132	7.156	VV	28	249	0.08%	0.042%
43	7.180	7.156	7.200	VV	32	296	0.09%	0.051%
44	7.211	7.200	7.221	PV	8	59	0.02%	0.010%
45	7.236	7.221	7.249	PV	13	153	0.05%	0.026%
46	7.272	7.249	7.331	VV	18	662	0.20%	0.113%
47	7.341	7.331	7.346	VV	27	151	0.05%	0.026%
48	7.378	7.346	7.386	VV	32	638	0.20%	0.109%
49	7.415	7.386	7.485	VV	50	2127	0.66%	0.363%
50	7.493	7.485	7.502	VV	30	215	0.07%	0.037%
51	7.516	7.502	7.555	VV	38	537	0.17%	0.092%
52	7.572	7.555	7.583	VV	18	248	0.08%	0.042%
53	7.591	7.583	7.607	VV	15	220	0.07%	0.038%
54	7.614	7.607	7.622	VV	28	162	0.05%	0.028%
55	7.634	7.622	7.655	VV	18	260	0.08%	0.044%
56	7.661	7.655	7.668	VV	30	162	0.05%	0.028%
57	7.684	7.668	7.726	VV	35	815	0.25%	0.139%
58	7.740	7.726	7.750	VV	38	393	0.12%	0.067%
59	7.759	7.750	7.781	VV	31	444	0.14%	0.076%
60	7.791	7.781	7.807	VV	23	266	0.08%	0.046%
61	7.826	7.807	7.838	VV	30	384	0.12%	0.066%
62	7.867	7.838	7.875	VV	43	669	0.21%	0.114%
63	7.893	7.875	7.936	VV	51	1472	0.45%	0.251%
64	7.944	7.936	7.951	VV	42	277	0.09%	0.047%
65	7.956	7.951	7.982	VV	33	445	0.14%	0.076%
66	7.997	7.982	8.006	VV	31	351	0.11%	0.060%
67	8.014	8.006	8.036	VV	30	382	0.12%	0.065%
68	8.046	8.036	8.061	VV	36	322	0.10%	0.055%
69	8.075	8.061	8.091	VV	25	352	0.11%	0.060%
70	8.124	8.091	8.178	VV	38	1434	0.44%	0.245%
71	8.188	8.178	8.200	VV	38	438	0.14%	0.075%
72	8.210	8.200	8.221	VV	38	424	0.13%	0.072%
73	8.228	8.221	8.270	VV	38	867	0.27%	0.148%
74	8.281	8.270	8.292	VV	35	374	0.12%	0.064%
75	8.322	8.292	8.338	VV	40	771	0.24%	0.132%
76	8.353	8.338	8.361	VV	29	348	0.11%	0.059%
77	8.386	8.361	8.398	VV	32	600	0.19%	0.102%
78	8.402	8.398	8.426	VV	35	462	0.14%	0.079%
79	8.454	8.426	8.500	VV	33	1031	0.32%	0.176%
80	8.521	8.500	8.531	VV	30	412	0.13%	0.070%
81	8.545	8.531	8.561	VV	37	414	0.13%	0.071%
82	8.579	8.561	8.625	VV	27	754	0.23%	0.129%
83	8.639	8.625	8.650	VV	34	377	0.12%	0.064%
84	8.795	8.650	8.946	VV	5552	324028	100.00%	55.351%
85	9.120	9.099	9.171	VV	66	2033	0.63%	0.347%
86	9.200	9.171	9.241	VV	55	1384	0.43%	0.236%
87	9.281	9.241	9.299	VV	27	693	0.21%	0.118%
88	9.345	9.299	9.358	VV	34	847	0.26%	0.145%
89	9.371	9.358	9.450	VV	31	1153	0.36%	0.197%

					rteres			
90	9.463	9.450	9.478	VV	16	247	0.08%	0.042%
91	9.518	9.478	9.537	VV	28	760	0.23%	0.130%
92	9.554	9.537	9.592	VV	37	817	0.25%	0.140%
93	9.605	9.592	9.618	VV	20	222	0.07%	0.038%
94	9.720	9.618	9.767	VV	35	1772	0.55%	0.303%
95	9.780	9.767	9.798	VV	17	299	0.09%	0.051%
96	9.871	9.798	9.906	VV	44	1737	0.54%	0.297%
97	9.944	9.906	10.020	VV	48	2370	0.73%	0.405%
98	10.041	10.020	10.098	VV	35	851	0.26%	0.145%
99	10.111	10.098	10.133	VV	26	304	0.09%	0.052%
100	10.171	10.133	10.187	VV	28	515	0.16%	0.088%
101	10.212	10.187	10.232	VV	27	506	0.16%	0.086%
102	10.390	10.232	10.544	VV	140	14894	4.60%	2.544%
103	10.623	10.544	10.740	VV	176	10743	3.32%	1.835%
104	10.779	10.740	10.793	VV	47	1010	0.31%	0.173%
105	10.808	10.793	10.854	VV	36	1073	0.33%	0.183%
106	10.865	10.854	10.908	VV	30	646	0.20%	0.110%
107	10.951	10.908	10.968	VV	32	685	0.21%	0.117%
108	10.985	10.968	11.010	VV	27	549	0.17%	0.094%
109	11.032	11.010	11.056	VV	22	483	0.15%	0.083%
110	11.070	11.056	11.084	VV	28	364	0.11%	0.062%
111	11.106	11.084	11.130	VV	31	598	0.18%	0.102%
112	11.167	11.130	11.256	VV	29	1608	0.50%	0.275%
113	11.284	11.256	11.317	VV	38	699	0.22%	0.119%
114	11.360	11.317	11.389	VV	30	1014	0.31%	0.173%
115	11.403	11.389	11.454	VV	31	924	0.29%	0.158%
116	11.484	11.454	11.504	VV	32	586	0.18%	0.100%
117	11.524	11.504	11.549	VV	31	649	0.20%	0.111%
118	11.571	11.549	11.587	VV	29	488	0.15%	0.083%
119	11.597	11.587	11.646	VV	32	729	0.23%	0.125%
120	11.677	11.646	11.701	VV	28	629	0.19%	0.107%
121	11.716	11.701	11.738	VV	39	558	0.17%	0.095%
122	11.749	11.738	11.782	VV	25	551	0.17%	0.094%
123	11.878	11.782	11.948	VV	39	2404	0.74%	0.411%
124	11.964	11.948	11.983	VV	19	340	0.11%	0.058%
125	12.001	11.983	12.030	VV	30	497	0.15%	0.085%
126	12.041	12.030	12.058	VV	30	316	0.10%	0.054%
127	12.111	12.058	12.134	VV	34	988	0.30%	0.169%
128	12.185	12.134	12.224	VV	30	1155	0.36%	0.197%
129	12.240	12.224	12.253	VV	33	391	0.12%	0.067%
130	12.277	12.253	12.298	VV	41	738	0.23%	0.126%
131	12.315	12.298	12.330	VV	37	417	0.13%	0.071%
132	12.354	12.330	12.369	VV	26	517	0.16%	0.088%
133	12.380	12.369	12.397	VV	40	406	0.13%	0.069%
134	12.432	12.397	12.483	VV	29	1150	0.35%	0.196%
135	12.531	12.483	12.584	VV	38	1434	0.44%	0.245%
136	12.607	12.584	12.656	VV	36	851	0.26%	0.145%
137	12.706	12.656	12.737	PV	45	1420	0.44%	0.243%
138	12.760	12.737	12.857	VV	40	2338	0.72%	0.399%
139	12.873	12.857	12.913	VV	38	1025	0.32%	0.175%
140	12.928	12.913	12.954	VV	32	661	0.20%	0.113%
141	13.051	12.954	13.118	VV	92	5984	1.85%	1.022%

					rteres				
142	13.191	13.118	13.320	VV	196	12338	3.81%	2.108%	
143	13.335	13.320	13.455	VV	43	2319	0.72%	0.396%	
144	13.465	13.455	13.488	VV	36	585	0.18%	0.100%	
145	13.525	13.488	13.569	VV	32	1273	0.39%	0.217%	
146	13.582	13.569	13.609	VV	33	540	0.17%	0.092%	
147	13.639	13.609	13.703	VV	33	1530	0.47%	0.261%	
148	13.715	13.703	13.729	VV	41	481	0.15%	0.082%	
149	13.753	13.729	13.767	VV	36	606	0.19%	0.104%	
150	13.791	13.767	13.822	VV	44	834	0.26%	0.143%	
151	13.922	13.822	14.011	VV	211	13290	4.10%	2.270%	
152	14.114	14.011	14.318	VV	262	24372	7.52%	4.163%	
153	14.396	14.318	14.441	VV	32	1658	0.51%	0.283%	
154	14.525	14.441	14.582	VV	36	1897	0.59%	0.324%	
155	14.615	14.582	14.640	VV	26	728	0.22%	0.124%	
156	14.667	14.640	14.684	VV	42	639	0.20%	0.109%	
157	14.701	14.684	14.730	VV	40	705	0.22%	0.121%	
158	14.746	14.730	14.765	VV	36	419	0.13%	0.072%	
159	14.797	14.765	14.810	PV	24	392	0.12%	0.067%	
160	14.843	14.810	14.863	VV	43	816	0.25%	0.139%	
161	14.875	14.863	14.919	VV	35	921	0.28%	0.157%	
162	14.936	14.919	14.965	VV	32	595	0.18%	0.102%	
163	15.002	14.965	15.022	VV	35	760	0.23%	0.130%	
164	15.060	15.022	15.126	VV	55	2496	0.77%	0.426%	
165	15.142	15.126	15.196	VV	32	862	0.27%	0.147%	
166	15.230	15.196	15.267	VV	27	900	0.28%	0.154%	
167	15.335	15.267	15.346	VV	47	1322	0.41%	0.226%	
168	15.380	15.346	15.469	VV	83	4073	1.26%	0.696%	
169	15.494	15.469	15.581	VV	46	1758	0.54%	0.300%	
170	15.593	15.581	15.618	VV	25	315	0.10%	0.054%	
171	15.669	15.618	15.721	VV	30	1105	0.34%	0.189%	
172	15.729	15.721	15.757	VV	26	271	0.08%	0.046%	
173	15.775	15.757	15.821	VV	21	470	0.14%	0.080%	
174	15.844	15.821	15.863	VV	22	324	0.10%	0.055%	
175	15.899	15.863	15.922	VV	31	620	0.19%	0.106%	
176	15.944	15.922	15.979	VV	33	698	0.22%	0.119%	
177	16.055	15.979	16.107	VV	32	1648	0.51%	0.282%	
178	16.199	16.107	16.295	VV	405	18823	5.81%	3.215%	
179	16.359	16.295	16.374	PV	21	541	0.17%	0.092%	
				Sum of corrected areas:		585410			

FB030625.M Tue Mar 25 08:13:51 2025



CALIBRATION SUMMARY

GASOLINE RANGE ORGANICS INITIAL CALIBRATION SUMMARY

Lab Name: Chemtech Contract: WALS01
 ProjectID: Walsh CO-032 Sampling
 Lab Code: CHEM Case No.: Q1626 SAS No.: Q1626 SDG No.: Q1626

Calibration Sequence : FB030625		Test : Gasoline Range Organics	
Concentration (PPB)	Area Count	Reference Factor	File ID
90	2790097	31001	FB031557.D
180	6158229	34212	FB031558.D
450	15455660	34346	FB031559.D
900	28540252	31711	FB031560.D
45	1778844	39530	FB031561.D
AVG RF : 34160		% RSD : 9.803	AVG RT : 8.7964

GASOLINE RANGE ORGANICS CONTINUING CALIBRATION SUMMARY

20 PPB GRO STD

Lab Name: Chemtech Contract: WALS01
ProjectID: Walsh CO-032 Sampling
Lab Code: CHEM Case No.: Q1626 SAS No.: Q1626 SDG No.: Q1626
DataFile: FB031608.D Analyst Name: YP/AJ Analyst Date: 03-24-2025

Conc. (PPB)	Area Count	RF	Average RF	%D
180	5848564	32492	34160	4.883

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB032425\
 Data File : FB031608.D
 Signal(s) : FID2B.CH
 Acq On : 24 Mar 2025 12:40
 Operator : YP/AJ
 Sample : 20 PPB GRO STD
 Misc :
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 FID_B
 ClientSampleId :
 20 PPB GRO STD

Integration File: Calibration.e
 Quant Time: Mar 25 07:56:51 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB030625.M
 Quant Title :
 QLast Update : Mon Mar 17 08:39:01 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 5 g/ml
 Signal Phase : RTX-502.2
 Signal Info : 60mx0.53mmx3.00um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
5) s AAA-TFT	8.795	409944	18.103 ng/ml
Target Compounds			
1) t 2-Methylpentane	4.724	841097	33.071 ng/ml
2) t 2,2,4-Trimethylpentane	7.423	1060818	30.597 ng/ml
3) t n-Heptane	7.756	332995	10.757 ng/ml
4) t Benzene	7.895	389198	9.209 ng/ml
6) t Toluene	10.623	1084981	27.429 ng/ml
7) t Ethylbenzene	13.059	318138	9.020 ng/ml
8) t m-Xylene	13.193	693901	18.001 ng/ml
9) t O-Xylene	13.921	641367	17.379 ng/ml
10) t 1,2,4-Trimethylbenzene	16.198	486069	17.203 ng/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB032425\
Data File : FB031608.D
Signal(s) : FID2B.CH
Acq On : 24 Mar 2025 12:40
Operator : YP/AJ
Sample : 20 PPB GRO STD
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
FID_B
ClientSampleId :
20 PPB GRO STD

Integration File: Calibration.e
Quant Time: Mar 25 07:56:51 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB030625.M
Quant Title :
QLast Update : Mon Mar 17 08:39:01 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 5 g/ml
Signal Phase : RTX-502.2
Signal Info : 60mx0.53mmx3.00um



rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB032425\
Data File : FB031608.D
Signal(s) : FID2B.CH
Acq On : 24 Mar 2025 12:40
Sample : 20 PPB GRO STD
Misc :
ALS Vial : 1 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB030625.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.724	4.576	4.884	BV	11494	841097	77.52%	13.439%
2	7.423	7.220	7.634	BV	12225	1060818	97.77%	16.950%
3	7.756	7.634	7.825	VV	5839	332995	30.69%	5.321%
4	7.895	7.825	8.197	VV	6839	389198	35.87%	6.219%
5	8.795	8.624	9.041	PV	6943	409944	37.78%	6.550%
6	10.623	10.505	10.975	VV	20382	1084981	100.00%	17.336%
7	13.059	12.924	13.120	PV	6725	318138	29.32%	5.083%
8	13.193	13.120	13.455	VV	13209	693901	63.96%	11.087%
9	13.921	13.744	14.054	BV	12527	641367	59.11%	10.248%
10	16.198	16.049	16.357	PV	10950	486069	44.80%	7.767%

Sum of corrected areas: 6258507

FB030625.M Tue Mar 25 08:22:42 2025

GASOLINE RANGE ORGANICS CONTINUING CALIBRATION SUMMARY

20 PPB GRO STD

Lab Name: Chemtech Contract: WALS01
ProjectID: Walsh CO-032 Sampling
Lab Code: CHEM Case No.: Q1626 SAS No.: Q1626 SDG No.: Q1626
DataFile: FB031614.D Analyst Name: YP/AJ Analyst Date: 03-24-2025

Conc. (PPB)	Area Count	RF	Average RF	%D
180	6837229	37985	34160	11.197

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB032425\
 Data File : FB031614.D
 Signal(s) : FID2B.CH
 Acq On : 24 Mar 2025 19:24
 Operator : YP/AJ
 Sample : 20 PPB GRO STD
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 FID_B
 ClientSampleId :
 20 PPB GRO STD

Integration File: Calibration.e
 Quant Time: Mar 25 07:58:04 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB030625.M
 Quant Title :
 QLast Update : Mon Mar 17 08:39:01 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 5 g/ml
 Signal Phase : RTX-502.2
 Signal Info : 60mx0.53mmx3.00um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
5) s AAA-TFT	8.795	401895	17.748 ng/ml
Target Compounds			
1) t 2-Methylpentane	4.725	899279	35.358 ng/ml
2) t 2,2,4-Trimethylpentane	7.426	1208463	34.855 ng/ml
3) t n-Heptane	7.756	368779	11.913 ng/ml
4) t Benzene	7.897	459223	10.865 ng/ml
6) t Toluene	10.624	1306824	33.037 ng/ml
7) t Ethylbenzene	13.060	380754	10.795 ng/ml
8) t m-Xylene	13.194	832428	21.595 ng/ml
9) t O-Xylene	13.922	787536	21.340 ng/ml
10) t 1,2,4-Trimethylbenzene	16.198	593943	21.021 ng/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB032425\
Data File : FB031614.D
Signal(s) : FID2B.CH
Acq On : 24 Mar 2025 19:24
Operator : YP/AJ
Sample : 20 PPB GRO STD
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
FID_B
ClientSampleId :
20 PPB GRO STD

Integration File: Calibration.e
Quant Time: Mar 25 07:58:04 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB030625.M
Quant Title :
QLast Update : Mon Mar 17 08:39:01 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 5 g/ml
Signal Phase : RTX-502.2
Signal Info : 60mx0.53mmx3.00um



rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB032425\
Data File : FB031614.D
Signal(s) : FID2B.CH
Acq On : 24 Mar 2025 19:24
Sample : 20 PPB GRO STD
Misc :
ALS Vial : 10 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB030625.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.725	4.587	4.885	BV	12713	899279	68.81%	12.422%
2	7.426	7.184	7.642	PV	13759	1208463	92.47%	16.693%
3	7.756	7.642	7.826	VV	6505	368779	28.22%	5.094%
4	7.897	7.826	8.122	VV	8215	459223	35.14%	6.344%
5	8.795	8.626	9.032	PV	6894	401895	30.75%	5.552%
6	10.624	10.505	10.983	VV	24265	1306824	100.00%	18.052%
7	13.060	12.921	13.121	BV	7992	380754	29.14%	5.260%
8	13.194	13.121	13.378	VV	15788	832428	63.70%	11.499%
9	13.922	13.760	14.060	PV	15270	787536	60.26%	10.879%
10	16.198	16.082	16.401	BBA	13374	593943	45.45%	8.205%

Sum of corrected areas: 7239125

FB030625.M Tue Mar 25 08:24:51 2025

Analytical Sequence

Client: Walsh Construction Company II, LLC

SDG No.: Q1626

Project: Walsh CO-032 Sampling

Instrument ID: FID_B

GC Column: RTX-502.2 **ID:** 0.53 (mm)

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

MEAN SUROGATE RT FROM INITIAL CALIBRATION 8.7964					
EPA SAMPLE NO.	LAB SAMPLE ID	DATE AND TIME ANALYZED	DATAFILE	RT	#
20 PPB GRO STD	20 PPB GRO STD	24 Mar 2025 12:40	FB031608.D	8.795	
VBF0324S1	VBF0324S1	24 Mar 2025 14:39	FB031609.D	8.796	
BSF0324S1	BSF0324S1	24 Mar 2025 16:40	FB031611.D	8.795	
CO-32-1	Q1626-01	24 Mar 2025 17:08	FB031612.D	8.795	
BSF0324S2	BSF0324S2	24 Mar 2025 18:29	FB031613.D	8.795	
20 PPB GRO STD	20 PPB GRO STD	24 Mar 2025 19:24	FB031614.D	8.795	



QC SAMPLE DATA

Report of Analysis

Client:	Walsh Construction Company II, LLC	Date Collected:	
Project:	Walsh CO-032 Sampling	Date Received:	
Client Sample ID:	VBF0324S1	SDG No.:	Q1626
Lab Sample ID:	VBF0324S1	Matrix:	SOIL
Analytical Method:	8015D GRO	% Solid:	100
Sample Wt/Vol:	5	Units:	g
Soil Aliquot Vol:			uL
Extraction Type:		Test:	Gasoline Range Organics
GPC Factor :		Injection Volume :	
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
FB031609.D	1	03/24/25 14:39	FB032425

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
GRO	GRO	8.00	U	8.00	45.0	ug/kg
SURROGATES						
98-08-8	Alpha,Alpha,Alpha-Trifluoroto	15.1		50 - 150	76%	SPK: 20

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 P = Indicates >25% difference for detected concentrations between the two GC columns
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.
 () = Laboratory InHouse Limit

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB032425\
Data File : FB031609.D
Signal(s) : FID2B.CH
Acq On : 24 Mar 2025 14:39
Operator : YP/AJ
Sample : VBF0324S1
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
FID_B
ClientSampleId :
VBF0324S1

Integration File: Calibration.e
Quant Time: Mar 25 07:57:05 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB030625.M
Quant Title :
QLast Update : Mon Mar 17 08:39:01 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 5 g/ml
Signal Phase : RTX-502.2
Signal Info : 60mx0.53mmx3.00um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
5) s AAA-TFT	8.796	342729	15.135 ng/ml
Target Compounds			

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB032425\
Data File : FB031609.D
Signal(s) : FID2B.CH
Acq On : 24 Mar 2025 14:39
Operator : YP/AJ
Sample : VBF0324S1
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
FID_B
ClientSampleId :
VBF0324S1

Integration File: Calibration.e
Quant Time: Mar 25 07:57:05 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB030625.M
Quant Title :
QLast Update : Mon Mar 17 08:39:01 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 5 g/ml
Signal Phase : RTX-502.2
Signal Info : 60mx0.53mmx3.00um





#5 AAA-TFT

R.T.: 8.796 min
Delta R.T.: 0.000 min
Response: 342729
Conc: 15.14 ng/ml

Instrument :
FID_B
ClientSampleId :
VBF0324S1

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB032425\
Data File : FB031609.D
Signal(s) : FID2B.CH
Acq On : 24 Mar 2025 14:39
Sample : VBF0324S1
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 2 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB030625.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	8.796	8.670	8.941	BV	6029	342729	100.00%	100.000%
Sum of corrected areas:						342729		

FB030625.M Tue Mar 25 08:23:12 2025

Report of Analysis

Client:	Walsh Construction Company II, LLC	Date Collected:	
Project:	Walsh CO-032 Sampling	Date Received:	
Client Sample ID:	BSF0324S1	SDG No.:	Q1626
Lab Sample ID:	BSF0324S1	Matrix:	SOIL
Analytical Method:	8015D GRO	% Solid:	100
Sample Wt/Vol:	5	Units:	g
Soil Aliquot Vol:			uL
Extraction Type:		Decanted:	
GPC Factor :		Final Vol:	5
Prep Method :		Test:	Gasoline Range Organics
	PH :	Injection Volume :	

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
FB031611.D	1	03/24/25 16:40	FB032425

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
GRO	GRO	201		8.00	45.0	ug/kg
SURROGATES						
98-08-8	Alpha,Alpha,Alpha-Trifluoroto	19.6		50 - 150	98%	SPK: 20

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 P = Indicates >25% difference for detected concentrations between the two GC columns
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.
 () = Laboratory InHouse Limit

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB032425\
 Data File : FB031611.D
 Signal(s) : FID2B.CH
 Acq On : 24 Mar 2025 16:40
 Operator : YP/AJ
 Sample : BSF0324S1
 Misc : 5.00G/5.00 ML DI WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 FID_B
 ClientSampleId :
 BSF0324S1

Integration File: Calibration.e
 Quant Time: Mar 25 07:57:24 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB030625.M
 Quant Title :
 QLast Update : Mon Mar 17 08:39:01 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 5 g/ml
 Signal Phase : RTX-502.2
 Signal Info : 60mx0.53mmx3.00um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
5) s AAA-TFT	8.795	442676	19.549 ng/ml
Target Compounds			
1) t 2-Methylpentane	4.725	1027192	40.388 ng/ml
2) t 2,2,4-Trimethylpentane	7.424	1210454	34.913 ng/ml
3) t n-Heptane	7.757	358378	11.577 ng/ml
4) t Benzene	7.896	449105	10.626 ng/ml
6) t Toluene	10.624	1278892	32.331 ng/ml
7) t Ethylbenzene	13.060	373865	10.600 ng/ml
8) t m-Xylene	13.194	818182	21.225 ng/ml
9) t O-Xylene	13.922	767354	20.793 ng/ml
10) t 1,2,4-Trimethylbenzene	16.198	567850	20.098 ng/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB032425\
Data File : FB031611.D
Signal(s) : FID2B.CH
Acq On : 24 Mar 2025 16:40
Operator : YP/AJ
Sample : BSF0324S1
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
FID_B
ClientSampleId :
BSF0324S1

Integration File: Calibration.e
Quant Time: Mar 25 07:57:24 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB030625.M
Quant Title :
QLast Update : Mon Mar 17 08:39:01 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 5 g/ml
Signal Phase : RTX-502.2
Signal Info : 60mx0.53mmx3.00um



rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB032425\
Data File : FB031611.D
Signal(s) : FID2B.CH
Acq On : 24 Mar 2025 16:40
Sample : BSF0324S1
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 4 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB030625.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.725	4.559	4.886	BV	13368	1027192	80.32%	14.083%
2	7.424	7.206	7.639	BV	13835	1210454	94.65%	16.595%
3	7.757	7.639	7.825	VV	6337	358378	28.02%	4.913%
4	7.896	7.825	8.089	VV	8069	449105	35.12%	6.157%
5	8.795	8.565	9.057	PV	7553	442676	34.61%	6.069%
6	10.624	10.491	10.958	VV	23814	1278892	100.00%	17.534%
7	13.060	12.901	13.121	BV	7864	373865	29.23%	5.126%
8	13.194	13.121	13.469	VV	15539	818182	63.98%	11.217%
9	13.922	13.622	14.059	BV	15030	767354	60.00%	10.520%
10	16.198	16.066	16.401	BBA	12830	567850	44.40%	7.785%

Sum of corrected areas: 7293949

FB030625.M Tue Mar 25 08:23:55 2025

Report of Analysis

Client:	Walsh Construction Company II, LLC	Date Collected:	
Project:	Walsh CO-032 Sampling	Date Received:	
Client Sample ID:	BSF0324S2	SDG No.:	Q1626
Lab Sample ID:	BSF0324S2	Matrix:	SOIL
Analytical Method:	8015D GRO	% Solid:	100
Sample Wt/Vol:	5	Units:	g
Soil Aliquot Vol:			uL
Extraction Type:		Test:	Gasoline Range Organics
GPC Factor :		Injection Volume :	
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
FB031613.D	1	03/24/25 18:29	FB032425

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
GRO	GRO	203		8.00	45.0	ug/kg
SURROGATES						
98-08-8	Alpha,Alpha,Alpha-Trifluoroto	22.5		50 - 150	112%	SPK: 20

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 P = Indicates >25% difference for detected concentrations between the two GC columns
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.
 () = Laboratory InHouse Limit

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB032425\
 Data File : FB031613.D
 Signal(s) : FID2B.CH
 Acq On : 24 Mar 2025 18:29
 Operator : YP/AJ
 Sample : BSF0324S2
 Misc : 5.00G/5.00 ML DI WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 FID_B
 ClientSampleId :
 BSF0324S2

Integration File: Calibration.e
 Quant Time: Mar 25 07:57:49 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB030625.M
 Quant Title :
 QLast Update : Mon Mar 17 08:39:01 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 5 g/ml
 Signal Phase : RTX-502.2
 Signal Info : 60mx0.53mmx3.00um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
5) s AAA-TFT	8.795	509120	22.483 ng/ml
Target Compounds			
1) t 2-Methylpentane	4.726	1046783	41.158 ng/ml
2) t 2,2,4-Trimethylpentane	7.423	1247304	35.976 ng/ml
3) t n-Heptane	7.757	372958	12.048 ng/ml
4) t Benzene	7.896	472518	11.180 ng/ml
6) t Toluene	10.625	1291586	32.652 ng/ml
7) t Ethylbenzene	13.061	374647	10.622 ng/ml
8) t m-Xylene	13.195	818894	21.244 ng/ml
9) t O-Xylene	13.923	769704	20.857 ng/ml
10) t 1,2,4-Trimethylbenzene	16.199	547998	19.395 ng/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB032425\
Data File : FB031613.D
Signal(s) : FID2B.CH
Acq On : 24 Mar 2025 18:29
Operator : YP/AJ
Sample : BSF0324S2
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
FID_B
ClientSampleId :
BSF0324S2

Integration File: Calibration.e
Quant Time: Mar 25 07:57:49 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB030625.M
Quant Title :
QLast Update : Mon Mar 17 08:39:01 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 5 g/ml
Signal Phase : RTX-502.2
Signal Info : 60mx0.53mmx3.00um



rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB032425\
Data File : FB031613.D
Signal(s) : FID2B.CH
Acq On : 24 Mar 2025 18:29
Sample : BSF0324S2
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 8 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB030625.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.726	4.565	4.888	BV	13440	1046783	81.05%	14.048%
2	7.423	7.212	7.644	PV	14120	1247304	96.57%	16.739%
3	7.757	7.644	7.825	VV	6547	372958	28.88%	5.005%
4	7.896	7.825	8.200	VV	8203	472518	36.58%	6.341%
5	8.795	8.646	9.080	PV	8630	509120	39.42%	6.832%
6	10.625	10.499	10.961	VV	23797	1291586	100.00%	17.333%
7	13.061	12.880	13.121	PV	7816	374647	29.01%	5.028%
8	13.195	13.121	13.391	VV	15506	818894	63.40%	10.990%
9	13.923	13.708	14.055	BV	14997	769704	59.59%	10.330%
10	16.199	16.055	16.327	BV	12483	547998	42.43%	7.354%

Sum of corrected areas: 7451512

FB030625.M Tue Mar 25 08:24:28 2025

Manual Integration Report

Sample ID	ClientId ID	File ID	Sequence ID	Parameter	Supervised By	Supervised On	Reason
100 GRO STD		FB031560.D	FB030625	2-Methylpentane	mohammad	3/8/2025 4:29:00 AM	Peak Integrated by Software incorrectly

Instrument ID: FID_B

Daily Analysis Runlog For Sequence/QC Batch ID # FB030625

Review By	yogesh	Review On	3/6/2025 1:50:04 PM
Supervise By	mohammad	Supervise On	3/8/2025 4:29:09 AM
SubDirectory	FB030625	HP Acquire Method	HP Processing Method FB030625
STD. NAME	STD REF.#		
Tune/Reschk Initial Calibration Stds	PP24110,PP24219,PP24220,PP24221,PP24222,PP24223		
CCC Internal Standard/PEM ICV/I.BLK Surrogate Standard MS/MSD Standard LCS Standard	PP24111,PP24224		

Sr#	SampleId	Data File Name	Date-Time	Operator	Status
1	5 GRO STD	FB031556.D	6 Mar 2025 9:38	YP/AJ	Not Ok
2	10 GRO STD	FB031557.D	6 Mar 2025 10:20	YP/AJ	Ok
3	20 GRO STD	FB031558.D	6 Mar 2025 10:48	YP/AJ	Ok
4	50 GRO STD	FB031559.D	6 Mar 2025 11:15	YP/AJ	Ok
5	100 GRO STD	FB031560.D	6 Mar 2025 11:43	YP/AJ	Ok,M
6	5 GRO STD	FB031561.D	6 Mar 2025 13:21	YP/AJ	Ok
7	FB030625GROICV	FB031562.D	6 Mar 2025 14:05	YP/AJ	Ok

M : Manual Integration

Instrument ID: FID_B

Daily Analysis Runlog For Sequence/QCBatch ID # FB032425

Review By	yogesh	Review On	3/24/2025 4:12:40 PM
Supervise By	mohammad	Supervise On	3/26/2025 9:27:22 AM
SubDirectory	FB032425	HP Acquire Method	HP Processing Method FB030625
STD. NAME	STD REF.#		
Tune/Reschk Initial Calibration Stds	PP24110,PP24219,PP24220,PP24221,PP24222,PP24223		
CCC Internal Standard/PEM	PP24422,PP24423		
ICV/I.BLK Surrogate Standard MS/MSD Standard LCS Standard	PP24111,PP24224		

Sr#	SampleId	Data File Name	Date-Time	Operator	Status
1	20 PPB GRO STD	FB031608.D	24 Mar 2025 12:40	YP/AJ	Ok
2	VBF0324S1	FB031609.D	24 Mar 2025 14:39	YP/AJ	Ok
3	VBF0324S2	FB031610.D	24 Mar 2025 15:07	YP/AJ	Ok
4	BSF0324S1	FB031611.D	24 Mar 2025 16:40	YP/AJ	Ok
5	Q1626-01	FB031612.D	24 Mar 2025 17:08	YP/AJ	Ok
6	BSF0324S2	FB031613.D	24 Mar 2025 18:29	YP/AJ	Ok
7	20 PPB GRO STD	FB031614.D	24 Mar 2025 19:24	YP/AJ	Ok

M : Manual Integration

Instrument ID: FID_B

Daily Analysis Runlog For Sequence/QC Batch ID # FB030625

Review By	yogesh	Review On	3/6/2025 1:50:04 PM
Supervise By	mohammad	Supervise On	3/8/2025 4:29:09 AM
SubDirectory	FB030625	HP Acquire Method	HP Processing Method
			FB030625

STD. NAME	STD REF.#
Tune/Reschk Initial Calibration Stds	PP24110,PP24219,PP24220,PP24221,PP24222,PP24223
CCC Internal Standard/PEM ICV/I.BLK Surrogate Standard MS/MSD Standard LCS Standard	PP24111,PP24224

Sr#	SampleID	ClientID	Data File Name	Date-Time	Comment	Operator	Status
1	5 GRO STD		FB031556.D	6 Mar 2025 9:38	not used	YP/AJ	Not Ok
2	10 GRO STD		FB031557.D	6 Mar 2025 10:20		YP/AJ	Ok
3	20 GRO STD		FB031558.D	6 Mar 2025 10:48		YP/AJ	Ok
4	50 GRO STD		FB031559.D	6 Mar 2025 11:15		YP/AJ	Ok
5	100 GRO STD		FB031560.D	6 Mar 2025 11:43		YP/AJ	Ok,M
6	5 GRO STD		FB031561.D	6 Mar 2025 13:21		YP/AJ	Ok
7	FB030625GROICV		FB031562.D	6 Mar 2025 14:05		YP/AJ	Ok

M : Manual Integration

Instrument ID: FID_B

Daily Analysis Runlog For Sequence/QC Batch ID # FB032425

Review By	yogesh	Review On	3/24/2025 4:12:40 PM
Supervise By	mohammad	Supervise On	3/26/2025 9:27:22 AM
SubDirectory	FB032425	HP Acquire Method	HP Processing Method FB030625

STD. NAME	STD REF.#
Tune/Reschk Initial Calibration Stds	PP24110,PP24219,PP24220,PP24221,PP24222,PP24223
CCC	PP24422,PP24423
Internal Standard/PEM	
ICV/I.BLK	PP24111,PP24224
Surrogate Standard	
MS/MSD Standard	
LCS Standard	

Sr#	SampleID	ClientID	Data File Name	Date-Time	Comment	Operator	Status
1	20 PPB GRO STD		FB031608.D	24 Mar 2025 12:40		YP/AJ	Ok
2	VBF0324S1		FB031609.D	24 Mar 2025 14:39		YP/AJ	Ok
3	VBF0324S2		FB031610.D	24 Mar 2025 15:07		YP/AJ	Ok
4	BSF0324S1		FB031611.D	24 Mar 2025 16:40		YP/AJ	Ok
5	Q1626-01		FB031612.D	24 Mar 2025 17:08	Vial A	YP/AJ	Ok
6	BSF0324S2		FB031613.D	24 Mar 2025 18:29		YP/AJ	Ok
7	20 PPB GRO STD		FB031614.D	24 Mar 2025 19:24		YP/AJ	Ok

M : Manual Integration



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 3/25/2025

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 03/24/2025
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:11
Out Date: 03/25/2025
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID- OVEN

QC:LB135155

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
Q1623-05	SVOC-GPC-BLANK	1	1.00	1.00	2.00	2.00	100.0	
Q1623-06	PEST-GPC-BLANK	2	1.00	1.00	2.00	2.00	100.0	
Q1623-07	PEST-GPC-BLANK-SPIKE	3	1.00	1.00	2.00	2.00	100.0	
Q1623-08	PCB-GPC-BLANK	4	1.00	1.00	2.00	2.00	100.0	
Q1623-09	PCB-GPC-BLANK-SPIKE	5	1.00	1.00	2.00	2.00	100.0	
Q1623-10	SVOC-GPC2-BLANK	6	1.00	1.00	2.00	2.00	100.0	
Q1623-11	PEST-GPC2-BLANK	7	1.00	1.00	2.00	2.00	100.0	
Q1623-12	PEST-GPC2-BLANK-SPIKE	8	1.00	1.00	2.00	2.00	100.0	
Q1623-13	PCB-GPC2-BLANK	9	1.00	1.00	2.00	2.00	100.0	
Q1623-14	PCB-GPC2-BLANK-SPIKE	10	1.00	1.00	2.00	2.00	100.0	
Q1626-01	CO-32-1	11	1.14	10.23	11.37	10.84	94.8	
Q1630-01	VNJ-206	12	1.15	10.39	11.54	10.26	87.7	
Q1631-01	364	13	1.00	1.00	2.00	2.00	100.0	CONCRETE sample
Q1631-04	359	14	1.00	1.00	2.00	2.00	100.0	CONCRETE sample
Q1632-01	PIER-1-2	15	1.17	10.40	11.57	11.09	95.4	
Q1633-01	SLG	16	1.15	10.50	11.65	4.7	33.8	sludge sample
Q1634-01	HR-01-032425	17	1.16	9.45	10.61	9.77	91.1	
Q1634-02	HR-01-032425-E2	18	1.13	10.66	11.79	10.75	90.2	
Q1634-03	HR-04-032425	19	1.13	10.84	11.97	11.04	91.4	
Q1634-04	HR-04-032425-E2	20	1.12	10.69	11.81	10.82	90.7	
Q1635-01	TP-2	21	1.19	10.15	11.34	10.26	89.4	
Q1635-02	TP-2-EPH	22	1.17	10.23	11.4	10.29	89.1	
Q1635-03	TP-2-VOC	23	1.15	12.12	13.27	11.88	88.5	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

WORKLIST(Hardcopy Internal Chain)

13355

WorkList Name : %1-032425

WorkList ID : 188470

Department : Wet-Chemistry

Date : 03-24-2025 08:43:57

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q1623-05	SVOC-GPC-BLANK	Solid	Percent Solids	Cool 4 deg C	CHEM02	F11	03/21/2025	Chemtech -SO
Q1623-06	PEST-GPC-BLANK	Solid	Percent Solids	Cool 4 deg C	CHEM02	F11	03/21/2025	Chemtech -SO
Q1623-07	PEST-GPC-BLANK-SPIKE	Solid	Percent Solids	Cool 4 deg C	CHEM02	F11	03/21/2025	Chemtech -SO
Q1623-08	PCB-GPC-BLANK	Solid	Percent Solids	Cool 4 deg C	CHEM02	F11	03/21/2025	Chemtech -SO
Q1623-09	PCB-GPC-BLANK-SPIKE	Solid	Percent Solids	Cool 4 deg C	CHEM02	F11	03/21/2025	Chemtech -SO
Q1623-10	SVOC-GPC2-BLANK	Solid	Percent Solids	Cool 4 deg C	CHEM02	F11	03/21/2025	Chemtech -SO
Q1623-11	PEST-GPC2-BLANK	Solid	Percent Solids	Cool 4 deg C	CHEM02	F11	03/21/2025	Chemtech -SO
Q1623-12	PEST-GPC2-BLANK-SPIKE	Solid	Percent Solids	Cool 4 deg C	CHEM02	F11	03/21/2025	Chemtech -SO
Q1623-13	PCB-GPC2-BLANK	Solid	Percent Solids	Cool 4 deg C	CHEM02	F11	03/21/2025	Chemtech -SO
Q1623-14	PCB-GPC2-BLANK-SPIKE	Solid	Percent Solids	Cool 4 deg C	CHEM02	F11	03/21/2025	Chemtech -SO
Q1626-01	CO-32-1	Solid	Percent Solids	Cool 4 deg C	CHEM02	F11	03/21/2025	Chemtech -SO
Q1630-01	VNJ-206	Solid	Percent Solids	Cool 4 deg C	WALS01	F11	03/21/2025	Chemtech -SO
Q1631-01	364	Solid	Percent Solids	Cool 4 deg C	PSEG03	H31	03/24/2025	Chemtech -SO
Q1631-04	359	Solid	Percent Solids	Cool 4 deg C	PSEG03	I41	03/24/2025	Chemtech -SO
Q1632-01	PIER-1-2	Solid	Percent Solids	Cool 4 deg C	PSEG03	I41	03/24/2025	Chemtech -SO
Q1633-01	SLG	Solid	Percent Solids	Cool 4 deg C	PSEG03	I41	03/24/2025	Chemtech -SO
Q1634-01	HR-01-032425	Solid	Percent Solids	Cool 4 deg C	PSEG03	I31	03/24/2025	Chemtech -SO
Q1634-02	HR-01-032425-E2	Solid	Percent Solids	Cool 4 deg C	PSEG05	I31	03/24/2025	Chemtech -SO
Q1634-03	HR-04-032425	Solid	Percent Solids	Cool 4 deg C	PSEG05	I31	03/24/2025	Chemtech -SO
Q1634-04	HR-04-032425-E2	Solid	Percent Solids	Cool 4 deg C	PSEG05	I31	03/24/2025	Chemtech -SO
Q1635-01	TP-2	Solid	Percent Solids	Cool 4 deg C	PSEG03	I41	03/24/2025	Chemtech -SO

Date/Time 03/24/25 13130

Raw Sample Received by: yd w/c

Raw Sample Relinquished by: CP

Date/Time 03/24/25

Raw Sample Received by: CP

Raw Sample Relinquished by: yd w/c

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-032425

WorkList ID : 188470

Department : Wet-Chemistry

Date : 03-24-2025 08:43:57

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q1635-02	TP-2-EPH	Solid	Percent Solids	Cool 4 deg C	PSEG03	I41	03/24/2025	Chemtech -SO
Q1635-03	TP-2-VOC	Solid	Percent Solids	Cool 4 deg C	PSEG03	I41	03/24/2025	Chemtech -SO

Date/Time 03/24/25 15:30

Raw Sample Received by: sf woc

Raw Sample Relinquished by: sf sm

Date/Time 03/24/25 17:10

Raw Sample Received by: sf sm

Raw Sample Relinquished by: sf all



SHIPPING DOCUMENTS

CLIENT INFORMATION

REPORT TO BE SENT TO:

COMPANY: Walsh Construction Comp.
ADDRESS: 150 Clouet rd 11th Floor
CITY: Little Falls STATE: NJ ZIP: 07424
ATTENTION: Benie Dion Goken
PHONE: 646-285-7234 FAX:

CLIENT PROJECT INFORMATION

PROJECT NAME: Construction of shafts
PROJECT NO.: 220084 LOCATION: Queens NY
PROJECT MANAGER: Jesse Sylvestri
e-mail: jsylvestri@walshgroup.com
PHONE: 201-681-9740 FAX:

CLIENT BILLING INFORMATION

BILL TO: PO#: ADDRESS: CITY STATE: ZIP: ATTENTION: PHONE:

ANALYSIS

DATA TURNAROUND INFORMATION

FAX (RUSH) DAYS*
HARDCOPY (DATA PACKAGE): 18 DAYS*
EDD: 3 day DAYS*
*TO BE APPROVED BY CHEMTECH
STANDARD HARDCOPY TURNAROUND TIME IS 10 BUSINESS

DATA DELIVERABLE INFORMATION

☒ Level 1 (Results Only) ☐ Level 4 (QC + Full Raw Data)
☐ Level 2 (Results + QC) ☐ NJ Reduced ☐ US EPA CLP
☐ Level 3 (Results + QC) ☐ NYS ASP A ☐ NYS ASP B
+ Raw Data ☐ Other
☐ EDD FORMAT

1. TEL 506 2660
2. TEL 506 2660
3. TEL 506 2660
4. TEL 506 2660
5. TEL 506 2660
6. TEL 506 2660
7. TEL 506 2660
8. TEL 506 2660
9. TEL 506 2660
10. TEL 506 2660

ALLIANCE SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# OF BOTTLES	PRESERVATIVES									COMMENTS	
			COMP	GRAB	DATE	TIME		1	2	3	4	5	6	7	8	9		
1.	CO-32-1	S	✓	✓	3/21/25	1120	20	X	X	X	X	X	X	X	X	X	15-80-3, 1 liter each, 1 liter each	
2.																		
3.																		
4.																		
5.																		
6.																		
7.																		
8.																		
9.																		
10.																		

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY SAMPLER: 1. <u>[Signature]</u>	DATE/TIME: <u>1200</u> <u>3/21/25</u>	RECEIVED BY: 1. <u>[Signature]</u>	DATE/TIME: <u>1200</u> <u>3-21-25</u>	Conditions of bottles or coolers at receipt: ☐ COMPLIANT ☐ NON COMPLIANT ☐ COOLER TEMP: <u>2</u> °C
RELINQUISHED BY SAMPLER: 2. <u>[Signature]</u>	DATE/TIME:	RECEIVED BY: 2. <u>[Signature]</u>	DATE/TIME:	Comments: <u>ACRA Characteristics - Ignitability, Corrosivity, Reactivity - Sulfide & Cyanide</u>
RELINQUISHED BY SAMPLER: 3. <u>[Signature]</u>	DATE/TIME: <u>1715</u> <u>3-21-25</u>	RECEIVED BY: 3. <u>[Signature]</u>	DATE/TIME:	Full analyte list in S.N.G e-mail dated 3/18/25

#3-day TAT requested

Page 1 of 1

CLIENT: ☐ Hand Delivered ☐ Other

Shipment Complete
☐ YES ☐ NO

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488

LOGIN REPORT/SAMPLE TRANSFER

Order ID : Q1626	WALS01	Order Date : 3/21/2025 12:59:00 PM	Project Mgr :
Client Name : Walsh Construction Compai		Project Name : Walsh CO-032 Sampling	Report Type : Level 2
Client Contact : Evelyne Benie Dion Gokan		Receive DateTime : 3/21/2025 12:00:00 AM	EDD Type : Excel NY
Invoice Name : Walsh Construction Compai		Purchase Order : 5:15 pm	Hard Copy Date :
Invoice Contact : Evelyne Benie Dion Gokan			Date Signoff :

LAB ID	CLIENT ID	MATRIX	SAMPLE DATE	SAMPLE TIME	TEST	TEST GROUP	METHOD	FAX DATE	DUE DATES
Q1626-01	CO-32-1	Solid	03/21/2025	11:20	VOC-TCLVOA-10		8260D		3 Bus. Days

Relinquished By : CS

Date / Time : 3-24-25 10:10

Received By : Sally

Date / Time : 03/24/25 10:10

Storage Area : VOA Refridgerator Room

LOGIN REPORT/SAMPLE TRANSFER

Order ID : Q1626	WALS01	Order Date : 3/21/2025 12:59:00 PM	Project Mgr :
Client Name : Walsh Construction Compai		Project Name : Walsh CO-032 Sampling	Report Type : Level 2
Client Contact : Evelyne Benie Dion Gokan		Receive DateTime : 3/21/2025 12:00:00 AM	EDD Type : Excel NY
Invoice Name : Walsh Construction Compai		Purchase Order : 5:15 pm	Hard Copy Date :
Invoice Contact : Evelyne Benie Dion Gokan			Date Signoff :

LAB ID	CLIENT ID	MATRIX	SAMPLE DATE	SAMPLE TIME	TEST	TEST GROUP	METHOD	FAX DATE	DUE DATES
Q1626-01	CO-32-1	Solid	03/21/2025	11:20	Gasoline Range Organics		8015D		3 Bus. Days

Relinquished By :

Date / Time : 3-24-25 1010

Received By :

Date / Time :

Storage Area : VOA Refridgerator Room