

Analytical Sequence

Client: Walsh Construction Company II, LLC	SDG No.: Q1626
Project: Walsh CO-032 Sampling	Instrument ID: ECD_L
GC Column: ZB-MR1	ID: 0.32 (mm) Inst. Calib. Date(s): 03/11/2025 03/11/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	03/11/2025	09:55	PL094566.D	9.05	3.54
PEM	PEM	03/11/2025	10:08	PL094567.D	9.05	3.54
RESCHK	RESCHK	03/11/2025	10:22	PL094568.D	9.05	3.54
PSTDICC100	PSTDICC100	03/11/2025	10:35	PL094569.D	9.05	3.54
PSTDICC075	PSTDICC075	03/11/2025	10:49	PL094570.D	9.06	3.54
PSTDICC050	PSTDICC050	03/11/2025	11:02	PL094571.D	9.06	3.54
PSTDICC025	PSTDICC025	03/11/2025	11:16	PL094572.D	9.06	3.54
PSTDICC005	PSTDICC005	03/11/2025	11:29	PL094573.D	9.05	3.54
PCHLORICC500	PCHLORICC500	03/11/2025	12:10	PL094576.D	9.06	3.54
PTOXICC500	PTOXICC500	03/11/2025	13:18	PL094581.D	9.05	3.54
IBLK	IBLK	03/25/2025	10:19	PL094830.D	9.05	3.54
PEM	PEM	03/25/2025	11:36	PL094831.D	9.06	3.54
PSTDCCC050	PSTDCCC050	03/25/2025	11:50	PL094832.D	9.05	3.54
PB167272BL	PB167272BL	03/25/2025	12:25	PL094833.D	9.06	3.54
PB167272BS	PB167272BS	03/25/2025	14:00	PL094834.D	9.05	3.54
CO-32-1	Q1626-01	03/25/2025	14:27	PL094836.D	9.05	3.54
CO-32-1MS	Q1626-01MS	03/25/2025	14:41	PL094837.D	9.05	3.54
CO-32-1MSD	Q1626-01MSD	03/25/2025	14:55	PL094838.D	9.05	3.54
IBLK	IBLK	03/25/2025	16:15	PL094841.D	9.06	3.54
PSTDCCC050	PSTDCCC050	03/25/2025	17:01	PL094842.D	9.06	3.54

Analytical Sequence

Client: Walsh Construction Company II, LLC	SDG No.: Q1626
Project: Walsh CO-032 Sampling	Instrument ID: ECD_L
GC Column: ZB-MR2	ID: 0.32 (mm) Inst. Calib. Date(s): 03/11/2025 03/11/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	03/11/2025	09:55	PL094566.D	7.91	2.77
PEM	PEM	03/11/2025	10:08	PL094567.D	7.91	2.77
RESCHK	RESCHK	03/11/2025	10:22	PL094568.D	7.91	2.77
PSTDICC100	PSTDICC100	03/11/2025	10:35	PL094569.D	7.91	2.77
PSTDICC075	PSTDICC075	03/11/2025	10:49	PL094570.D	7.91	2.77
PSTDICC050	PSTDICC050	03/11/2025	11:02	PL094571.D	7.91	2.77
PSTDICC025	PSTDICC025	03/11/2025	11:16	PL094572.D	7.91	2.77
PSTDICC005	PSTDICC005	03/11/2025	11:29	PL094573.D	7.91	2.77
PCHLORICC500	PCHLORICC500	03/11/2025	12:10	PL094576.D	7.91	2.77
PTOXICC500	PTOXICC500	03/11/2025	13:18	PL094581.D	7.91	2.77
IBLK	IBLK	03/25/2025	10:19	PL094830.D	7.90	2.77
PEM	PEM	03/25/2025	11:36	PL094831.D	7.91	2.77
PSTDCCC050	PSTDCCC050	03/25/2025	11:50	PL094832.D	7.90	2.77
PB167272BL	PB167272BL	03/25/2025	12:25	PL094833.D	7.91	2.77
PB167272BS	PB167272BS	03/25/2025	14:00	PL094834.D	7.90	2.77
CO-32-1	Q1626-01	03/25/2025	14:27	PL094836.D	7.90	2.77
CO-32-1MS	Q1626-01MS	03/25/2025	14:41	PL094837.D	7.90	2.77
CO-32-1MSD	Q1626-01MSD	03/25/2025	14:55	PL094838.D	7.90	2.77
IBLK	IBLK	03/25/2025	16:15	PL094841.D	7.91	2.77
PSTDCCC050	PSTDCCC050	03/25/2025	17:01	PL094842.D	7.90	2.77