

SOP ID : M9012B-Total, Amenable and Reactive Cyanide-20

SDG No : N/A

Start Digest Date: 03/25/2025 Time : 11:30 Temp : N/A

Matrix : SOIL

End Digest Date: 03/25/2025 Time : 13:00 Temp : N/A

Pipette ID : N/A

Balance ID : WC SC-7

Hood ID : HOOD#1

Digestion tube ID : M5595

Block Thermometer ID : N/A

Block ID : MC-1, MC-2

Filter paper ID : N/A

Prep Technician Signature: NF

Weigh By : NF

pH Meter ID : N/A

Supervisor Signature: 12

Standardized Name	MLS USED	STD REF. # FROM LOG
PBS003	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.25N NaOH	50.0ML	WP111294
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

LAB SAMPLE ID	CLIENT SAMPLE ID	Comment

Extraction Conformance/Non-Conformance Comments:

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
03.25.2025, 13:15	NF/WC	NF/WC
Preparation Group	Analysis Group	

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
PB167300BL	PBS300	5.00	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1619-06DUP	TP-1DUP	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1619-06	TP-1	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1619-08	TP-2	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1619-10	TP-3	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1619-12	TP-4	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1619-14	TP-5	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1626-03	CO-32-1	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1627-01	GRID-LINE-1.2-NORTH	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1630-02	VNJ-206	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1632-02	PIER-1-2	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1633-01	SLG	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1635-04	TP-2	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1636-04	WC-1	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1636-08	WC-2	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1636-12	WC-3	5.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1636-16	WC-4	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1636-20	WC-5	5.00	50	N/A	N/A	N/A	N/A	N/A	N/A