

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL032525\
 Data File : PL094863.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 25 Mar 2025 22:01
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 26 02:20:32 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031125.M
 Quant Title : GC Extractables
 QLast Update : Tue Mar 11 17:42:21 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.536	2.769	134.2E6	186.3E6	47.393	52.195
28)	SA Decachlor...	9.051	7.903	103.4E6	198.7E6	49.059	49.180
Target Compounds							
2)	A alpha-BHC	3.992	3.271	194.9E6	282.6E6	46.927	52.415
3)	MA gamma-BHC...	4.325	3.601	186.9E6	266.2E6	46.840	51.789
4)	MA Heptachlor	4.912	3.939	172.7E6	260.9E6	44.485	49.528
5)	MB Aldrin	5.254	4.218	165.7E6	247.5E6	44.867	50.753
6)	B beta-BHC	4.524	3.902	84782517	115.6E6	45.947	52.027
7)	B delta-BHC	4.771	4.130	185.4E6	264.1E6	47.603	52.792
8)	B Heptachlo...	5.680	4.721	151.9E6	230.5E6	45.418	50.351
9)	A Endosulfan I	6.067	5.090	138.5E6	183.7E6	45.098	41.849
10)	B gamma-Chl...	5.937	4.971	151.8E6	243.9E6	45.046	50.512
11)	B alpha-Chl...	6.016	5.034	148.8E6	239.2E6	45.128	50.117
12)	B 4,4'-DDE	6.190	5.223	143.6E6	281.8E6	48.795	60.627
13)	MA Dieldrin	6.342	5.354	145.6E6	290.2E6	45.514	59.820 #
14)	MA Endrin	6.572	5.630	142.8E6	217.8E6	51.518	49.915
15)	B Endosulfa...	6.792	5.925	121.8E6	216.7E6	44.859	50.056
16)	A 4,4'-DDD	6.708	5.778	111.5E6	200.8E6	51.471	55.854
17)	MA 4,4'-DDT	7.021	6.028	112.4E6	201.9E6	47.265	50.070
18)	B Endrin al...	6.922	6.104	96003258	160.0E6	45.478	47.550
19)	B Endosulfa...	7.157	6.327	111.1E6	198.3E6	45.675	48.682
20)	A Methoxychlor	7.498	6.603	57365901	106.0E6	47.922	49.964
21)	B Endrin ke...	7.643	6.832	125.6E6	251.7E6	47.520	52.740
22)	Mirex	8.114	7.012	91894541	177.1E6	44.473	46.672
24)	Chlordane-2	5.254f	4.357	165.7E6	2545312	1094.873	14.414 #
25)	Chlordane-3	5.937	4.971	151.8E6	243.9E6	303.661	458.450 #
26)	Chlordane-4	6.016	5.034	148.8E6	239.2E6	252.557	459.498 #
27)	Chlordane-5	0.000	5.925	0	216.7E6	N.D.	1129.381 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL032525\
Data File : PL094863.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 25 Mar 2025 22:01
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 26 02:20:32 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL031125.M
Quant Title : GC Extractables
QLast Update : Tue Mar 11 17:42:21 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.536 min
Delta R.T.: -0.002 min
Response: 134154269
Conc: 47.39 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.769 min
Delta R.T.: -0.003 min
Response: 186298204
Conc: 52.20 ng/ml




#2 alpha-BHC

R.T.: 3.992 min
Delta R.T.: -0.002 min
Response: 194858746
Conc: 46.93 ng/ml



#2 alpha-BHC


R.T.: 3.271 min
Delta R.T.: -0.003 min
Response: 282587667
Conc: 52.41 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.325 min
Delta R.T.: -0.002 min
Response: 186905511
Conc: 46.84 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.601 min
Delta R.T.: -0.003 min
Response: 266165373
Conc: 51.79 ng/ml




#4 Heptachlor

R.T.: 4.912 min
Delta R.T.: -0.002 min
Response: 172672271
Conc: 44.48 ng/ml



#4 Heptachlor


R.T.: 3.939 min
Delta R.T.: -0.004 min
Response: 260946889
Conc: 49.53 ng/ml



#5 Aldrin


R.T.: 5.254 min
Delta R.T.: -0.002 min
Response: 165659903
Conc: 44.87 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.218 min
Delta R.T.: -0.003 min
Response: 247491435
Conc: 50.75 ng/ml




#6 beta-BHC

R.T.: 4.524 min
Delta R.T.: -0.001 min
Response: 84782517
Conc: 45.95 ng/ml



#6 beta-BHC


R.T.: 3.902 min
Delta R.T.: -0.003 min
Response: 115567589
Conc: 52.03 ng/ml



#7 delta-BHC


R.T.: 4.771 min
Delta R.T.: -0.002 min
Response: 185380134
Conc: 47.60 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.130 min
Delta R.T.: -0.003 min
Response: 264062748
Conc: 52.79 ng/ml




#8 Heptachlor epoxide

R.T.: 5.680 min
Delta R.T.: -0.003 min
Response: 151931472
Conc: 45.42 ng/ml



#8 Heptachlor epoxide


R.T.: 4.721 min
Delta R.T.: -0.004 min
Response: 230535648
Conc: 50.35 ng/ml



#9 Endosulfan I


R.T.: 6.067 min
Delta R.T.: -0.002 min
Response: 138458716
Conc: 45.10 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.090 min
Delta R.T.: -0.004 min
Response: 183662561
Conc: 41.85 ng/ml




#10 gamma-Chlordane

R.T.: 5.937 min
Delta R.T.: -0.003 min
Response: 151776149
Conc: 45.05 ng/ml



#10 gamma-Chlordane


R.T.: 4.971 min
Delta R.T.: -0.003 min
Response: 243894739
Conc: 50.51 ng/ml



#11 alpha-Chlordane


R.T.: 6.016 min
Delta R.T.: -0.002 min
Response: 148779336
Conc: 45.13 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.034 min
Delta R.T.: -0.004 min
Response: 239196232
Conc: 50.12 ng/ml




#12 4,4'-DDE

R.T.: 6.190 min
Delta R.T.: -0.003 min
Response: 143558491
Conc: 48.80 ng/ml



#12 4,4'-DDE


R.T.: 5.223 min
Delta R.T.: -0.004 min
Response: 281825580
Conc: 60.63 ng/ml



#13 Dieldrin


R.T.: 6.342 min
Delta R.T.: -0.002 min
Response: 145558849
Conc: 45.51 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.354 min
Delta R.T.: -0.004 min
Response: 290235741
Conc: 59.82 ng/ml




#14 Endrin

R.T.: 6.572 min
Delta R.T.: -0.002 min
Response: 142812203
Conc: 51.52 ng/ml



#14 Endrin


R.T.: 5.630 min
Delta R.T.: -0.003 min
Response: 217812878
Conc: 49.92 ng/ml



#15 Endosulfan II


R.T.: 6.792 min
Delta R.T.: -0.001 min
Response: 121781982
Conc: 44.86 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.925 min
Delta R.T.: -0.003 min
Response: 216655911
Conc: 50.06 ng/ml




#16 4,4'-DDD

R.T.: 6.708 min
Delta R.T.: -0.002 min
Response: 111489981
Conc: 51.47 ng/ml



#16 4,4'-DDD


R.T.: 5.778 min
Delta R.T.: -0.004 min
Response: 200846466
Conc: 55.85 ng/ml



#17 4,4'-DDT


R.T.: 7.021 min
Delta R.T.: -0.002 min
Response: 112420796
Conc: 47.26 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.028 min
Delta R.T.: -0.004 min
Response: 201889648
Conc: 50.07 ng/ml




#18 Endrin aldehyde

R.T.: 6.922 min
Delta R.T.: -0.002 min
Response: 96003258
Conc: 45.48 ng/ml



#18 Endrin aldehyde


R.T.: 6.104 min
Delta R.T.: -0.004 min
Response: 160024062
Conc: 47.55 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.157 min
Delta R.T.: -0.001 min
Response: 111081868
Conc: 45.67 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.327 min
Delta R.T.: -0.003 min
Response: 198303123
Conc: 48.68 ng/ml




#20 Methoxychlor

R.T.: 7.498 min
Delta R.T.: -0.002 min
Response: 57365901
Conc: 47.92 ng/ml



#20 Methoxychlor


R.T.: 6.603 min
Delta R.T.: -0.004 min
Response: 105977748
Conc: 49.96 ng/ml



#21 Endrin ketone


R.T.: 7.643 min
Delta R.T.: 0.000 min
Response: 125608453
Conc: 47.52 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.832 min
Delta R.T.: -0.004 min
Response: 251705042
Conc: 52.74 ng/ml




#22 Mirex

R.T.: 8.114 min
Delta R.T.: -0.003 min
Response: 91894541
Conc: 44.47 ng/ml



#22 Mirex


R.T.: 7.012 min
Delta R.T.: -0.004 min
Response: 177134394
Conc: 46.67 ng/ml



#24 Chlordane-2


R.T.: 5.254 min
Delta R.T.: 0.024 min
Response: 165659903
Conc: 1094.87 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 4.357 min
Delta R.T.: 0.013 min
Response: 2545312
Conc: 14.41 ng/ml




#25 Chlordane-3

R.T.: 5.937 min
Delta R.T.: -0.003 min
Response: 151776149
Conc: 303.66 ng/ml



#25 Chlordane-3


R.T.: 4.971 min
Delta R.T.: -0.004 min
Response: 243894739
Conc: 458.45 ng/ml



#26 Chlordane-4


R.T.: 6.016 min
Delta R.T.: -0.005 min
Response: 148779336
Conc: 252.56 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 5.034 min
Delta R.T.: -0.003 min
Response: 239196232
Conc: 459.50 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.871 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.925 min
Delta R.T.: -0.008 min
Response: 216655911
Conc: 1129.38 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.051 min
Delta R.T.: -0.004 min
Response: 103390508
Conc: 49.06 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.903 min
Delta R.T.: -0.004 min
Response: 198656859
Conc: 49.18 ng/ml